

**OI-LIN PROTECTIVE MOISTURIZER BROAD SPECTRUM SPF 30- oi-lin protective moisturizer spf 30 cream
Sunrider Manufacturing L.P.**

Active ingredients:

Titanium Dioxide 7.9 %

Zinc Oxide 5.9 %

Sunscreen

- helps prevent sunburn
- if used as direct with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun

Warnings:

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use end ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Water (Deionized)

Caprylic/Capric Triglyceride

Octyldodecyl Neopentanoate

VP/Eicosene Copolymer

Squalane (Veg. Origin)

Cyclopentasiloxane

Glyceryl Stearate

PEG-100 Stearate

Cetyl Alcohol

Hydrogen Dimethicone

Alumina

Olea Europaea (Olive) Fruit Oil

Persea Gratissima (Avocado) Oil

Simmondsia Chinensis (Jojoba) Seed Oil

Tocopheryl Acetate (Natural)

Glycerin
Tocopherol
Lysine PCA
Ceramide-3
Panicum Miliaceum (Millet) Seed Extract
Ceratonia Siliqua (Carob) Gum
Phospholipids
Ruscus Aculeatus Root Extract (Butcherbroom)
Avena Sativa (Oat) Kernel Protein
Symphytum Officinale Extract (Comfrey)
Plantago Ovata Seed Extract (Plantain)
Hydrolyzed Wheat Protein
Magnesium Aluminum Silicate
Polyhydroxystearic Acid
Phenyl Trimethicone
Hexyldecanol
Xanthan Gum
Cyclomethicone
Citric Acid
Triethoxycaprylylsilane
Dimethiconol
Propylene Glycol
Carbomer
Triethanolamine
Trisodium EDTA
Phenoxyethanol
Ethylhexylglycerin
Sodium Benzoate
Fragrance

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk,

regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures

including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long sleeve shirts, pants, hats, and sunglasses,
- children under 6 months: Ask a doctor.

Directions:

Apply liberally 30 minutes before sun exposure.

Reapply:

- after 40 minutes of swimming or sweating,
- immediately after towel drying,
- at least every 2 hours.

Directions:

Apply liberally 15 minutes before sun exposure

Reapply:

- after 40 minutes of swimming or sweating,
- immediately after towel drying,
- at least every 2 hours.





OI-LIN PROTECTIVE MOISTURIZER BROAD SPECTRUM SPF 30

oi-lin protective moisturizer spf 30 cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62191-100 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 114 mg in 1 g |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 55 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CARBOMER (UNII: 0A5MM307FC) | |
| TRIETHANOLAMINE (UNII: 9O3K93S3TK) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |

| |
|---|
| CYCLOPENTASILOXANE (UNII: 0THT5PCI0R) |
| OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T) |
| VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3) |
| GLYCERYL STEARATE (UNII: 230OU9XXE4) |
| PEG-100 STEARATE (UNII: YD01N1999R) |
| CETYL ALCOHOL (UNII: 936JST6JCN) |
| OLEA EUROPAEA (OLIVE) FRUIT OIL (UNII: 6UYK2W1W1E) |
| SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL (UNII: 724GKU717M) |
| MILLET (UNII: TJR6B3R47P) |
| RUSCUS ACULEATUS ROOT (UNII: ZW12V95I1Q) |
| COMFREY (UNII: D05HXX6R3G) |
| PLANTAGO OVATA SEED (UNII: UD50RBY30F) |
| HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL) |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) |
| HEXYLDECANOL (UNII: 151Z7P1317) |
| XANTHAN GUM (UNII: TTV12P4NEE) |
| DIMETHICONOL (40 CST) (UNII: 343C7U75XW) |
| TRISODIUM EDTA (UNII: 420IP921MB) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) |
| CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U) |
| HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N) |
| ALUMINA (UNII: LMI26O6933) |
| PERSEA GRATISSIMA (AVOCADO) OIL (UNII: 6VNO72PFC1) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| .DELTA.-TOCOPHEROL (UNII: JU84X1II0N) |
| EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV) |
| MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC) |
| OATMEAL (UNII: 8PI54V663Y) |
| CITRIC ACID (UNII: 2968PHW8QP) |
| SQUALANE (UNII: GW89575KF9) |
| CAROB (UNII: 5MG5Z946UO) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| WATER (UNII: 059QF0KO0R) |
| DIGLYCERIN (UNII: 3YC120743U) |
| LYSINE PCA (UNII: 89WJG4A348) |
| CERAMIDE 3 (UNII: 4370DF050B) |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) |
| CYCLOMETHICONE (UNII: NMQ347994Z) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:62191-100-02 | 1 in 1 BOX | 01/31/2025 | |
| 1 | NDC:62191-100-01 | 56.4 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016 | 01/31/2025 | |

Labeler - Sunrider Manufacturing L.P. (786951475)

Registrant - Sunrider Manufacturing L.P. (786951475)

Revised: 12/2025

Sunrider Manufacturing L.P.