

**IOPE AIR CUSHION COVER 13 IVORY- zinc oxide, octinoxate, and titanium dioxide lotion**

**IOPE AIR CUSHION COVER 21 VANILLA- zinc oxide, octinoxate, and titanium dioxide lotion**

**IOPE AIR CUSHION COVER 23 BEIGE- zinc oxide, octinoxate, and titanium dioxide lotion**

**IOPE AIR CUSHION COVER 31 WARM BEIGE- zinc oxide, octinoxate, and titanium dioxide lotion**

**AMOREPACIFIC CORPORATION**

-----  
**IOPE AIR CUSHION<sup>®</sup> Cover**

***Drug Facts***

<b><i>ACTIVE INGREDIENTS W/W</i></b>	<b><i>Purpose</i></b>
OCTINOXATE 7%	Sunscreen
TITANIUM DIOXIDE 4.15%	Sunscreen
ZINC OXIDE 9.8%	Sunscreen

**USE**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS**

***For external use only***

**When using this product**

- keep out of eyes.
- rinse with water to remove.

**Do not use on**

- damaged or broken skin.

**Stop use and ask a doctor if**

rash occurs.

***Keep out of reach of children.***

If product is swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.
  - Children under 6 months of age: Ask a doctor.

## Other information

Protect the product in this container from excessive heat and direct sun.

## INACTIVE INGREDIENTS

WATER / AQUA / EAU , CYCLOPENTASILOXANE , BUTYLENE GLYCOL  
 DICAPRYLATE/DICAPRATE , CYCLOHEXASILOXANE , TITANIUM DIOXIDE (CI 77891) ,  
 PEG-10 DIMETHICONE , PROPANEDIOL , LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL  
 DIMETHICONE , NIACINAMIDE , METHYL METHACRYLATE CROSSPOLYMER , GLYCERIN ,  
 ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER ,  
 POLYHYDROXYSTEARIC ACID , SODIUM CHLORIDE , ALUMINUM HYDROXIDE , IRON  
 OXIDES (CI 77492) , FRAGRANCE / PARFUM , STEARIC ACID , DIMETHICONE ,  
 TRIETHOXYCAPRYLYLSILANE , DISTEARDIMONIUM HECTORITE , ISOPROPYL PALMITATE  
 , ISOSTEARIC ACID , LECITHIN , ETHYLHEXYL PALMITATE , CAPRYLYL GLYCOL , IRON  
 OXIDES (CI 77491) , POLYGLYCERYL-3 POLYRICINOLEATE , DIMETHICONE/VINYL  
 DIMETHICONE CROSSPOLYMER , ETHYLHEXYLGLYCERIN , ACRYLATES/STEARYL  
 ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER , IRON OXIDES (CI 77499) ,  
 TRIMETHYLSILOXYSILICATE , DISODIUM EDTA , ADENOSINE , TREHALOSE , BUTYLENE  
 GLYCOL , SYNTHETIC FLUORPHLOGOPITE , POLYMETHYL METHACRYLATE , LACTIC ACID  
 , PCA , GLUCOSE , TIN OXIDE , GLYCINE , SILICA , SODIUM GLYCEROPHOSPHATE ,  
 UREA , SERINE , GLUTAMIC ACID , POTASSIUM MAGNESIUM ASPARTATE , ASPARTIC  
 ACID , LEUCINE , ALANINE , LYSINE , ARGININE , MAGNESIUM GLUCONATE , CALCIUM  
 GLUCONATE , TYROSINE , PHENYLALANINE , THREONINE , VALINE , PROLINE ,  
 ISOLEUCINE , CITRIC ACID , HISTIDINE , ACETYL GLUCOSAMINE , CREATINE , URIC  
 ACID , CYSTEINE , METHIONINE , LIPASE , CHITOSAN.

## PRINCIPAL DISPLAY PANEL - 15 g Container Carton - 13 Ivory

### IOPE

AIR CUSHION<sup>®</sup> COVER 13 IVORY  
 BROAD SPECTRUM SPF 50+ SUNSCREEN  
 Net wt. 1.05 OZ. / 30 g (15 g x 2)

**AIR CUSHION<sup>®</sup>**

COVER

13

IVORY  
(0066)

IOPE  
AIR CUSHION®  
COVER

IOPE

AIR CUSHION® COVER 13 IVORY  
BROAD SPECTRUM SPF 50+ SUNSCREEN  
Net wt. 1.05 OZ. / 30 g (15 g x 2)

AIR CUSHION®

*Drug Facts (continued)*

**INACTIVE INGREDIENTS**

WATER / AQUA / EAU, CYCLOPENTASILOXANE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, CYCLO-  
HEXASILOXANE, TITANIUM DIOXIDE (CI 77891), PEG-10 DIMETHICONE, PROPANEDIOL, LAURYL PEG-9  
POLYDIMETHYLSILOXYETHYL DIMETHICONE, NIACINAMIDE, METHYL METHACRYLATE COPOLYMER,  
GLYCERIN, ACRYLATES/ETHYLHEXYL ACRYLATE DIMETHICONE METHACRYLATE COPOLYMER, POLYHY-  
DROXYSTEARIC ACID, SODIUM CHLORIDE, ALUMINUM HYDROXIDE, IRON OXIDES (CI 77492), FRAGRANCE /  
PARFUM, STEARIC ACID, DIMETHICONE, TRIETHOXYCAPRYLSILANE, DISTEARDIMONIUM HECOTRITE,  
ISOPROPYL PALMITATE, ISOSTEARIC ACID, LECITHIN, ETHYLHEXYL PALMITATE, CAPRYLYL GLYCOL, IRON  
OXIDES (CI 77491), POLYGLYCERYL-9 POLYRICINOLEATE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER,  
ETHYLHEXYL GLYCERIN, ACRYLATES/STEARYL ACRYLATE DIMETHICONE METHACRYLATE COPOLYMER,  
IRON OXIDES (CI 77891), TRIMETHYLSILOXYSULFATE, DISODIUM EDTA, ADENOSINE, TREHALLOSE, BUTYLENE GLYCOL,  
SYNTHETIC FLUORPHOSPHITE, POLYMETHYL METHACRYLATE, LACTIC ACID, PCA, GLUCOSE, TIN OXIDE,  
GLYCINE, SILICA, SODIUM GLYCEROPHOSPHATE, UREA, SERINE, GLUTAMIC ACID, POTASSIUM MAGNESIUM  
ASPARTATE, ASPARTIC ACID, LEUCINE, ALANINE, LYSINE, ARGININE, MAGNESIUM GLUCONATE, CALCIUM  
GLUCONATE, TYROSINE, PHENYLALANINE, THREONINE, VALINE, PROLINE, ISOLEUCINE, CITRIC ACID, HISTIDINE,  
ACETYL GLUCOSAMINE, CREATINE, URIC ACID, CYSTEINE, METHIONINE, LIPASE, CHITOSAN.

Net wt. 1.05 OZ. / 30 g (15 g x 2)



With innovative ideas  
and technologies,  
cushion is revolutionizing  
makeup rules for women  
around the world.  
Cushion, the new standard  
of true beauty.

• AIR CUSHION is a trademark of  
Amorepacific Corporation, registered in  
Republic of Korea and other countries.

# IOPE

AIR CUSHION®  
COVER 13 IVORY  
BROAD SPECTRUM SPF 50+ SUNSCREEN

13 IVORY

21 VANILLA

23 BEIGE

AIR CUSHION® draws and seals in long-lasting hydration with MINERAL PRISM WATER™ for skin that glows with natural radiance.

[DERMATOLOGIST TESTED]

AMOREPACIFIC US INC.  
DIST NEW YORK, NY10018  
AMOREPACIFIC CORPORATION  
SEOUL, KOREA 04386  
MADE IN KOREA (0066)



### Drug Facts

ACTIVE INGREDIENTS WW	Purpose
OCTINOATE 7%	Sunscreen
TITANIUM DIOXIDE 4.15%	Sunscreen
ZINC OXIDE 9.8%	Sunscreen

### USE

- Helps prevent tanning.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

### WARNINGS

#### For external use only

#### When using this product

- keep out of eyes.
- rinse with water to remove.

#### Do not use on

- damaged or broken skin.

#### Stop use and ask a doctor if

- rash occurs.

#### Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

### DIRECTIONS

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. to 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.
  - Children under 6 months of age: Ask a doctor.

### Other information

Protect the product in this container from excessive heat and direct sun.

[Caution] Discontinue use if skin problem appears.







AIR CUSHION® draws and seals in long-lasting hydration with MINERAL PRISM WATER™ for skin that glows with natural radiance.

[DERMATOLOGIST TESTED]

AMOREPACIFIC US INC.  
DIST NEW YORK, NY10018  
AMOREPACIFIC CORPORATION  
SEOUL, KOREA 04386  
MADE IN KOREA (0067)

It provides a smooth, gel-like texture to the skin. It is a water-resistant sunscreen.

**DIRECTIONS**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.
  - Children under 6 months of age: Ask a doctor.

**Other information**

Protect the product in this container from excessive heat and direct sun.



7392821

**IOPE AIR CUSHION COVER 13 IVORY**

zinc oxide, octinoxate, and titanium dioxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43419-403
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>PIDOLIC ACID</b> (UNII: SZB83O1W42)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>SODIUM GLYCEROPHOSPHATE</b> (UNII: RCS9EQ01V4)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)	
<b>POTASSIUM MAGNESIUM ASPARTATE</b> (UNII: 55TUI7Q42I)	
<b>ASPARTIC ACID</b> (UNII: 30KYC7MIAI)	
<b>LEUCINE</b> (UNII: GMW67QNF9C)	
<b>ALANINE</b> (UNII: OF5P57N2ZX)	
<b>LYSINE</b> (UNII: K3Z4F929H6)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>CALCIUM GLUCONATE</b> (UNII: SQE6VB453K)	
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC)	
<b>TYROSINE</b> (UNII: 42HK56048U)	
<b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>THREONINE</b> (UNII: 2ZD004190S)	
<b>VALINE</b> (UNII: HG18B9YRS7)	
<b>ISOLEUCINE</b> (UNII: 04Y7590D77)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>N-ACETYLGLUCOSAMINE</b> (UNII: V956696549)	
<b>CREATINE</b> (UNII: MU72812GK0)	
<b>URIC ACID</b> (UNII: 268B43MJ25)	
<b>CYSTEINE</b> (UNII: K848JZ4886)	
<b>METHIONINE</b> (UNII: AE28F7PNPL)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-403-31	2 in 1 CARTON	06/05/2017	02/29/2024
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/26/2016	02/29/2024

## IOPE AIR CUSHION COVER 21 VANILLA

zinc oxide, octinoxate, and titanium dioxide lotion

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43419-404
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

Inactive Ingredients	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	

<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>PIDOLIC ACID</b> (UNII: SZB83O1W42)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>SODIUM GLYCEROPHOSPHATE</b> (UNII: RCS9EQ01V4)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)	
<b>POTASSIUM MAGNESIUM ASPARTATE</b> (UNII: 55TUI7Q42I)	
<b>LEUCINE</b> (UNII: GMW67QNF9C)	
<b>ALANINE</b> (UNII: OF5P57N2ZX)	
<b>LYSINE</b> (UNII: K3Z4F929H6)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>CALCIUM GLUCONATE</b> (UNII: SQE6VB453K)	
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC)	
<b>TYROSINE</b> (UNII: 42HK56048U)	
<b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>THREONINE</b> (UNII: 2ZD004190S)	
<b>VALINE</b> (UNII: HG18B9YRS7)	
<b>ISOLEUCINE</b> (UNII: 04Y7590D77)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>N-ACETYLGLUCOSAMINE</b> (UNII: V956696549)	
<b>CREATINE</b> (UNII: MU72812GK0)	
<b>URIC ACID</b> (UNII: 268B43MJ25)	

<b>CYSTEINE</b> (UNII: K848JZ4886)	
<b>METHIONINE</b> (UNII: AE28F7PNPL)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-404-31	2 in 1 CARTON	06/05/2017	
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/26/2016	

## IOPE AIR CUSHION COVER 23 BEIGE

zinc oxide, octinoxate, and titanium dioxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43419-405
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

### Inactive Ingredients

Ingredient Name	Strength
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>PIDOLIC ACID</b> (UNII: SZB83O1W42)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>SODIUM GLYCEROPHOSPHATE</b> (UNII: RCS9EQ01V4)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)	
<b>POTASSIUM MAGNESIUM ASPARTATE</b> (UNII: 55TUI7Q42I)	
<b>LEUCINE</b> (UNII: GMW67QNF9C)	
<b>ALANINE</b> (UNII: OF5P57N2ZX)	
<b>LYSINE</b> (UNII: K3Z4F929H6)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>CALCIUM GLUCONATE</b> (UNII: SQE6VB453K)	
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC)	
<b>TYROSINE</b> (UNII: 42HK56048U)	
<b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>THREONINE</b> (UNII: 2ZD004190S)	
<b>VALINE</b> (UNII: HG18B9YRS7)	
<b>ISOLEUCINE</b> (UNII: 04Y7590D77)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>N-ACETYLGLUCOSAMINE</b> (UNII: V956696549)	
<b>CREATINE</b> (UNII: MU72812GK0)	
<b>URIC ACID</b> (UNII: 268B43MJ25)	
<b>CYSTEINE</b> (UNII: K848JZ4886)	
<b>METHIONINE</b> (UNII: AE28F7PNPL)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	

## Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-405-31	2 in 1 CARTON	06/05/2017	
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/26/2016	

## IOPE AIR CUSHION COVER 31 WARM BEIGE

zinc oxide, octinoxate, and titanium dioxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43419-414
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PIDOLIC ACID</b> (UNII: SZB8301W42)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SLOG7R0OK)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>SODIUM GLYCEROPHOSPHATE</b> (UNII: RCS9EQ01V4)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)	
<b>POTASSIUM MAGNESIUM ASPARTATE</b> (UNII: 55TUI7Q42I)	
<b>ASPARTIC ACID</b> (UNII: 30KYC7MIAI)	
<b>LEUCINE</b> (UNII: GMW67QNF9C)	
<b>ALANINE</b> (UNII: OF5P57N2ZX)	
<b>LYSINE</b> (UNII: K3Z4F929H6)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>CALCIUM GLUCONATE</b> (UNII: SQE6VB453K)	
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC)	

<b>TYROSINE</b> (UNII: 42HK56048U)
<b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)
<b>THREONINE</b> (UNII: 2ZD004190S)
<b>VALINE</b> (UNII: HG18B9YRS7)
<b>ISOLEUCINE</b> (UNII: 04Y7590D77)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>HISTIDINE</b> (UNII: 4QD397987E)
<b>N-ACETYLGLUCOSAMINE</b> (UNII: V956696549)
<b>CREATINE</b> (UNII: MU72812GK0)
<b>URIC ACID</b> (UNII: 268B43MJ25)
<b>CYSTEINE</b> (UNII: K848JZ4886)
<b>METHIONINE</b> (UNII: AE28F7PNPL)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>ADENOSINE</b> (UNII: K72T3FS567)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-414-31	2 in 1 CARTON	09/20/2018	03/21/2021
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/20/2018	03/21/2021

**Labeler** - AMOREPACIFIC CORPORATION (631035289)

Revised: 10/2024

AMOREPACIFIC CORPORATION