

IOPE AIR CUSHION COVER 13 IVORY- zinc oxide, octinoxate, and titanium dioxide lotion

IOPE AIR CUSHION COVER 21 VANILLA- zinc oxide, octinoxate, and titanium dioxide lotion

IOPE AIR CUSHION COVER 23 BEIGE- zinc oxide, octinoxate, and titanium dioxide lotion

IOPE AIR CUSHION COVER 31 WARM BEIGE- zinc oxide, octinoxate, and titanium dioxide lotion

AMOREPACIFIC CORPORATION

IOPE AIR CUSHION[®] Cover

Drug Facts

<i>ACTIVE INGREDIENTS W/W</i>	<i>Purpose</i>
OCTINOXATE 7%	Sunscreen
TITANIUM DIOXIDE 4.15%	Sunscreen
ZINC OXIDE 9.8%	Sunscreen

USE

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only

When using this product

- keep out of eyes.
- rinse with water to remove.

Do not use on

- damaged or broken skin.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other information

Protect the product in this container from excessive heat and direct sun.

INACTIVE INGREDIENTS

WATER / AQUA / EAU , CYCLOPENTASILOXANE , BUTYLENE GLYCOL
DICAPRYLATE/DICAPRATE , CYCLOHEXASILOXANE , TITANIUM DIOXIDE (CI 77891) ,
PEG-10 DIMETHICONE , PROPANEDIOL , LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL
DIMETHICONE , NIACINAMIDE , METHYL METHACRYLATE CROSSPOLYMER , GLYCERIN ,
ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER ,
POLYHYDROXYSTEARIC ACID , SODIUM CHLORIDE , ALUMINUM HYDROXIDE , IRON
OXIDES (CI 77492) , FRAGRANCE / PARFUM , STEARIC ACID , DIMETHICONE ,
TRIETHOXYCAPRYLYLSILANE , DISTEARDIMONIUM HECTORITE , ISOPROPYL PALMITATE
 , ISOSTEARIC ACID , LECITHIN , ETHYLHEXYL PALMITATE , CAPRYLYL GLYCOL , IRON
OXIDES (CI 77491) , POLYGLYCERYL-3 POLYRICINOLEATE , DIMETHICONE/VINYL
DIMETHICONE CROSSPOLYMER , ETHYLHEXYLGLYCERIN , ACRYLATES/STEARYL
ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER , IRON OXIDES (CI 77499) ,
TRIMETHYLSILOXYSILICATE , DISODIUM EDTA , ADENOSINE , TREHALOSE , BUTYLENE
GLYCOL , SYNTHETIC FLUORPHLOGOPITE , POLYMETHYL METHACRYLATE , LACTIC ACID
 , PCA , GLUCOSE , TIN OXIDE , GLYCINE , SILICA , SODIUM GLYCEROPHOSPHATE ,
UREA , SERINE , GLUTAMIC ACID , POTASSIUM MAGNESIUM ASPARTATE , ASPARTIC
ACID , LEUCINE , ALANINE , LYSINE , ARGININE , MAGNESIUM GLUCONATE , CALCIUM
GLUCONATE , TYROSINE , PHENYLALANINE , THREONINE , VALINE , PROLINE ,
ISOLEUCINE , CITRIC ACID , HISTIDINE , ACETYL GLUCOSAMINE , CREATINE , URIC
ACID , CYSTEINE , METHIONINE , LIPASE , CHITOSAN.

PRINCIPAL DISPLAY PANEL - 15 g Container Carton - 13 Ivory

IOPE

AIR CUSHION[®] COVER 13 IVORY
BROAD SPECTRUM SPF 50+ SUNSCREEN
Net wt. 1.05 OZ. / 30 g (15 g x 2)

AIR CUSHION[®]

COVER

13

IVORY
(0066)

IOPE
AIR CUSHION®
COVER

IOPE

AIR CUSHION® COVER 13 IVORY
BROAD SPECTRUM SPF 50+ SUNSCREEN
Net wt. 1.05 OZ. / 30 g (15 g x 2)

AIR CUSHION®

Drug Facts (continued)

INACTIVE INGREDIENTS

WATER / AQUA / EAU, CYCLOPENTASILOXANE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, CYCLO-
HEXASILOXANE, TITANIUM DIOXIDE (CI 77891), PEG-10 DIMETHICONE, PROPANEDIOL, LAURYL PEG-9
POLYDIMETHYLSILOXYETHYL DIMETHICONE, NIACINAMIDE, METHYL METHACRYLATE COPOLYMER,
GLYCERIN, ACRYLATES/ETHYLHEXYL ACRYLATE DIMETHICONE METHACRYLATE COPOLYMER, POLYHY-
DROXYSTEARIC ACID, SODIUM CHLORIDE, ALUMINUM HYDROXIDE, IRON OXIDES (CI 77492), FRAGRANCE /
PARFUM, STEARIC ACID, DIMETHICONE, TRIETHOXYCAPRYLSILANE, DISTEARDIMONIUM HECOTRITE,
ISOPROPYL PALMITATE, ISOSTEARIC ACID, LECITHIN, ETHYLHEXYL PALMITATE, CAPRYLYL GLYCOL, IRON
OXIDES (CI 77491), POLYGLYCERYL-9 POLYRICINOLEATE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER,
ETHYLHEXYL GLYCERIN, ACRYLATES/STEARYL ACRYLATE DIMETHICONE METHACRYLATE COPOLYMER,
IRON OXIDES (CI 77891), TRIMETHYLSILOXYSULFATE, DISODIUM EDTA, ADENOSINE, TREHALLOSE, BUTYLENE GLYCOL,
SYNTHETIC FLUORPHOSPHITE, POLYMETHYL METHACRYLATE, LACTIC ACID, PCA, GLUCOSE, TIN OXIDE,
GLYCINE, SILICA, SODIUM GLYCEROPHOSPHATE, UREA, SERINE, GLUTAMIC ACID, POTASSIUM MAGNESIUM
ASPARTATE, ASPARTIC ACID, LEUCINE, ALANINE, LYSINE, ARGININE, MAGNESIUM GLUCONATE, CALCIUM
GLUCONATE, TYROSINE, PHENYLALANINE, THREONINE, VALINE, PROLINE, ISOLEUCINE, CITRIC ACID, HISTIDINE,
ACETYL GLUCOSAMINE, CREATINE, URIC ACID, CYSTEINE, METHIONINE, LIPASE, CHITOSAN.

Net wt. 1.05 OZ. / 30 g (15 g x 2)



With innovative ideas
and technologies,
cushion is revolutionizing
makeup rules for women
around the world.
Cushion, the new standard
of true beauty.

AIR CUSHION is a trademark of
Amorepacific Corporation, registered in
Republic of Korea and other countries.

IOPE

AIR CUSHION®
COVER 13 IVORY
BROAD SPECTRUM SPF 50+ SUNSCREEN

13 IVORY

21 VANILLA

23 BEIGE

AIR CUSHION® draws and seals in long-lasting hydration with MINERAL PRISM WATER™ for skin that glows with natural radiance.

[DERMATOLOGIST TESTED]

AMOREPACIFIC US INC.
DIST NEW YORK, NY10018
AMOREPACIFIC CORPORATION
SEOUL, KOREA 04386
MADE IN KOREA (0066)



Drug Facts

ACTIVE INGREDIENTS WW	Purpose
OCTINOXATE 7%	Sunscreen
TITANIUM DIOXIDE 4.15%	Sunscreen
ZINC OXIDE 9.8%	Sunscreen

USE

- Helps prevent tanning.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only

When using this product

- keep out of eyes.
- rinse with water to remove.

Do not use on

- damaged or broken skin.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure.

- Reapply at least every 2 hours.

- Use a water-resistant sunscreen if swimming or sweating.

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.

- Wear long-sleeved shirts, pants, hats, and sunglasses.

- Children under 6 months of age: Ask a doctor.

Other information

Protect the product in this container from excessive heat and direct sun.

[Caution] Discontinue use if skin problem appears.

AIR CUSHION® draws and seals in long-lasting hydration with MINERAL PRISM WATER™ for skin that glows with natural radiance.

[DERMATOLOGIST TESTED]

AMOREPACIFIC US INC.
 DIST NEW YORK, NY10018
 AMOREPACIFIC CORPORATION
 SEOUL, KOREA 04386
 MADE IN KOREA (0067)

It provides a smooth, gel-like texture to the skin. It is a colorless, clear, light-colored liquid.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months of age: Ask a doctor.

Other information

Protect the product in this container from excessive heat and direct sun.



7392821

IOPE AIR CUSHION COVER 13 IVORY

zinc oxide, octinoxate, and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-403
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ADENOSINE (UNII: K72T3FS567)	
TREHALOSE (UNII: B8WCK70T7I)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PIDOLIC ACID (UNII: SZB83O1W42)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
GLYCINE (UNII: TE7660XO1C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
UREA (UNII: 8W8T17847W)	
SODIUM GLYCEROPHOSPHATE (UNII: RCS9EQ01V4)	
SERINE (UNII: 452VLY9402)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
POTASSIUM MAGNESIUM ASPARTATE (UNII: 55TUI7Q42I)	
ASPARTIC ACID (UNII: 30KYC7MIAI)	
LEUCINE (UNII: GMW67QNF9C)	
ALANINE (UNII: OF5P57N2ZX)	
LYSINE (UNII: K3Z4F929H6)	
ARGININE (UNII: 94ZLA3W45F)	
CALCIUM GLUCONATE (UNII: SQE6VB453K)	
MAGNESIUM GLUCONATE (UNII: T42NAD2KHC)	
TYROSINE (UNII: 42HK56048U)	
PHENYLALANINE (UNII: 47E5O17Y3R)	
PROLINE (UNII: 9DLQ4CIU6V)	
THREONINE (UNII: 2ZD004190S)	
VALINE (UNII: HG18B9YRS7)	
ISOLEUCINE (UNII: 04Y7590D77)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HISTIDINE (UNII: 4QD397987E)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
CREATINE (UNII: MU72812GK0)	
URIC ACID (UNII: 268B43MJ25)	
CYSTEINE (UNII: K848JZ4886)	
METHIONINE (UNII: AE28F7PNPL)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PROPANEDIOL (UNII: 5965N8W85T)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
NIACINAMIDE (UNII: 25X5118RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE (UNII: 92RU3N3Y1O)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-403-31	2 in 1 CARTON	06/05/2017	02/29/2024
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/26/2016	02/29/2024

IOPE AIR CUSHION COVER 21 VANILLA

zinc oxide, octinoxate, and titanium dioxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-404
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PROPANEDIOL (UNII: 5965N8W85T)	

LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
NIACINAMIDE (UNII: 25X51I8RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ADENOSINE (UNII: K72T3FS567)	
TREHALOSE (UNII: B8WCK70T7I)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PIDOLIC ACID (UNII: SZB83O1W42)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
GLYCINE (UNII: TE7660XO1C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
UREA (UNII: 8W8T17847W)	
SODIUM GLYCEROPHOSPHATE (UNII: RCS9EQ01V4)	
SERINE (UNII: 452VLY9402)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
POTASSIUM MAGNESIUM ASPARTATE (UNII: 55TUI7Q42I)	
LEUCINE (UNII: GMW67QNF9C)	
ALANINE (UNII: OF5P57N2ZX)	
LYSINE (UNII: K3Z4F929H6)	
ARGININE (UNII: 94ZLA3W45F)	
CALCIUM GLUCONATE (UNII: SQE6VB453K)	
MAGNESIUM GLUCONATE (UNII: T42NAD2KHC)	
TYROSINE (UNII: 42HK56048U)	
PHENYLALANINE (UNII: 47E5O17Y3R)	
PROLINE (UNII: 9DLQ4CIU6V)	
THREONINE (UNII: 2ZD004190S)	
VALINE (UNII: HG18B9YRS7)	
ISOLEUCINE (UNII: 04Y7590D77)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HISTIDINE (UNII: 4QD397987E)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
CREATINE (UNII: MU72812GK0)	
URIC ACID (UNII: 268B43MJ25)	

CYSTEINE (UNII: K848JZ4886)	
METHIONINE (UNII: AE28F7PNPL)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-404-31	2 in 1 CARTON	06/05/2017	
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/26/2016	

IOPE AIR CUSHION COVER 23 BEIGE

zinc oxide, octinoxate, and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-405
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ADENOSINE (UNII: K72T3FS567)	
TREHALOSE (UNII: B8WCK70T7I)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PIDOLIC ACID (UNII: SZB83O1W42)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
GLYCINE (UNII: TE7660XO1C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
UREA (UNII: 8W8T17847W)	
SODIUM GLYCEROPHOSPHATE (UNII: RCS9EQ01V4)	
SERINE (UNII: 452VLY9402)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
POTASSIUM MAGNESIUM ASPARTATE (UNII: 55TUI7Q42I)	
LEUCINE (UNII: GMW67QNF9C)	
ALANINE (UNII: OF5P57N2ZX)	
LYSINE (UNII: K3Z4F929H6)	
ARGININE (UNII: 94ZLA3W45F)	
CALCIUM GLUCONATE (UNII: SQE6VB453K)	
MAGNESIUM GLUCONATE (UNII: T42NAD2KHC)	
TYROSINE (UNII: 42HK56048U)	
PHENYLALANINE (UNII: 47E5O17Y3R)	
PROLINE (UNII: 9DLQ4CIU6V)	
THREONINE (UNII: 2ZD004190S)	
VALINE (UNII: HG18B9YRS7)	
ISOLEUCINE (UNII: 04Y7590D77)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HISTIDINE (UNII: 4QD397987E)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
CREATINE (UNII: MU72812GK0)	
URIC ACID (UNII: 268B43MJ25)	
CYSTEINE (UNII: K848JZ4886)	
METHIONINE (UNII: AE28F7PNPL)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PROPANEDIOL (UNII: 5965N8W85T)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
NIACINAMIDE (UNII: 25X51I8RD4)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-405-31	2 in 1 CARTON	06/05/2017	
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/26/2016	

IOPE AIR CUSHION COVER 31 WARM BEIGE

zinc oxide, octinoxate, and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-414
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
PIDOLIC ACID (UNII: SZB8301W42)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
ANHYDROUS DEXTROSE (UNII: 5SLOG7R0OK)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
GLYCINE (UNII: TE7660XO1C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
UREA (UNII: 8W8T17847W)	
SODIUM GLYCEROPHOSPHATE (UNII: RCS9EQ01V4)	
SERINE (UNII: 452VLY9402)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
POTASSIUM MAGNESIUM ASPARTATE (UNII: 55TUI7Q42I)	
ASPARTIC ACID (UNII: 30KYC7MIAI)	
LEUCINE (UNII: GMW67QNF9C)	
ALANINE (UNII: OF5P57N2ZX)	
LYSINE (UNII: K3Z4F929H6)	
ARGININE (UNII: 94ZLA3W45F)	
CALCIUM GLUCONATE (UNII: SQE6VB453K)	
MAGNESIUM GLUCONATE (UNII: T42NAD2KHC)	

TYROSINE (UNII: 42HK56048U)
PHENYLALANINE (UNII: 47E5O17Y3R)
PROLINE (UNII: 9DLQ4CIU6V)
THREONINE (UNII: 2ZD004190S)
VALINE (UNII: HG18B9YRS7)
ISOLEUCINE (UNII: 04Y7590D77)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HISTIDINE (UNII: 4QD397987E)
N-ACETYLGLUCOSAMINE (UNII: V956696549)
CREATINE (UNII: MU72812GK0)
URIC ACID (UNII: 268B43MJ25)
CYSTEINE (UNII: K848JZ4886)
METHIONINE (UNII: AE28F7PNPL)
WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PROPANEDIOL (UNII: 5965N8W85T)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
GLYCERIN (UNII: PDC6A3C0OX)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE (UNII: 92RU3N3Y1O)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
FERRIC OXIDE RED (UNII: 1K09F3G675)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
ADENOSINE (UNII: K72T3FS567)
TREHALOSE (UNII: B8WCK70T7I)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-414-31	2 in 1 CARTON	09/20/2018	03/21/2021
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/20/2018	03/21/2021

Labeler - AMOREPACIFIC CORPORATION (631035289)

Revised: 1/2024

AMOREPACIFIC CORPORATION