

**TXL ACTIVE WART CORN REMOVER BANDAGE- wart corn remover  
pads patch  
Shenzhen Xinxin Yunhai Technology Co., Ltd.**

-----  
**83818-009**

**Active Ingredient**

Salicylic acid 40 %

**Purpose**

Wart, Corn and Small Callus Remover

**Use**

For the removal of common warts, plantar warts, corns, and small calluses.

**Warnings**

For external use only.

**Do not use**

On open wounds, irritated or infected skin, skin tags, moles, facial warts, genital warts, Molluscum, or milia (white bumps), or mucous membranes,

**When Using**

Avoid contact with eyes or healthy skin. In case of accidental contact, rinse thoroughly with water.

**Stop Use**

Redness, irritation, swelling, or pain persists or worsens. The wart, corn, or callus does not improve within the expected treatment period (up to 12 weeks).

**Ask Doctor**

Redness, irritation, swelling, or pain persists or worsens. The wart, corn, or callus does not improve within the expected treatment period (up to 12 weeks).

**Keep Out Of Reach Of Children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

1. Wash the affected area with soap and warm water. Rinse thoroughly and dry completely.
2. Select the appropriate size pad (large or small) that fits the wart, corn, or small callus.
3. Apply the medicated center directly over the wart, corn, or small callus. Avoid covering healthy skin.
4. Use the provided PU adhesive bandage to secure the pad in place, ensuring it stays firmly attached.
5. Leave the pad in place for 24 hours. After 24 hours, remove the pad and clean the affected area.
6. Repeat the application process daily as needed until the wart, corn, or callus is removed.
7. Do not use it for more than 12 weeks unless directed by a doctor.

## **Other information**

store between 59° and 86°F (15°C and 30°C)

## **Inactive ingredients**

Hard paraffin, lanolin, phenol

## **Questions**

Call 1-914-875-2018

## **PRINCIPAL DISPLAY PANEL**

**TXL Active Wart Corn Remover Bandage -Package Design**  
**Size: 180\*120\*14mm**

- PANTONE 7737 C
- PANTONE 7726 C
- PANTONE 584 C
- PANTONE 7499 C
- PANTONE 368 C
- PANTONE 611 C



**Important Note**  
 A whitening effect (skin turning white) or color change (e.g., orange) under the treated area is normal. These are signs that the medication is working. The skin will return to its natural color after stopping use.

# TXL ACTIVE WART CORN REMOVER BANDAGE

wart corn remover pads patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83818-009
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 g in 100

## Inactive Ingredients

Ingredient Name	Strength
<b>PHENOL</b> (UNII: 339NCG44TV)	
<b>PARAFFIN</b> (UNII: I900E3H2ZE)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83818-009-01	30 in 1 BOX; Type 0: Not a Combination Product	12/23/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	12/23/2024	

**Labeler** - Shenzhen Xinxin Yunhai Technology Co., Ltd. (699816806)

## Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Xinxin Yunhai Technology Co., Ltd.		699816806	manufacture(83818-009)

Revised: 12/2024

Shenzhen Xinxin Yunhai Technology Co., Ltd.