

**FOOT WORKS MAXIMUM CRACKED HEEL- benzalkonium chloride,
lidocaine cream
COSMAX USA, CORPORATION**

AVON FOOTWORKS MAXIMUM STRENGTH CRACKED HEEL

Active Ingredients

Benzalkonium Chloride 0.13%

Lidocaine 4%

Purpose

First aid antiseptic

External analgesic

USES

Uses

- first aid to help reduce the risk of skin infection in minor cuts, scrapes and burns
- first aid for the temporary relief of pain in minor cuts, scrapes and burns

Warnings

For external use only

- do not use in the eyes or apply over large areas of the body
- do not use in large quantities, particularly over raw surfaces or blistered areas
- consult a doctor in the case of deep or puncture wounds, animal bites, or serious burns
- if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use longer than 1 week unless directed by a doctor

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Directions

Adults and children 2 years of age and older

- clean the affected area
- apply a small amount of this product on the affected are 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years of age

- consult a doctor

Inactive Ingredients:

Water, Isopropyl Palmitate, Glyceryl Stearate, Cetyl Alcohol, Stearyl Alcohol, Glycerin, Lanolin Wax, Dimethicone, Helianthus Annuus (Sunflower) Seed Oil, Polysorbate 80, Benzyl Alcohol, Carbomer, Methylparaben, Disodium EDTA, Allantoin, Alcohol, Butyrospermum Parkii (Shea) Butter, Tocopheryl Acetate, Vitis Vinifera (Grape) Seed Oil, Theobroma Cacao (Cocoa) Seed Butter, Citric Acid



Drug Facts

Active ingredients	Purpose
Benzalkonium Chloride 0.13%	First aid antiseptic
Lidocaine 4%	External analgesic

Uses ■ first aid to help reduce the risk of skin infection in minor cuts, scrapes and burns ■ first aid for the temporary relief of pain in minor cuts, scrapes and burns

Warnings
For external use only

- do not use in the eyes or apply over large areas of the body
- do not use in large quantities, particularly over raw surfaces or blistered areas
- consult a doctor in the case of deep or puncture wounds, animal bites, or serious burns

■ if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use longer than 1 week unless directed by a doctor.

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 2 years of age and older:
■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with a sterile bandage

Children under 2 years of age:
■ consult a doctor

Inactive ingredients WATER/EAU, ISOPROPYL PALMITATE, GLYCERYL STEARATE, CETYL ALCOHOL, STEARYL ALCOHOL, GLYCERIN, LANOLIN WAX, DIMETHICONE, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, POLYSORBATE 80, BENZYL ALCOHOL, CARBOMER, METHYLPARABEN, DISODIUM EDTA, ALLANTOIN, ALCOHOL, BUTYROSPERMUM PARKII (SHEA) BUTTER, TOCOPHERYL ACETATE, VITIS VINIFERA (GRAPE) SEED OIL, THEOBROMA CACAO (COCOA) SEED BUTTER, CITRIC ACID.

Questions?
Call 1-800-FOR-AVON

www.avon.com
ASSEMBLED IN USA
DISTR. THE AVON COMPANY, NY, NY 10006
©2024 THE AVON COMPANY C2267278

AVON
foot
works

Maximum Strength
Cracked Heel
Cream

External Analgesic
First Aid Antiseptic

75 ml/2.5 fl.oz. U.S.

FOOT WORKS MAXIMUM CRACKED HEEL

benzalkonium chloride, lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68577-195
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)

LIDOCAINE

40 mg
in 1 mL**Inactive Ingredients**

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALLANTOIN (UNII: 344S277G0Z)	
CITRIC ACID (UNII: 2968PHW8QP)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL (UNII: 3W1JG795YI)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ALCOHOL (UNII: 3K9958V90M)	
VITIS VINIFERA (GRAPE) SEED OIL (UNII: 930MLC8XGG)	
GLYCERIN (UNII: PDC6A3C0OX)	
THEOBROMA CACAO (COCOA) SEED BUTTER (UNII: 512OYT1CRR)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155VL9Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68577-195-00	750 mL in 1 TUBE; Type 0: Not a Combination Product	08/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/01/2024	

Labeler - COSMAX USA, CORPORATION (010990210)**Establishment**

Name	Address	ID/FEI	Business Operations
COSMAX USA, CORPORATION		010990210	manufacture(68577-195)

Revised: 12/2024

COSMAX USA, CORPORATION