

ANACARDIUM OCCIDENTALE - anacardium occidentale fruit pellet
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

ANACARD OCC 30C

USES

To relieve the symptoms of itching.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

ANACARD OCC Itching

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, stop use and consult your practitioner.

DIRECTIONS

Adults: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides. Children: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL

The OTC potency range of ANACARD OCC is 3x-30x, 2c-30c, 200c, 1m, 10m, 50m, and CM.

Availability is subject to change.



Homeopathic Medicine

Contents: 1 oz Sucrose/Lactose Pills HPUS†

Anacard occ 30C Itching*

Directions: Adults: Dissolve 4 under the tongue 3 times a day. Children: 1/2 dose. Repeat at greater intervals as condition subsides, or as directed by a licensed practitioner. **Warning:** If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult a licensed practitioner. Keep out of reach of children. Do not use if seal is broken.

Washington Homeopathic Products Lot 19887
260 JR Hawvermale Way, Berkeley Springs, WV 25411
800-336-1695 • homeopathyworks.com • Est No. 3006489197

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

†Product is monographed in the Homeopathic Pharmacopoeia of the United States.



All WHP single remedies are made to order; thus, the labels are printed on the same label stock as the orders are filled.

‘Bottle Size’ and ‘Potency’ vary on the label depending on customer choice.

Standard bottle sizes for pellet-form remedies are 2 dram, 4 dram, 1 ounce, 2 ounce, and 4 ounce.

ANACARDIUM OCCIDENTALE

anacardium occidentale fruit pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68428-203
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ANACARDIUM OCCIDENTALE FRUIT (UNII: 4A10JR4E7E) (ANACARDIUM OCCIDENTALE FRUIT - UNII:4A10JR4E7E)	ANACARDIUM OCCIDENTALE FRUIT	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)	
LACTOSE (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-203-03	75 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/12/2010	
2	NDC:68428-203-05	150 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/12/2010	
3	NDC:68428-203-11	300 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/12/2010	
4	NDC:68428-203-12	600 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/12/2010	
5	NDC:68428-203-06	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/12/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/12/2010	

Labeler - Washington Homeopathic Products (084929389)

Registrant - Washington Homeopathic Products (084929389)

Establishment

Name	Address	ID/FEI	Business Operations
Washington Homeopathic Products		084929389	manufacture(68428-203)