HERBALGY - camphor menthol methyl salicylate oil Herbalgy Pharmaceutical Limited

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Methyl Salicylate 31.5% Menthol 16% Camphor 10%

Purpose

External Analgesic External Analgesic External Analgesic

Uses: For the temporary relief of minor aches and pains of muscles and joints associated withsimple backache, strains, bruises and sprains.

Warnings: FOR EXTERNAL USE ONLY

Do not use

- Apply on wounds, irritated or damaged skin.
- Otherwise than as directed

When using this product

- Avoid contact with the eyes, mouth or mucous membranes.
- Do not bandage tightly.

Stop use and ask a doctor if:

- Condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days.
- Excessive irritation of the skin develops.
- When using this product for arthritis: Pain persists for more than 10 days, redness is present or in conditions affecting children under 12 years of age

If pregnant or breast feeding, see the advise of a health professional before using this product.

Keep out of reach of children to avoid accidental poisoning. If swallowed, contact a Doctor or Poison Control Center immediately

Directions

Adults and children2 years of age and older: Apply to affected area not more than 3-4 times daily. Children under 2 years of age: Do not use, consult a doctor

Inactive Ingredients: Eucalyptus oil, Olibanum, Myrhha resins, Corydalis rhizome and Drynaria fortunei extracts

Package Label

: 配替次推TOJ : 限日放夫 qX∃ (B/F/I# QQ/MM/YY)

. 胚格動



Drug Facts

藥品資料

Active ingredients 主要成份 ... Purpose 用達 (外形止降): Methyl Salicylate 未接触中能 31.5% External Analgesic Menthol 運搬 16% External Analgesic Menthol 建筑版 16% External Analgesic Camphor 後版 10% External Analgesic

Uses: For the temporary relief of minor achee and pains of muscles and joints associated with simple backache, strains, bruises and sprains. 主治功能: 舒緬朝部傳·祖康除思·凯内搜痛·閩傳・

Warnings 置告: FOR EXTERNAL USE ONLY 并相单数 Do not use 在下列情况下前为他用

- Apply on wounds, irritated or damaged skin. 不進用於傳口・過敏或破陽的皮膚。 Otherwise than as directed. 不要使用說明以外的用途。

- Avoid contact with the eyes, mouth or mucous if 不避免接觸器器・口腔或影器・
- Do not bandage tightly. 切物用罐帶包集通案。

Distributor (USA) by 無何職: Wissun Trading Inc Booklyn, NY 11205 維新貿易公司 Tel:(718)852-8844

健絡通。舒筋活絡油 HERBALGY. pain relieving oil



If you are pregnant or nursing a baby, see the abloce a health prefessional before veing this product. 伊格斯曼托斯文法斯斯等的式,跟你在用部部的指数的企业完了。

■ When using for pain of arturits. REMBERGIDLESS :
Plain persists for more than 10 days, includes it present or
in consistons selected prisons under 12 years of age
in consistons selected prisons under 12 years of age
REMBERGING TREETERS IN THE TREETERS OF THE TREETER

Drug Facts (Continued) 瓣品資料(數)

Stop use and sak a doctor if BIRK Prefix Rep is any 4-4 as asset if ** Condition women, symptom parasit for more han? days or days up and occur again within a few days. 在XBUT,我就就算十天儿上就就就会像来看风格出现。

Excessive initiation of the skin develops.

藥品資料(藥) Drug Facts (Continued)

Directions, Adults and children 2 years of age and cider: Apply to afficied area nor more than 3 to 4 times daily. Children under 2 years of age : Do not use, consult a doctor. MILA/使用方法: LiJJR能址散光整件框。使用转 解释的 直接控图 自己的

Inactive Ingredients: Euralyptus of , Oltanum , Mynta resins Corystalis nhaceme and Dynama fortunel extracts. 輔配成份:東書·波響·遊略·遊略·蘇結樂·青柳樓 及 核繁治 等

Keep out of the reach of children is potisoning, if awalowed, contact a Doctor or Potison Control Center Immediately.

HERBALGY

camphor menthol methyl salicylate oil

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66898-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	10 mL in 100 mL	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	16 mL in 100 mL	
METHYL SALICYLATE (UNII: LAV5U5022Y) (METHYL SALICYLATE - UNII:LAV5U5022Y)	METHYL SALICYLATE	31.5 mL in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
EUCALYPTUS OIL (UNII: 2R04ONI662)	
FRANKINCENSE (UNII: R9 XLF1R1WM)	
MYRRH (UNII: JC71GJ1F3L)	
CORYDALIS YANHUSUO TUBER (UNII: 0TUP42692Z)	
DRYNARIA FORTUNEI ROOT (UNII: 731W842X8Q)	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66898-100-50	50 mL in 1 BOTTLE, GLASS		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/15/2012	

Labeler - Herbalgy Pharmaceutical Limited (667293554)

Establishment				
Name	Address	ID/FEI	Business Operations	
Herbalgy Pharmaceutical Limited		667293554	manufacture	

Revised: 2/2012 Herbalgy Pharmaceutical Limited