

**ISOPROPYL ALCOHOL- isopropyl alcohol liquid**  
**Old East Main Co.**

-----  
**Rexall 804.003/804AA**  
**91% Isopropyl Alcohol**

**Active ingredient**

Isopropyl alcohol 91%

**Purpose**

First aid antiseptic

**Uses**

First aid to help prevent the risk of infection in:

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only.** If taken internally serious gastric disturbances will result.

**Flammable**

- Keep away from fire or flame, heat, spark, electrical
- do not use as a fuel source

**Ask a doctor before use**

if you have deep or puncture wounds, animal bites or serious burns

**When using this product**

- do not get into eyes
- do not inhale
- do not apply over large areas of the body
- do not use longer than 1 week
- use only as directed

**Stop use and ask a doctor if**

- condition persists or gets worse

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Caution**

Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.

## **Directions**

- clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

## **Other information**

- does not contain, nor is intended as a substitute for grain or ethyl alcohol

## **Inactive ingredients**

water

## **Adverse reaction**

Vist us at: [Rexall.com](http://Rexall.com) or call 1-866-4-REXALL

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE, GOODLETTSVILLE, TN 37072

Pat. D675, 101

## **Principal display panel**

Since 1903

Rexall™

91% Isopropyl Alcohol

First Aid Antiseptic

Topical Antimicrobial

- For treatment of minor cuts and scrapes

## **WARNING FLAMMABLE**

- Keep away from heat, spark, electrical, fire or flame
- Do not use as fuel source

CAUTION: Do not point at self or others; product will squirt when squeezed.

Use only as directed, in a well-ventilated area; fumes can be harmful

32 FL OZ (1 QT) 946 mL



ISOPROPYL ALCOHOL			
isopropyl alcohol liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-804
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)		ISOPROPYL ALCOHOL	91 mL in 100 mL
Inactive Ingredients			
Ingredient Name		Strength	
WATER (UNII: 059QF0KO0R)			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-804-43	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/26/2011	
2	NDC:55910-804-45	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/16/2011	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/26/2011	

**Labeler** - Old East Main Co. (068331990)

**Registrant** - Nice-Pak Products, LLC (119091520)

## Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(55910-804)

Revised: 3/2026

Old East Main Co.