

**RV ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 AMBER- face foundation  
with spf cream**

**REVLON CONSUMER PR Consumer Products Corp**

-----  
**REVLON ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 (Shade: Brulee)**

**ACTIVE INGREDIENTS**

Active Ingredients Purpose

Octinoxate 5.5% .....Sunscreen

Titanium dioxide 3.1%..... Sunscreen

Zinc oxide (nano) 1.0 %.....Sunscreen

**Uses**

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**Warnings**

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months of age: Ask a doctor

## **Other information**

Other information:

Protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

**Inactive Ingredients:** Cyclohexasiloxane, Aqua/Water/Eau, Trimethylsiloxysilicate, Glycerin, Mica, PEG-10 Dimethicone, Dimethicone, Phenyl Trimethicone, PEG/PPG-18/18 Dimethicone, 1,2-Hexanediol, Alcohol Denat., Alumina, Caprylyl Glycol, Cyclopentasiloxane, Dimethiconol, Disteardimonium Hectorite, Ethylene Brassylate, Hexylene Glycol, Hydrogen Dimethicone, Lecithin, Magnesium Sulfate, Maris Sal/Sea Salt/Sel Marin, Methicone, Niacinamide, Polyquaternium-51, Polysilicone-11, Sodium Carrageenan, Sodium Hyaluronate, Sodium PCA, Tetrahexyldecyl Ascorbate, Tetrasodium EDTA, Tocopheryl Acetate, Trehalose, Triethoxycaprylylsilane, Triethyl Citrate, Urea, Zingiber Officinale (Ginger) Root Extract, Citral, Phenoxyethanol.

MAY CONTAIN/PEUT CONTENIR/PUEDE CONTENER (+/-): [Bismuth Oxychloride (CI 77163), Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Titanium Dioxide (CI 77891).]. B03218

## **Questions?**

### **Questions?**

1-800-473-8566

Monday - Thursday, 10AM - 12PM and 2PM - 4PM EST

## **Keep out of reach of children**

If product is swallowed, get medical help or contact a Poison Control Center right away.

## **Purpose**

Sunscreen

## **Carton Packaging**

Carton Packaging

113  
IVORY BEIGE

**Drug Facts**  
**Active ingredients:** Purpose  
 Octinoxate 3.0%, Sunscreen  
 Titanium Dioxide 3.1%, Sunscreen  
 Zinc Oxide (nano) 1.0%, Sunscreen

**Uses**  
 • Helps prevent sunburn.  
 • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
 • For external use only.  
 • Do not use on damaged or broken skin.  
 • When using this product keep out of the eyes. Rinse with water to remove.  
 • Stop use and ask a doctor if rash occurs.  
 • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 • Apply liberally 15 minutes before sun exposure.  
 • Reapply at least every 2 hours.  
 • Use a water resistant sunscreen if swimming or sweating.  
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • Limit time in the sun, especially from 10 am - 2 pm.  
 • Wear long-sleeved shirts, pants, hats and sunglasses.

**Drug Facts (cont.)**  
 • Children under 6 months: Ask a doctor.

**Other information**  
 • Protect the product in its container from excessive heat and direct sun.

**Inactive Ingredients**  
 Cyclohexasiloxane, Aqua/Miscelanea, Trimethylsilylpropylsulfate, Glycerin, Mica, PEG-10 Dimethicone, Dimethicone, Triethyl Trimellitate, PEG/PPG-19/18 Dimethicone, 1,2-Hexanediol, Alcohol Denat., Acetone, Glyceryl Glycol, Cyclopentasiloxane, Dimethiconol, Diethylammonium Hexadecyl, Ethylene Bisstearyl Dimethylsiloxane, Hydrogen Dimethylsiloxane, Lactin, Magnesium Sulfate, Mica, Di/Dim Sil/Dim Methyl, Methicone, Microspheres, Polybutene-5, Polybutene-11, Sodium Carboxymethyl, Sodium Hyaluronate, Sodium PCA, Tetrahydrodymyl Acrylate, Tetrahydroxy EDTA, Tocopheryl Acetate, Triolein, Triethylcaprylylsiloxane, Triethyl Citrate, Urea, Zingiber Officinale (Ginger) Root Extract, Citral, Trisocyclonal, MMS CONTAIN/PEST CONTENR/P/BEDE CONTENR (+/-): (Stimulth) Cyclohexane (2 77142), Iron Oxides (2 77492), Iron Oxides (3 77499), Titanium Dioxide (3 77891), 803218

**Questions?**  
 1-800-473-8546  
 Monday - Thursday 10AM-12PM and 2PM-4PM EST

ILLUMINANCE  
 REVLON®  
 SERUM TINT  
 BROAD SPECTRUM SPF 15

GINGER ROOT EXTRACT & VITAMIN C TRIPLE HYALURONIC ACID; improved hyaluronic acid with triple molecular weight BROAD SPECTRUM SPF 15 ILLUMINANCE SERUM TINT works to visibly reduce dark spots and even skin tone. Gives skin an instant glow, provides all day hydration and protects skin against UVA/UVB. To use: Dot on center of the face and blend outwards. Build to desired coverage.



GINGER ROOT  
 VITAMIN C  
 VITAMIN E

WARNING:  
 AVOID CONTACT WITH EYES.

© 2023  
 REVLON COS.  
 PROD. CORP.  
 NY, NY 10041  
 REVON.COM  
 MADE IN U.S.A.  
 WITH U.S.  
 AND NON-U.S.  
 COMPONENTS.  
 2254110113

0.94 FL. OZ. / 28 mL e



**MERCH CODE  
 SHADE NAME**

113 IVORY BEIGE	405 HAZEL
117 LIGHT BEIGE	409 BRULEE
201 CREAMY NATURAL	417 WARM CARAMEL
209 BUFF BEIGE	505 RICH SAND
213 LIGHT NATURAL	509 SANDALWOOD
301 COOL BEIGE	517 AMBER
313 LIGHT TAN	601 SOFT NUTMEG
317 TAN SAND	605 RICH MAHOGANY

**Tube Packaging Label**



## RV ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 AMBER

face foundation with spf cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10967-693
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.868 g in 28 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.28 g in 28 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.54 g in 28 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MICA</b> (UNII: V8A1AW0880)	

<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>UREA</b> (UNII: 8W8T17847W)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>GINGER</b> (UNII: C5529G5JPQ)
<b>CITRAL</b> (UNII: T7EU0O9VPP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>ETHYLENE BRASSYLATE</b> (UNII: 9A87HC7ROD)
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>SEA SALT</b> (UNII: 87GE52P74G)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CARRAGEENAN</b> (UNII: 5C69YCD2YJ)
<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-693-19	28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/26/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/26/2024	

**Labeler** - REVLON CONSUMER PR Consumer Products Corp (788820165)

## Establishment

Name	Address	ID/FEI	Business Operations
REVLON, INC.		809725570	manufacture(10967-693)

Revised: 12/2024

REVLON CONSUMER PR Consumer Products Corp