

**RV ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 TAN SAND- face  
foundation with spf cream  
REVLON CONSUMER PR Consumer Products Corp**

-----  
**REVLON ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 (Shade: Tan Sand)**

**ACTIVE INGREDIENTS**

Active Ingredients Purpose

Octinoxate 5.5% .....Sunscreen

Titanium dioxide 3.1%..... Sunscreen

Zinc oxide (nano) 1.0 %.....Sunscreen

**Uses**

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**Warnings**

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months of age: Ask a doctor

## **Other information**

Other information:

Protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

**Inactive Ingredients:** Cyclohexasiloxane, Aqua/Water/Eau, Trimethylsiloxysilicate, Glycerin, Mica, PEG-10 Dimethicone, Dimethicone, Phenyl Trimethicone, PEG/PPG-18/18 Dimethicone, 1,2-Hexanediol, Alcohol Denat., Alumina, Caprylyl Glycol, Cyclopentasiloxane, Dimethiconol, Disteardimonium Hectorite, Ethylene Brassylate, Hexylene Glycol, Hydrogen Dimethicone, Lecithin, Magnesium Sulfate, Maris Sal/Sea Salt/Sel Marin, Methicone, Niacinamide, Polyquaternium-51, Polysilicone-11, Sodium Carrageenan, Sodium Hyaluronate, Sodium PCA, Tetrahexyldecyl Ascorbate, Tetrasodium EDTA, Tocopheryl Acetate, Trehalose, Triethoxycaprylylsilane, Triethyl Citrate, Urea, Zingiber Officinale (Ginger) Root Extract, Citral, Phenoxyethanol.

MAY CONTAIN/PEUT CONTENIR/PUEDE CONTENER (+/-): [Bismuth Oxychloride (CI 77163), Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Titanium Dioxide (CI 77891).]. B03218

## **Questions?**

### **Questions?**

1-800-473-8566

Monday - Thursday, 10AM - 12PM and 2PM - 4PM EST

## **Keep out of reach of children**

If product is swallowed, get medical help or contact a Poison Control Center right away.

## **Purpose**

Sunscreen

## **Carton Packaging**

Carton Packaging

113  
IVORY BEIGE

**Drug Facts**  
**Active ingredients:** Purpose  
 Octinoxate 5.0%... Sunscreen  
 Titanium Dioxide 3.1%... Sunscreen  
 Zinc Oxide (nano) 1.0%... Sunscreen

**Uses**  
 • Helps prevent sunburn.  
 • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
 • For external use only.  
 • Do not use on damaged or broken skin.  
 • When using this product keep out of the eyes. Rinse with water to remove.  
 • Stop use and ask a doctor if rash occurs.  
 • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 • Apply liberally 15 minutes before sun exposure.  
 • Reapply at least every 2 hours.  
 • Use a water resistant sunscreen if swimming or sweating.  
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • Limit time in the sun, especially from 10 am - 2 pm.  
 • Wear long-sleeved shirts, pants, hats and sunglasses.

**Drug Facts (cont.)**  
 • Children under 6 months: Ask a doctor.

**Other information**  
 • Protect the product in its container from excessive heat and direct sun.

**Inactive Ingredients**  
 Cyclohexanone, Aqua/Miscelanea, Trimethylsilylhydrolyzed, Glycerin, Mica, PEG-10 Dimethicone, Dimethicone, Triethyl Trimellitate, PEG/PPG-19/18 Dimethicone, 1,2-Hexanediol, Alcohol Denat., Acetone, Glyceryl Glycol, Cyclopentasiloxane, Dimethiconol, Diethylammonium Hexadecyl, Ethylene Bismercapto, Hexylene Glycol, Hydrogen Peroxide, Lactin, Magnesium Sulfate, Mica, Du/Son Self-Tan Mints, Methicone, Nicotinic Acid, Polybutene-5, Polybutene-11, Sodium Carboxymethyl, Sodium Hyaluronate, Sodium PCA, Tetrahydroethyl Acrylate, Tetraoctyl EDTA, Tocopheryl Acetate, Triolein, Triethylhexanoylsulfonate, Triethyl Citrate, Urea, Zingiber Officinale (Ginger) Root Extract, Citral, Trisocyclonal, MMS CONTAIN/PEST CONTENR/P/BEDE CONTENR (+/-): (Stimult) Cyclohexane (2 77142), Iron Oxides (2 77492), Iron Oxides (3 77492), Iron Oxides (3 77492), Titanium Dioxide (3 77891), 803218

**Questions?**  
 1-800-473-8566  
 Monday - Thursday 10AM-12PM and 2PM-4PM EST

**ILLUMINANCE**  
**REVLON®**  
**SERUM TINT**  
**BROAD SPECTRUM SPF 15**


**GINGER ROOT EXTRACT & VITAMIN C TRIPLE HYALURONIC ACID**; improved hyaluronic acid with triple molecular weight  
**BROAD SPECTRUM SPF 15 ILLUMINANCE SERUM TINT** works to visibly reduce dark spots and even skin tone. Gives skin an instant glow, provides all day hydration and protects skin against UVA/UVB. To use: Dot on center of the face and blend outwards. Build to desired coverage.



**GINGER ROOT VITAMIN C VITAMIN E**

**WARNING: AVOID CONTACT WITH EYES.**

© 2023  
 REVLON COSMETICS, INC.  
 NY, NY 10041  
 REVLON.COM  
 MADE IN U.S.A.  
 WITH U.S. AND NON-U.S. COMPONENTS.  
 2254110113



0.94 FL OZ / 28 mL e



**MERCH CODE SHADE NAME**

|                       |                      |
|-----------------------|----------------------|
| 113<br>IVORY BEIGE    | 405<br>HAZEL         |
| 117<br>LIGHT BEIGE    | 409<br>BRULEE        |
| 201<br>CREAMY NATURAL | 417<br>WARM CARAMEL  |
| 209<br>BUFF BEIGE     | 505<br>RICH SAND     |
| 213<br>LIGHT NATURAL  | 509<br>SANDALWOOD    |
| 301<br>COOL BEIGE     | 517<br>AMBER         |
| 313<br>LIGHT TAN      | 601<br>SOFT NUTMEG   |
| 317<br>TAN SAND       | 605<br>RICH MAHOGANY |

**Tube Packaging Label**



## RV ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 TAN SAND

face foundation with spf cream

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:10967-705 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 0.868 g in 28 mL |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)             | ZINC OXIDE        | 0.28 g in 28 mL  |
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1.54 g in 28 mL  |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                              |          |
| <b>MICA</b> (UNII: V8A1AW0880)                                  |          |

|  |
|--|
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)   |
| <b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)   |
| <b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)   |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4)  |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)                             |
| <b>CARRAGEENAN</b> (UNII: 5C69YCD2YJ)  |
| <b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)   |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)  |
| <b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)   |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |
| <b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)   |
| <b>EDETATE SODIUM</b> (UNII: MP1J8420LU)   |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)   |
| <b>TREHALOSE</b> (UNII: B8WCK70T7I)  |
| <b>UREA</b> (UNII: 8W8T17847W)   |
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)   |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)   |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)  |
| <b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)  |
| <b>GINGER</b> (UNII: C5529G5JPQ)   |
| <b>CITRAL</b> (UNII: T7EU009VPP)   |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |
| <b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)  |
| <b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)  |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)   |
| <b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)  |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)  |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |
| <b>WATER</b> (UNII: 059QF0KO0R)  |
| <b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)  |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)  |
| <b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)   |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |
| <b>ETHYLENE BRASSYLATE</b> (UNII: 9A87HC7ROD)  |
| <b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)  |
| <b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)  |
| <b>SEA SALT</b> (UNII: 87GE52P74G)   |
| <b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J) |
| <b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)   |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)  |

## Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:10967-705-19 | 28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 03/26/2024           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 03/26/2024           |                    |

**Labeler** - REVLON CONSUMER PR Consumer Products Corp (788820165)

## Establishment

| Name         | Address | ID/FEI    | Business Operations    |
|--------------|---------|-----------|------------------------|
| REVLON, INC. |         | 809725570 | manufacture(10967-705) |

Revised: 12/2024

REVLON CONSUMER PR Consumer Products Corp