

**RV ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 RICH SAND- face
foundation with spf cream
REVLON CONSUMER PR Consumer Products Corp**

REVLON ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 (Shade: Rich Sand)

ACTIVE INGREDIENTS

Active Ingredients Purpose

Octinoxate 5.5%Sunscreen

Titanium dioxide 3.1%..... Sunscreen

Zinc oxide (nano) 1.0 %.....Sunscreen

Uses

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

Other information:

Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Inactive Ingredients: Cyclohexasiloxane, Aqua/Water/Eau, Trimethylsiloxysilicate, Glycerin, Mica, PEG-10 Dimethicone, Dimethicone, Phenyl Trimethicone, PEG/PPG-18/18 Dimethicone, 1,2-Hexanediol, Alcohol Denat., Alumina, Caprylyl Glycol, Cyclopentasiloxane, Dimethiconol, Disteardimonium Hectorite, Ethylene Brassylate, Hexylene Glycol, Hydrogen Dimethicone, Lecithin, Magnesium Sulfate, Maris Sal/Sea Salt/Sel Marin, Methicone, Niacinamide, Polyquaternium-51, Polysilicone-11, Sodium Carrageenan, Sodium Hyaluronate, Sodium PCA, Tetrahexyldecyl Ascorbate, Tetrasodium EDTA, Tocopheryl Acetate, Trehalose, Triethoxycaprylylsilane, Triethyl Citrate, Urea, Zingiber Officinale (Ginger) Root Extract, Citral, Phenoxyethanol.

MAY CONTAIN/PEUT CONTENIR/PUEDE CONTENER (+/-): [Bismuth Oxychloride (CI 77163), Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Titanium Dioxide (CI 77891).]. B03218

Questions?

Questions?

1-800-473-8566

Monday - Thursday, 10AM - 12PM and 2PM - 4PM EST

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Purpose

Sunscreen

Carton Packaging

Carton Packaging

113
IVORY BEIGE

Drug Facts
Active ingredients: Purpose
 Octinoxate 5.0%... Sunscreen
 Titanium Dioxide 3.1%... Sunscreen
 Zinc Oxide (nano) 1.0%... Sunscreen

Uses
 • Helps prevent sunburn.
 • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
 • For external use only.
 • Do not use on damaged or broken skin.
 • When using this product keep out of the eyes. Rinse with water to remove.
 • Stop use and ask a doctor if rash occurs.
 • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • Apply liberally 15 minutes before sun exposure.
 • Reapply at least every 2 hours.
 • Use a water resistant sunscreen if swimming or sweating.
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • Limit time in the sun, especially from 10 am - 2 pm.
 • Wear long-sleeved shirts, pants, hats and sunglasses.

Drug Facts (cont.)
 • Children under 6 months: Ask a doctor.

Other information
 • Protect the product in its container from excessive heat and direct sun.

Inactive Ingredients
 Cycloheximide, Aqua/Miscelanea, Trimethylsiloxysulfate, Glycerin, Mica, PEG-10 Dimethicone, Dimethicone, Triethyl Trimellitate, PEG/PPG-19/18 Dimethicone, 1,2-Hexanediol, Alcohol Denat., Avicel, Glyceryl Glycol, Cyclopentasiloxane, Dimethiconol, Diethylammonium Hexadecyl, Ethylene Bisstearyl, Hexylene Glycol, Hydrogen Dimethicone, Lauryl, Magnesium Sulfate, Mica, Octyl Dimethyl Sulfate, Methicone, Methylsiloxane, Polybutene-1, Polybutene-11, Sodium Carboxymethyl, Sodium Hyaluronate, Sodium PCA, Tetrahydroethyl Acrylate, Tetraoctyl EDTA, Tocopheryl Acetate, Triolein, Triethylcaprylylsiloxane, Triethyl Citrate, Urea, Zingiber Officinale (Ginger) Root Extract, Citral, Trisocyclonal. **SEE CONTAINER/PURSE CONTAINER (s-1):** (Stimulth) Cycloheximide (2.774%), Iron Oxides (2.774%), Iron Oxides (2.774%), Iron Oxides (2.774%), Titanium Dioxide (2.774%), 803218

Questions?
 1-800-473-8546
 Monday - Thursday 10AM-12PM and 2PM-4PM EST

ILLUMINANCE
REVLON®
SERUM TINT
BROAD SPECTRUM SPF 15


GINGER ROOT EXTRACT & VITAMIN C TRIPLE HYALURONIC ACID; improved hyaluronic acid with triple molecular weight
BROAD SPECTRUM SPF 15 ILLUMINANCE SERUM TINT works to visibly reduce dark spots and even skin tone. Gives skin an instant glow, provides all day hydration and protects skin against UVA/UVB. To use: Dot on center of the face and blend outwards. Build to desired coverage.



GINGER ROOT VITAMIN C VITAMIN E

WARNING: AVOID CONTACT WITH EYES.

© 2023
 REVLON COSMETICS, INC.
 NY, NY 10041
 REVLON.COM
 MADE IN U.S.A.
 WITH U.S. AND NON-U.S. COMPONENTS.
 2254110113



0.94 fl. Oz. / 28 mL e



MERCH CODE SHADE NAME

113 IVORY BEIGE	405 HAZEL
117 LIGHT BEIGE	409 BRULEE
201 CREAMY NATURAL	417 WARM CARAMEL
209 BUFF BEIGE	505 RICH SAND
213 LIGHT NATURAL	509 SANDALWOOD
301 COOL BEIGE	517 AMBER
313 LIGHT TAN	601 SOFT NUTMEG
317 TAN SAND	605 RICH MAHOGANY

Tube Packaging Label



RV ILLUMINANCE SERUM TINT BROAD SPECTRUM 15 RICH SAND

face foundation with spf cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-702
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.868 g in 28 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.28 g in 28 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.54 g in 28 mL

Inactive Ingredients

Ingredient Name	Strength
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCERIN (UNII: PDC6A3C0OX)	
MICA (UNII: V8A1AW0880)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
DIMETHICONE (UNII: 92RU3N3Y1O)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
EDETATE SODIUM (UNII: MP1J8420LU)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TREHALOSE (UNII: B8WCK70T7I)
UREA (UNII: 8W8T17847W)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
ALUMINUM OXIDE (UNII: LMI26O6933)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
GINGER (UNII: C5529G5JPQ)
CITRAL (UNII: T7EU0O9VPP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
WATER (UNII: 059QF0KO0R)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
ALCOHOL (UNII: 3K9958V90M)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ETHYLENE BRASSYLATE (UNII: 9A87HC7ROD)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
SEA SALT (UNII: 87GE52P74G)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
METHICONE (20 CST) (UNII: 6777U11MKT)
NIACINAMIDE (UNII: 25X51I8RD4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CARRAGEENAN (UNII: 5C69YCD2YJ)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-702-19	28 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/26/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/26/2024	

Labeler - REVLON CONSUMER PR Consumer Products Corp (788820165)

Establishment

Name	Address	ID/FEI	Business Operations
REVLON, INC.		809725570	manufacture(10967-702)

Revised: 12/2024

REVLON CONSUMER PR Consumer Products Corp