

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b,  
pramoxine hydrochloride ointment  
H E B**

-----  
**HEB Triple Antibiotic Drug Facts**

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Purpose**

First aid antibiotic

External analgesic

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

For external use only.

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

### **Other information**

- store at 20-25°C (68-77°F)

### **Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, petrolatum, sodium pyruvate, tocopheryl acetate

### **Questions or comments?**

**1-800-719-9260**

### **Package/Label Principal Display Panel**

Compare to active ingredients in Neosporin<sup>®</sup> + Pain + Itch + Scar

H-E-B<sup>®</sup>

Maximum Strength

Triple Antibiotic

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE, PRAMOXINE HCl

First Aid Antibiotic/Pain Relieving Ointment

+ Pain • Itch • Scar

NET WT. 1 OZ (28 g)

Compare to active ingredients in  
Neosporin® + Pain + Itch + Scar\*

**H-E-B**

**Maximum Strength**

# Triple Antibiotic

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE, PRAMOXINE HCl

First Aid Antibiotic/Pain Relieving Ointment + Pain • Itch • Scar

24-Hour Infection Protection  
Minimizes the appearance of scars  
Powerful pain and itch relief for cuts, scrapes, and burns

**H-E-B**

**Maximum Strength**

NDC 59640-801-64

# Triple Antibiotic

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE, PRAMOXINE HCl

NET WT. 1 OZ (28 g) First Aid Antibiotic/  
Pain Relieving Ointment + Pain • Itch • Scar

### Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc 500 units.....	First aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	First aid antibiotic
Polymyxin B 10,000 units as polymyxin B sulfate.....	First aid antibiotic
Pramoxine HCl 10 mg.....	External analgesic

### Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts ■ scrapes ■ burns

### Warnings

For external use only.

#### Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

### Drug Facts (continued)

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- adults and children 2 years of age and older:
  - clean the affected area
  - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
  - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information** ■ store at 20-25°C (68-77°F)


**Inactive ingredients** cocoa butter, cottonseed oil, olive oil, petrolatum, sodium pyruvate, tocopheryl acetate

**Questions or comments?** 1-800-719-9290

4R064 1J C1



3 81 83-25 05



\*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.  
MADE WITH  
PRIDE & CARE FOR H-E-B®  
SAN ANTONIO, TX 78204

# TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hydrochloride ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59640-801
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08)	
<b>COTTONSEED OIL</b> (UNII: H3E878020N)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

## Product Characteristics

<b>Color</b>	YELLOW (Pale)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59640-801-64	1 in 1 CARTON	04/02/2026	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M004

04/02/2026

**Labeler** - H E B (007924756)

Revised: 4/2026

H E B