

5% MINOXIDIL HAIR GROWTH FOAM WITH BIOTIN- minoxidil aerosol, foam
Guangzhou Ruijiu Electronic Technology Co., Ltd.

5% Minoxidil Hair Growth Foam with Biotin

5% Minoxidil Hair Growth Foam with Biotin

Minoxidil 5%

Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair of the scalp

Flammable:keep away from fire or flame.

Keep out of reach of children.

For external use only.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. in case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. in case of accidental contact, rinse eyes with a large amount of cool tap water

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs .

If you do not see hair regrowth in 6 months.

Keep out of reach of children.If swallowed, get medical help or contact a Poison Control Center

(1-800-222-1222)right away.

1.Hold the bottle upside down and gently press the valve to dispense foam onto your hand or a cold surface approximately half a capful in size.

2.Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even application to areas of thinning hair. Finally, wash your hands thoroughly.

3.Use Twice Daily and enjoy thicker, fuller hair growth in as little as 3 to 6 months.

Before use, read all information on the carton and the enclosed leaflet.Store at a controlled room temperature of 20°C to 25°C (68°F to 77°F)Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).

cetyl alcohol
 citric acid
 glycerin
 isobutane
 lactic acid
 polysorbate 60
 purified water
 SD alcohol
 stearyl alcohol
 butane
 edetate disodium

Drug Facts

Active Ingredient
 Minoxidil 5% w/w
 Biotin 0.5% w/w

Purpose
 Hair Regrowth Treatment

Use to regrow hair of the scalp

Warnings
 Flammable: keep away from fire or flame.
 Keep out of reach of children.
 For external use only.

Do not use if
 • Your hair loss is sudden and/or patchy.
 • Your hair loss is associated with childbirth.
 • You do not know the reason for your hair loss.
 • You are under 18 years of age. Do not use on babies and children.
 • Your scalp is red, inflamed, infected, itsted, or painful.
 • You use other medicines on the scalp.

When Using
 • Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
 • Some people have experienced changes in hair color and/or texture.
 • It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.
 • Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Stop use and ask a doctor if
 • Chest pain, rapid heartbeat, faintness, or dizziness occurs.
 • Sudden, unexplained weight gain occurs.
 • If unwanted facial hair growth occurs.
 • If you do not see hair regrowth in 6 months.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 1. Hold the bottle upside down and gently press the valve to dispense foam onto your hand or a cold surface, approximately half a capful in size.
 2. Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even application to areas of thinning hair. Finally, wash your hands thoroughly.
 3. Use Twice Daily and enjoy thicker, fuller hair growth in as little as 3 to 6 months.

Other information
 Before use, read all information on the carton and the enclosed leaflet.
 Store at a controlled room temperature of 20°C to 25°C (68°F to 77°F).
 Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).

Inactive ingredients
 cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, purified water, SD alcohol, stearyl alcohol, butane, edetate disodium

Questions?
 Support@ocvwjkd.com

DIRECTIONS FOR USE
 See information leaflet with complete directions on how to use the product and obtain the best results.

1. PREP HANDS WITH COLD WATER



2. OPEN THE CAP



3. DISPENSE VERTICALLY ONTO A COLD SURFACE

Shake the bottle, hold it upside down and gently press the valve to dispense foam onto your hand, approximately the size of half a capful.



4. APPLY TO SCALP, NOT HAIR

Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even application to areas with thinning hair. Then, wash your hands thoroughly.



Distributor: Guangzhou Ruiju Electronic Technology Co., Ltd.
 Address: Room 9165, Room 914, 6th Floor, No. 4, Lingnan East Road, Tianhe District Guangzhou, Guangdong
 Made IN PRC

OCVWJKD®

Minoxidil Topical Aerosol, 5% (Foam) Hair Regrowth Treatment

For Men and Women

- Reactivates Hair Follides to Stimulate Regrowth
- Clinically Proven to Help Regrow Hair

Unscented
 ESAY-TO-USE FOAM
 USE TWICE DAILY



With Biotin

Three Month Supply
 Three 60g (2.11 oz) Cans



Minoxidil Topical Aerosol, 5% (Foam)

FOR BEST RESULTS
 USE TWICE DAILY
 APPLY DIRECTLY TO SCALP



Three 60g (2.11 oz) Cans
 TOTAL 180 g (6.330Z)

5% MINOXIDIL HAIR GROWTH FOAM WITH BIOTIN

minoxidil aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83767-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)		BIOTIN	0.5 g in 100 g	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)		MINOXIDIL	5 g in 100 g	
Inactive Ingredients				
Ingredient Name		Strength		
ISOBUTANE (UNII: BXR49TP611)				
WATER (UNII: 059QF0KO0R)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
CITRIC ACID (UNII: 2968PHW8QP)				
LACTIC ACID (UNII: 33X04XA5AT)				
BUTANE (UNII: 6LV4FOR43R)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
ALCOHOL (UNII: 3K9958V90M)				
GLYCERIN (UNII: PDC6A3C0OX)				
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83767-004-01	3 in 1 PACKAGE	12/26/2024	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	505G(a)(3)	12/26/2024		

Labeler - Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Ruijiu Electronic Technology Co., Ltd.		631973699	manufacture(83767-004)

Revised: 12/2024

Guangzhou Ruijiu Electronic Technology Co., Ltd.