

BEARD GROWTH ESSENCE- beard growth essence solution
Guangzhou Kanglixin Medical Biotechnology Co., Ltd.

BIOTINOYL TRIPEPTIDE-1 0.05%
MYRISTOYL PENTAPEPTIDE-4 0.05%
WATER 84.28%
1,3-BUTANEDIOL CYCLIC SULFITE 10%
DEXPANTHENOL 1%
HYDROXYACETOPHENONE 0.5%
1,2-HEXANEDIOL 0.5%
POLYACRYLATE CROSSPOLYMER-6 0.25%
HYDROLYZED ELASTIN 0.2%
HYALURONATE SODIUM 0.15%
CAFFEINE 1%
Cyclodextrin 1%
PANAX GINSENG ROOT 1%
EDETATE DISODIUM 0.02%
Beard Growth

Apply 1 ml (few drops) directly onto the area where you want to grow beard.
Use fingertips to massage solution into skin/beard for 2-3 minutes.
Allow time for fully absorption, don't apply anything for a few hours.

Do not apply on other parts of the body.
Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool clean water.
It takes time to grow beard.
For some men, you may need to use this product for at least 1 month before you see results.
The amount of beard growth is different for each person.
This product will not work for all men.

For external use only.

For use by men only.

Skin irritation or redness occurs
You do not see beard regrowth in 4 months

Store in a cool, dry place.


Keep out of direct sunlight.
Keep the cap on tightly when not in use.

KEEP OUT OF REACH OF CHILDREN

Apply 1 ML(few drops)directly on the beard area.Use fingertips to massage solution into skin/hair for 2-3 minutes or use a roller to roll 4-5 timesAllow time for hair to fully absorb, don't apply anything for a few hours.

Do not apply on other parts of the body

Avoid contact with the eyes. in case of accidental contact, rinse eyes with large amounts of cool tap water.



Beard Growth Essence

BEARD GROWTH ESSENCE

beard growth essence solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84854-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MYRISTOYL PENTAPEPTIDE-4 (UNII: PMA59A699X) (MYRISTOYL PENTAPEPTIDE-4 - UNII:PMA59A699X)	MYRISTOYL PENTAPEPTIDE-4	0.5 mg in 1 g
BIOTINOYL TRIPEPTIDE-1 (UNII: O6380721VA) (BIOTINOYL TRIPEPTIDE-1 - UNII:O6380721VA)	BIOTINOYL TRIPEPTIDE-1	0.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CAFFEINE (UNII: 3G6A5W338E)	
PANAX GINSENG ROOT (UNII: CUQ3A77YXI)	
1,3-BUTANEDIOL CYCLIC SULFITE (UNII: 67XN5096N4)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
HYDROXYPROPYL .ALPHA.-CYCLODEXTRIN (UNII: ZFR0T80O4Y)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DEXPANTHENOL (UNII: 1O6C93RI7Z)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYACRYLATE CROSSPOLYMER-6 (UNII: Q7UI015FF9)	
HYDROLYZED ELASTIN (UNII: ZR28QKN0WT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84854-001-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	08/10/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/10/2025	

Labeler - Guangzhou Kanglixin Medical Biotechnology Co., Ltd. (443683514)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Kanglixin Medical Biotechnology Co,Ltd		443683514	manufacture(84854-001)

Revised: 8/2025

Guangzhou Kanglixin Medical Biotechnology Co., Ltd.