DAY TIME COLD FLU MEDICINE- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled PuraCap Pharmaceutical LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Daytime Cold & Flu

Drug Facts

Active ingredients (in each Softgel)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Cough suppressant

Nasal decongestant

Uses

- temporarily relieves these symptoms due to a cold or flu:
- minor aches and pains
- headache
- cough
- sore throat
- nasal and sinus congestion
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 10 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

• rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough with excessive phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than the recommended dose
- adults and children 12 years and over: take 2 softgels with water every 4 hours. Do not exceed 10 softgels in 24 hours or as directed by a doctor
- children under 12 years: do not use

Other information

• Store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution, white ink

Questions or comments?

Call toll free: 1-855-215-8180

PRINCIPAL DISPLAY PANEL

Daytime Cold and Flu 8 SOFTGELS

NDC 51013-187-06

*Compare to the active ingredients in Alka-Seltzer PLUS® Day Non-Drowsy Cold and Flu Formula



Drug Facts Active ingredients (in each softgel) **Purposes** eliever/fever reducer ophen 325 mg Cough suppressant Dextromethorphan HBr 10 mg. Phenylephrine HCI 5 mg_ Nasal decongestant Uses temporarily relieves these symptoms due to a cold or flu: ■ minor aches and pains ■ headache ■ cough ■ sore throat nasa and sinus congestion temporarily reduces fever Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 10 softgets in 24 hours, which is the maximum daily amount for this product with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product Sore throat warming: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. Allergy alert: Acetaminophen may cause severe skin reactions, Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away. with any other drug containing acetaminophen (prescription or

nonprescription). If you are not sure whether a drug contains

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI)

acetaminophen, ask a doctor or pharmacist.

Drug Facts (continued)

(certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

■ if you have ever had an allergic reaction to this product or any of its ingredients
■ in children under 12 years of age

Ask a doctor before use if you have

- liver disease heart disease high blood pressure
- thyroid disease
 diabetes
 cough with excessive phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
 new symptoms occur
- cough comes back or occurs with rash or headache that lasts,
- These could be signs of a serious condition.
- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use, Keep out of reach of children, in case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued) Directions ■ do not take more than the recommended dose ■ adults and children 12 years and over: take 2 softgels with water every 4 hours, Do not exceed 10 softgels in 24 hours or as directed by a doctor, ■ children under 12 years: do not use Drug Facts (continued) Other information ■ store at room temperature, Avoid excessive heat. Inactive ingredients FD&C red #40, FD&C yellow #6, pelatin, glycerin, polyethylene glycol, povidone, propylene glycol, burified water, sorbitol special, and white edible ink Questions or comments? Call toll free 1-855-215-8180

DAY TIME COLD FLU MEDICINE

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51013-187	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE -	PHENYLEPHRINE	5 mg

^{*}This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Alka-Seltzer PLUS® Day Non-Drowsy Cold and Flu Formula.

Inactive Ingredients			
Ingredient Name	Strength		
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
GELATIN (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6 A3C0 OX)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
PO VIDO NE (UNII: FZ989 GH9 4E)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SORBITOL (UNII: 506T60A25R)			
SORBITAN (UNII: 6O92ICV9RU)			

Product Characteristics			
Color	orange (clear)	Score	no score
Shape	capsule (oblong)	Size	20 mm
Flavor		Imprint Code	PC9
Contains			

	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:51013-187-06	1 in 1 CARTON	07/17/2017	
l	1	8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/17/2017	

Labeler - PuraCap Pharmaceutical LLC (962106329)

Establishment				
Name	Address	ID/FEI	Business Operations	
Humanwell Puracap Pharmaceuticals (Wuhan) Co., Ltd		421293287	manufacture(51013-187), analysis(51013-187)	

Revised: 12/2019 PuraCap Pharmaceutical LLC