ALTIPRES PEDIATRIC- dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

Advanced Generic Corporation

Alt-AltipresPed 105

Active Ingredients (in each 5 mL tsp.) Purpose

Dextromethorphan HBr 5 mg Cough Suppressant Guaifenesin 75 mg Expectorant

Phenylephrine HCl 2.5 mg Nasal Decongestant

Purpose

Cough Suppressant

Expectorant

Nasal Decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritations as may occur with the common cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily releives nasal congestion due to the common cold.

Warnings

Do not use in a child who is taking a prescription Monoamine Oxidase Inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI; ask your doctor or pharmacist before taking this product.

Ask a doctor before use if your child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlargement of prostate gland
- a cough that occurs with too much phlegm (mucus)
- cough that lasts or is chrinic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- your child gets nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back or is accompanied with a fever, rash or persistent headache. These could be signs of serious condition.

If pregnant or breast-feeding, ask a health professional before use.


Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions Do not exceed more than 6 doses in any 24-hour period.

Age	Dose
Adults and children 12 years of age and over	take 4 teaspoonfuls (20 mL) every 4 hours
Children 6 to under 12 years of age	take 2 teaspoonfuls (10 mL) every 4 hours
Children 2 to under 6 years of age	take 1 teaspoonfuls (5 mL) every 4 hours
Children under 2 years of age	do not use

Inactive ingredients:Citric acid, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose

Questions or comments?1-305-403-3788



ALTIPRES PEDIATRIC

dextromethorphan hbr, guaifenesin, phenylephrine hci liquid				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:4573	37-105
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingred	dient Name	Basis	of Strength	Strength

DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	75 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
SUCRALOSE (UNII: 96K6UQ3ZD4)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLPARABEN (UNII: Z8IX2SC10H)		
WATER (UNII: 059QF0KO0R)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/01/2024	

Labeler - Advanced Generic Corporation (831762971)

Revised: 12/2024 Advanced Generic Corporation