SLEEP AID- diphenhydramine hydrochloride capsule, liquid filled Spirit Pharmaceuticals LLC

Sleep Aid

Drug Facts

Active Ingredient (in each tablet)

Diphenhydramine HCI 50 mg

Purpose

Nighttime sleep-aid

Uses

• for relief of occasional sleeplessness

Warnings

Do not use

• for children under 12 years of age • with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

• a breathing problem such as emphysema or chronic bronchitis • glaucoma • trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are if you are

• taking sedatives or tranquilizers

When using this product

avoid alcoholic drinks

Stop use and ask a doctor if

sleeplessness persist continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

• store between 20-25°C (68-77°F)

Inactive ingredients

FD&C Blue No. 1, gelatin, glycerin, polyethylene glycol 400, propylene glycol, sorbitol, titanium dioxide, water

Questions or comments?

1-888-333-9792

Distributed by:

Cabinet Health P.B.C.

Pouch

PACKAGE NOT CHILD-RESISTANT

CABINET:

≈

Sleep Aid 6

Compare to the active ingredient in: Unisom® SleepGels®*

Active ingredient: DIPHENHYDRAMINE HCI 50 MG

Relieves Sleeplessness Non Habit-Forming

COMPOSTABLE REFILL POUCH

Includes:



1 x Magnetic Label 1 x Drug Facts Booklet



CABINET: The Sustainable Healthcare Co.™

SLEEP AID

| diphenhydramine | hydrochlor | ide capsule | , liquid fillec | ł | | | | | |
|--|--|----------------------|-----------------|-------|--------------------|----------------------------------|----------------|-------------------|--|
| Product Inform | nation | | | | | | | | |
| Product Type | | HUMAN OTC DRUG | | ltem | ltem Code (Source) | | NDC:68210-4179 | | |
| Route of Adminis | stration | | | | | | | | |
| | | | | | | | | | |
| Active Ingredie | ent/Active | Moiety | | | | | | | |
| Ingredient Name | | | | | | Basis of Strength Stre | | Strengt | |
| DIPHENHYDRAMINE HYDROCHLO (DIPHENHYDRAMINE - UNII:8GTS82S | | | | | | DIPHENHYDRAMINE HYDROCHLORIDE | | 50 mg | |
| Inactive Ingree | dients | | | | | | | | |
| Ingredient Name | | | | | | | Strength | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | | | | | | | | |
| GELATIN (UNII: 2G86 | 5QN327L) | | | | | | | | |
| GLYCERIN (UNII: PD | C6A3C0OX) | | | | | | | | |
| POLYETHYLENE GL | YCOL 400 (U | NII: B6978945 | GQ) | | | | | | |
| PROPYLENE GLYCO | L (UNII: 6DC9 | Q167V3) | | | | | | | |
| SORBITOL (UNII: 50 | | | | | | | | | |
| TITANIUM DIOXIDE | | /2JP) | | | | | | | |
| WATER (UNII: 059QF | UKOUR) | | | | | | | | |
| | | | | | | | | | |
| Product Chara | cteristics | | | | | | | | |
| Color | blue Score | | | | no score | | | | |
| Shape OV | | | | | 13mm | | | | |
| Flavor | | | Imprint Co | de | | | 903 | | |
| Contains | | | | | | | | | |
| Packaging | | | | | | | | | |
| # Item Code | | Package Description | | | | - | | ting End ate | |
| | 30 in 1 POUCH; Type 0: Not a Combination Product | | | on | 11/22/2021 | | | | |
| 1 NDC:68210- 4179-3 | TTOULEE | | | | | | | | |
| | Troduct | | | | | | | | |
| 4179-3 | | ion | | | | | | | |
| | nformat | tion Number Citat | | graph | Mar | keting Start Date | | eting End Date | |

Labeler - Spirit Pharmaceuticals LLC (179621011)

Revised: 12/2024