

**SMART CARE SPORT ULTRA CLEAR SUNSCREEN SPF 50- avobenzone, homosalate, octisalate, octocrylene spray**  
**Ashtel Studios Inc.**

-----  
**Smart Care® SPORT *ultra* CLEAR SUNSCREEN SPRAY**

***Drug Facts***

***Active ingredients***

Avobenzone 2.7%  
Homosalate 9.0%  
Octisalate 4.5%  
Octocrylene 6.0%

***Purpose***

Sunscreen

***Uses***

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Flammable:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

• Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into the face. Spray into hands then apply to the face • Do not apply in windy conditions • Use in a well-ventilated

area

- reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### ***Inactive ingredients***

Alcohol Denat., Butane, Propane, Isobutane, Isododecane, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, VP/VA Copolymer, Caprylic Capric Triglyceride, Fragrance, Tocopherol Acetate.

### ***Questions or comments?***

Call toll free **1-877-274-8358**

### **UVA/UVB PROTECTION**

#### **BROAD SPECTRUM**

Water Resistant (80 Minutes)

**DESIGNED IN U.S.A.**

**MADE IN INDIA**

WWW.SMARTCAREUS.COM

1-909-434-0911 INTERNATIONAL

PATENTS, COPYRIGHTS AND TRADEMARKS GRANTED OR PENDING WORLDWIDE  
DISTRIBUTED BY ASHTEL STUDIOS INC.

ONTARIO, CA 91761

### **Packaging**

Smart Care®

**CLEAR SUNSCREEN SPRAY**  
— UVA/UVB PROTECTION —

**\$5**



**SPORT**  
— *ultra* —

CLEAR SUNSCREEN SPRAY

**SPF 50**

**UVA/UVB PROTECTION**

**BROAD SPECTRUM  
SPF 50 SPRAY**

Water Resistant (80 Minutes)

Smart Care®

**NET WT 5.5 OZ (156g)**

**Drug Facts**

**Active ingredients** **Purpose**

Avobenzone 2.7%  
Homosalate 9.0%  
Octisalate 4.5%  
Octocrylene 6.0% } Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**Flammable:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** ■ on damaged or broken skin.

**When using this product** ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it. ■ do not puncture or incinerate. Contents under pressure. ■ do not store at temperatures above 120°F.

**Stop use and ask a doctor if** ■ rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Hold can 4–6 inches away from the skin to apply ■ Do not spray directly into the face. Spray into hands then apply to the face
- Do not apply in windy conditions ■ Use in a well-ventilated area
- reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
- children under 6 months of age: Ask a doctor

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. to 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**  
Alcohol Denat., Butane, Propane, Isobutane, Isododecane, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, VP/VA Copolymer, Caprylic/Capric Triglyceride, Fragrance, Tocopherol Acetate

**Questions or comments?** Call toll free 1-877-274-8358

Item # 88305

8 10147 88305 9

Smart Care®  
WWW.SMARTCAREUS.COM  
QUESTIONS OR COMMENTS?  
1-877-274-8358 TOLL FREE IN U.S.A.  
1-809-434-0911 INTERNATIONAL  
PATENTS, COPYRIGHTS AND TRADEMARKS  
GRANTED OR PENDING WORLDWIDE  
DISTRIBUTED BY ASHTEL STUDIOS INC.  
ONTARIO, CA 91761

DESIGNED  
IN U.S.A.  
MADE IN INDIA

**SMART CARE SPORT ULTRA CLEAR SUNSCREEN SPF 50**

avobenzone, homosalate, octisalate, octocrylene spray

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70108-113
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g
	<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
	<b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
	<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	6 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength

<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>PROPANE</b> (UNII: T75W9911L6)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>COPOVIDONE K25-31</b> (UNII: D9C330MD8B)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70108-113-01	156 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/13/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/13/2025	

**Labeler** - Ashtel Studios Inc. (148689180)

Revised: 2/2025

Ashtel Studios Inc.