WART REMOVER- salicylic acid liquid Hengyang Chuangjiujia Trading Co., Ltd.

Wart remover

Wart remover

Salicylic acid 10%

Wart remover

for the removal of common and plantar warts ·the commonwart is easilyrecognized by the rough "cauliflower-like" appearance on the surface. the plantar wart is recognized by its location only on thebottom of the foot, its tenderness and interruption of the footprint pattern

For externaluse only.Flammable.

Do not use on irritated skin or on any area that is infected orreddened birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes if you have diabetes or poor blood circulation.

When using this product avoid contact with eyes. If productgets into the eye, flush with water for 15 minutes. avoid inhaling vapors. cap tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort persists.

If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away.

Directions wash affected area may soak wart in warm waterfor 5 minutes

dry area thoroughly-by squeezing tube gently, apply onedrop at a time to sufficiently cover each wart-let dry.

repeat this procedure once or twice daily as needed (untiwart is removed) for up to 12 weeks

Other information·store at room temperature avoidexcessive heat 37°°C (99°F)·skin discoloration may accurduring or after use wipe the tip of the tube with a papertowel between uses

Borneol Glycerin Podofilox Polyethylene Glycol Water



WART REMOVER

Rapid and Effective **Wart Removal Solution**

FAST ACTING

WARNINGS:

WARNINGS:
Avoid contact with eyes. Avoid inhaling
and use only in well-ventilated areas.
Do not eat For external use only, Use
only as directed: If you are not certain
whether the skin condition is a skin tag,
consuit your physician before using this
product. Do not spray gas directly onto

skin. Misuse of this product may result in burns and scarring of healthy tissue or

90*130

NDC:83781-005-01

WART REMOVER

instructions

INSTRUCTIONS

Drug Facts
Active ingredient
Salicylic acid 10% w/w
Uses
-for the removal of common and plantar warts - the common wart is easily. wart is easily recognized by the rough "cauliflower-like" appearance on the sur face. • the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the foot

print pattern
Warnings
For external use only, Flammable.
Keep away from fire and flame.
Do not use on irritated skin or on any area that is infected or reddened - birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes.

-if you have diabetes or poor blood circulation.
When using this product - avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. - avoid inhaling vapors - cap tiethy and store at room temperature away from hee

vapors • cap tightly and store at room temperature away from heat Stop use and ask a doctor if

discomfort persists.

Keep out of reach of children.

It swallowed, get medical help or contact a Poison Control
Center (1-800-222-1222) right away.

Directions - wash affected a rea - may soak wart in warm water

dry area thoroughly by squeezing tube gently, apply one drop at a time to sufficiently cover each wart let dry repeat this procedure once or twice daily as needed (until

wart is removed) for up to 12 weeks Other information • store at room temperature • avoid excessive heat 37°C (99°F) • skin discoloration may accur during or after use • wipe the tip of the tube with a paper towel between uses

Inactive ingredients Borneol, Glycerin, Podofilox, Polyethylene

95*46

Warnings
For external use only. Flammable.
Keep away from fire and flame.
Do not use on irritated skin or on any
area that is infected or reddened,
birthmarks, warts with hair growing
from them, genital warts or warts on
the face or mucous membranes.
-If you have diabetes or poor blood
circulation.

WART



WADNINGS.

WARNINGS:
Avoid contact with eyes. Avoid inhaling and use only in wellwentilated areas. Do not eat For
external use only. Use only as
directed, if you are not certain
whether the skin condition is a
skin tag, consuit your physician
before using this product. Do not
spray gas directly onto skin.
Misuse of this product may result
in burns and scarring of healthy
tissue or blindness

90*130

WART REMOVER

instructions

Drug Facts Purpose
Active ingredient Purpose
Salicylic acid 10% w/w Wart remover
Uses
-for the removal of common and plantar warts - the common for the removal of common and plantar warts - the common wart is easily recognized by the rough "cauliflower-like" appearance on the sur face. - the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the foot

bottom of the foot, its tenderness and interruption of the foot print pattern
Warnings
For external use only. Flammable.
Keep away from fire and flame.
Do not use 'on irritated skin or on any area that is infected or reddened, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes.
-if you have diabetes or poor blood circulation.
When using this product -avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. -avoid inhaling vapors -cap tightly and store at room temperature away from heat Stop use and ask a doctor if discomfort persists.

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions - wash affected area · may soak wart in warm water for 5 minutes dry area thoroughly - by squeezing tube gently, apply one drop at a time to sufficiently cover each wart-let dry - repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information - store at room temperature - avoid excessive heat 37°C (99°F) - skin discoloration may accur during or after use - wipe the tip of the tube with a paper towel between uses
Inactive ingredients Borneol, Glycerin, Podofilox, Polyethylene Glycol, Water, etc.


50x88x38mm

WART **REMOVER**






葡 06





90*130





WART REMOVER

salicylic acid liquid

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84735-002		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety Ingredient Name Basis of Strength SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID 0.1 g in 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
PODOFILOX (UNII: L36H50F353)				
POLYETHYLENE (UNII: UG00KM4WR7)				
BORNEOL (UNII: M89NIB437X)				
GLYCERIN (UNII: PDC6A3C0OX)				
GLYCOL (UNII: FC72KVT52F)				

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/30/2024			
Marketing Information						
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ОТ	C Monograph Dru	g M028	12/30/2024			

Labeler - Hengyang Chuangjiujia Trading Co., Ltd. (977292157)

Establishment						
Name	Address	ID/FEI	Business Operations			
Hengyang Chuangjiujia Trading Co., Ltd.		977292157	manufacture(84735-002)			

Revised: 12/2024 Hengyang Chuangjiujia Trading Co., Ltd.