

**GOOD NEIGHBOR PHARMACY CLOTRIMAZOLE 3- clotrimazole cream**  
**AmerisourceBergen**

-----  
**Good Neighbor Pharmacy**®  
**Clotrimazole 3**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Clotrimazole USP 2% (100 mg in each applicatorful)	Vaginal antifungal
Clotrimazole USP 2% (external cream)	Vaginal antifungal

**Uses**

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

**Warnings**

**For vaginal use only**

**Do not use if you have never had a vaginal yeast infection diagnosed by a doctor**

**Ask a doctor before use if you have**

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

**When using this product**

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

**Stop use and ask a doctor if**

- **symptoms do not get better in 3 days**
- **symptoms last more than 7 days**
- **you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- before using this product read the enclosed educational brochure for complete directions and information
- adults and children 12 years of age and over:
  - **vaginal cream:** insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.
  - **external cream:** use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

### **Other information**

- To open: unscrew cap, use pointed end on cap to puncture seal
- do not use if carton is opened
- **safety sealed:** the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
- store between 20° to 25°C (68° to 77°F)
- see flap of carton or crimp of tube for lot number and expiration date

### **Inactive ingredients**

benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate-60, purified water, and sorbitan monostearate

### **Questions or comments?**

call **1-866-923-4914**

Distributed By  
AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087

**PRINCIPAL DISPLAY PANEL - 21 g Tube Carton**

**Compare to Gyne-Lotrimin 3<sup>®</sup> active ingredient \***

**GOOD  
NEIGHBOR  
PHARMACY<sup>®</sup>**

**NDC 24385-110-09**

***3 Day Treatment***

**Clotrimazole 3**

**Clotrimazole Vaginal Cream USP (2%)**

**Vaginal Antifungal**

**Educational Brochure Enclosed**

***Vaginal Cream Cures Most Vaginal Yeast Infections***

**One 21 g (0.74 oz) Tube Of Clotrimazole Vaginal Cream USP (2%)  
and 3 Disposable Applicators**



Compare to Gyne-Lotrimin 3<sup>®</sup> active ingredient\*

NDC 24385-110-09

3 Day Treatment

# Clotrimazole 3

Clotrimazole Vaginal Cream USP (2%) Vaginal Antifungal

Vaginal Cream Cures Most Vaginal Yeast Infections



NDC 24385-110-09

3 Day Treatment

# Clotrimazole 3

Clotrimazole Vaginal Cream USP (2%) Vaginal Antifungal

Vaginal Cream Cures Most Vaginal Yeast Infections



Compare to Gyne-Lotrimin 3<sup>®</sup> active ingredient\*

NDC 24385-110-09

3 Day Treatment

# Clotrimazole 3

Clotrimazole Vaginal Cream USP (2%)  
Vaginal Antifungal

Educational Brochure Enclosed

Vaginal Cream Cures Most Vaginal Yeast Infections



One 21 g (0.74 oz) Tube Of Clotrimazole Vaginal Cream USP (2%)  
and 3 Disposable Applicators

ABC # 10029865



\* This product is not manufactured or distributed by MSD Consumer Care Inc., a subsidiary of Merck & Co., Inc.



Distributed By  
AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087  
Questions or Concerns? Please visit us at  
[www.mygnp.com](http://www.mygnp.com)  
Made in Canada

**Other information**

- children under 12 years of age: ask a doctor
- To open: unscrew cap, use pointed end on cap to puncture seal
- do not use if carton is opened
- safety sealed: the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
- store between 20° to 25°C (68° to 77°F)
- see flap of carton or crimp of tube for lot number and expiration date

**Inactive ingredients**  
benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, poly sorbate-60, purified water, and sorbitan monostearate

**Questions or comments?** call 1-866-923-4914

**You may have a more serious condition.**  
vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system. • been exposed to the human immunodeficiency virus (HIV) that causes AIDS

**When using this product**  
• do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).

**do not have vaginal intercourse**  
• mild increase in vaginal burning, itching or irritation may occur

**if you do not get complete relief** ask a doctor before using another product

**Stop use and ask a doctor if**  
• symptoms do not get better in 3 days  
• symptoms last more than 7 days

## Drug Facts

### Active ingredients

Clotrimazole USP 2% (100 mg in each applicatorful).....Vaginal antifungal  
Clotrimazole USP 2% (external cream).....

### Uses

• treats vaginal yeast infections  
• relieves external itching and irritation due to a vaginal yeast infection

### Warnings

For vaginal use only  
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor  
Ask a doctor before use if you have

- lower abdominal, back or shoulder pain, fever, chills, nausea.
- vaginal itching and discomfort for the first time

## Drug Facts (continued)

- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge
- If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


### Directions

• before using this product read the enclosed educational brochure for complete directions and information  
• adults and children 12 years of age and over:  
• vaginal cream: insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.  
• external cream: use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.

**NO VARNISH/ NO AQ**  
**NO COPY / NO COLOR**  
**THIS FLAP FOR LOT #**  
**AND EXP DATE PRINT**

LPK-3259-5  
09-15-5  
M64

T128B  
B81.3  
ENG19.33



## GOOD NEIGHBOR PHARMACY CLOTRIMAZOLE 3

clotrimazole cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:24385-110
<b>Route of Administration</b>	VAGINAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CLOTRIMAZOLE</b> (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETYL ESTERS WAX</b> (UNII: D072FFP9GU)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-110-09	1 in 1 CARTON	04/12/2000	
1		21 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021143	04/12/2000	

**Labeler** - AmerisourceBergen (007914906)

## Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(24385-110)

Revised: 7/2025

AmerisourceBergen