

ALMAY CLEAR COMPLEXION CONCEALER- salicylic acid liquid
ALMAY

ALMAY CLEAR COMPLEXION CONCEALER - FAIR

ACTIVE INGREDIENT

Active ingredient Purpose

Salicylic Acid 2.0%.....Acne Treatment

OTHER INGREDIENTS

AQUA/WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, KAOLIN, DIMETHICONE, BORON NITRIDE, TRIBEHENIN, PEG/PPG-18/18 DIMETHICONE, TRIMETHYLSILOXYSILICATE, METHYL METHACRYLATE CROSSPOLYMER, CETYL PEG/PPG-10/1 DIMETHICONE, PEG-10 DIMETHICONE, HYDROLYZED VEGETABLE PROTEIN, POLYETHYLENE, ALOE BARBADENSIS LEAF JUICE, MARIS SAL/SEA SALT/SEL MARIN, SILICA, 1,2-HEXANEDIOL, ALPHA-GLUCAN OLIGOSACCHARIDE, CAPRYLYL GLYCOL, LACTOBACILLUS, MALTODEXTRIN, PERLITE, POLYISOBUTENE, POLYMNIA SONCHIFOLIA ROOT JUICE, TETRASODIUM EDTA, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, TRISILOXANE, PHENOXYETHANOL. MAY CONTAIN: [+/- : IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499), TITANIUM DIOXIDE (CI 77891), ZINC OXIDE (CI 77947).]

USE

Helps clear and prevent new acne blemishes

WARNING

• Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

DIRECTIONS

- Clean skin thoroughly before applying this product
- Cover entire affected area with a thin layer one to three times daily
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day
- Sensitivity test for a new user apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions above


WARNINGS

When using this product

- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- Avoid contact with eyes. If contact occurs, flush thoroughly with water

Anti-Acne Treatment

ART



ALMAY CLEAR COMPLEXION CONCEALER

salicylic acid liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0311-0734 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 2 mg in 2 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| TETRASODIUM EDTA (UNII: MP1J8420LU) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| SILICA (UNII: ETJ7Z6XBU4) | |
| LACTOBACILLUS (UNII: 5307V7XW8I) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS) | |
| SMALLANTHUS SONCHIFOLIUS ROOT JUICE (UNII: M9S7HX36CT) | |
| CYCLOPENTASILOXANE (UNII: 0THT5PCI0R) | |
| HYDROLYZED CORN PROTEIN (ENZYMATIC; 1500 MW) (UNII: KWE2Y6VN8Q) | |
| POLYETHYLENE (UNII: UG00KM4WR7) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| .ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W) | |
| WATER (UNII: 059QF0KO0R) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| SEA SALT (UNII: 87GE52P74G) | |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) | |
| PERLITE (UNII: 0SG101ZGK9) | |
| ZINC OXIDE (UNII: SOI2LOH54Z) | |
| TRIBEHENIN (UNII: 8OC9U7TQZ0) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.66) (UNII: 5041RX63GN) | |
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794) | |
| TRISILOXANE (UNII: 9G1ZW13R0G) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| KAOLIN (UNII: 24H4NWX5CO) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |

DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0311-0734-30 | 9 mL in 1 CONTAINER; Type 0: Not a Combination Product | 03/05/2021 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M006 | 03/05/2021 | |

Labeler - ALMAY (064988652)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------|---------|-----------|------------------------|
| REVLON | | 809725570 | manufacture(0311-0734) |

Revised: 12/2024

ALMAY