

DAILY ESSENTIAL LIP OIL SCARLET BLOOM- zinc oxide lotion
Solarium Brands LLC

Daily Essential Lip Oil Scarlet Bloom

Daily Essential Lip Oil Scarlet Bloom

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 12.0%

PURPOSE

Sunscreen

USES - Helps prevent sunburn. • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS - For external use only. • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if skin rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. *Continued on next page* ▶

DIRECTIONS - Apply liberally and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating. • Children under 6 months: ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun

INACTIVE INGREDIENTS - Aluminum Hydroxide, Bisabolol, Butylene/Ethylene/Syrene Copolymer, Butyl Octyl Salicylate, C12-15 Alkyl Benzoate, Calcium Sulfate, Caprylic/Capric Triglyceride, Capryl Glycol, D&C Red No. 7, Ethylene/Propylene Styrene Copolymer, FD&C Blue No. 1, FD&C Red No. 40, Fragrance, Gum Rosin, Hydrogenated Lecithin, Iron Oxides, Isohexadecane, Lecithin, Limnanthes Alba (Meadowfoam) Seed Oil, Methylpropanediol, Pentaerythrityl Tetra-Di-+ Butyl Hydroxydiphenylsuccinate, Phenylpropanediol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sabateate, Silica, Sodium Chloride, Sodium Sulfate, Squalane, Water

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 12.0%

PURPOSE

Sunscreen

USES - Helps prevent sunburn - If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS - For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and ask a doctor if skin rash occurs - Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away
Continued on next page ▶

DIRECTIONS - Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming or sweating - Children under 6 months: ask a doctor - **Sun Protection Measures** - Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - Limit time in the sun, especially from 10 a.m. - 2 p.m. - Wear long-sleeved shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun

INACTIVE INGREDIENTS Aluminum Hydroxide, Bisabolol, Butylene/Ethylene/Styrene Copolymer, Butyl Octyl Salicylate, C12-15 Alkyl Benzoate, Calcium Sulfate, Caprylic/Capric Triglyceride, Caprylyl Glycol, D&C Red No. 7, Ethylene/Propylene/Styrene Copolymer, FD&C Blue No. 1, FD&C Red No. 40, Fragrance, Gum Rosin, Hydrogenated Lecithin, Iron Oxides, Isohexadecane, Lecithin, Limnanthes Alba (Meadowfoam) Seed Oil, Methylpropanediol, Pentaerythrityl Tetra-Di-T-Butyl Hydroxyhydroquinamate, Phenylpropanol, Polyglyceryl-4-Diisostearate/Polyhydroxystearate/Sebacate, Silica, Sodium Chloride, Sodium Sulfate, Squalane, Water

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 12.0%

PURPOSE

Sunscreen

USES - Helps prevent sunburn - If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS - For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and ask a doctor if skin rash occurs - Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Continued on next page ▶

DIRECTIONS - Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming or sweating - Children under 6 months: ask a doctor - **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - Limit time in the sun, especially from 10 a.m. – 2 p.m. - Wear long-sleeve shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun

INACTIVE INGREDIENTS Aluminum Hydroxide, Bisabolol, Butylene Ethylene/Styrene Copolymer, Butyl Methoxy Salicylate, C12-15 Alkyl Benzoate, Calcium Sulfate, Caprylic/Capric Triglyceride, Caprylyl Glycol, D&C Red No. 7, Ethylene Propylene Styrene Copolymer, FD&C Blue No. 1, FD&C Red No. 40, Fragrance, Gum Rosin, Hydrogenated Lecithin, Iron Oxides, Isohexadecane, Lecithin, Limnanthes Alba (Meadowbloom) Seed Oil, Methylpropanediol, Pentaerythrityl Tetra-Di-T-Butyl Hydroxyhydroquinamate, Phenylpropanol, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Silica, Sodium Chloride, Sodium Sulfate, Squalane, Water

Daily Essential Lip Oil Scarlet Bloom

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 12.0%

PURPOSE

Sunscreen

USES - Helps prevent sunburn - Used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS - For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and ask a doctor if skin rash occurs - Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away
Continued on next page

DIRECTIONS - Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming or sweating - Children under 6 months: ask a doctor - **Sun Protection Measures** - Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - Limit time in the sun, especially from 10 a.m. - 2 p.m. - Wear long-sleeve shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun

INACTIVE INGREDIENTS - Aluminum Hydroxide, Bisabolol, Butylene/Ethylene/Styrene Copolymer, Butyl Octyl Salicylate, C12-15 Alkyl Benzate, Calcium Sulfate, Caprylic/Capric Triglyceride, Caprylyl Glycol, D&C Red No. 7, Ethylene/Propylene/Styrene Copolymer, FD&C Blue No. 1, FD&C Red No. 40, Fragrance, Gum Rosin, Hydrogenated Lecithin, Iron Oxides, Isohexadecane, Lecithin, Limnanthes Alba (Meadowfoam) Seed Oil, Methylpropanediol, Pentaerythrityl Tetra-Di-*t*-Butyl Hydroxyhydroquinamate, Phenylpropanediol, Polyglyceryl-4-Diisostearate/Polyhydroxystearate/Sabacate, Silica, Sodium Chloride, Sodium Sulfate, Squelane, Water

Daily Essential Lip Oil Scarlet Bloom

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 12.0%

PURPOSE

Sunscreen

USES - Helps prevent sunburn - If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS - For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and ask a doctor if skin rash occurs - Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Continued on next page ▶

DIRECTIONS - Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming or sweating - Children under 6 months: ask a doctor - **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - Limit time in the sun, especially from 10 a.m. - 2 p.m. - Wear long-sleeve shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun

INACTIVE INGREDIENTS Aluminum Hydroxide, Bisabolol, Butylene Ethylene/Styrene Copolymer, Butyl Octyl Salicylate, C12-15 Alkyl Benzoate, Calcium Sulfate, Caprylic/Capric Triglyceride, Caprylyl Glycol, D&C Red No. 7, Ethylene/Propylene Styrene Copolymer, FD&C Blue No. 1, FD&C Red No. 40, Fragrance, Gum Rosin, Hydrogenated Lecithin, Iron Oxides, Isohexadecane, Lecithin, Limnanthes Alba (Meadowfoam) Seed Oil, Methylpropanediol, Pentaerythrityl Tetra-Di-t-Butyl Hydroxydipalmitate, Phenylpropanol, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Silica, Sodium Chloride, Sodium Sulfate, Squelane, Water

Daily Essential Lip Oil Scarlet Bloom

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 12.0%

PURPOSE

Sunscreen

USES • Helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS • For external use only. • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if skin rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away
Continued on next page ▶

DIRECTIONS • Apply liberally and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours • Use a water resistant sunscreen if swimming or sweating • Children under 6 months: ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses

OTHER INFORMATION • Protect the product in this container from excessive heat and direct sun

INACTIVE INGREDIENTS Aluminum Hydroxide, Bisabolol, Butylene/Ethylene/Styrene Copolymer, Butyl Alcohol/Salicylate, C12-15 Alkyl Benzate, Calcium Sulfate, Caprylic/Capric Triglyceride, Capryl Glycol, D&C Red No. 7, Ethylene/Propylene/Styrene Copolymer, FD&C Blue No. 1, FD&C Red No. 40, Fragrance, Gum Rosin, Hydrogenated Lecithin, Iron Oxides, Isohexadecane, Lecithin, Limnanthes Alba (Meadowfoam) Seed Oil, Methylpropanediol, Pentaerythrityl Tetra-Di-*t*-Butyl Hydroxyhydroquinamate, Phenylpropanediol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sabate, Silica, Sodium Chloride, Sodium Sulfate, Squalane, Water

Daily Essential Lip Oil Scarlet Bloom

DRUG FACTS

ACTIVE INGREDIENTS

Zinc Oxide 12.0%

PURPOSE

Sunscreen

USES - Helps prevent sunburn - If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS - For external use only - Do not use on damaged or broken skin - When using this product keep out of eyes. Rinse with water to remove - Stop use and ask a doctor if skin rash occurs - Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away
Continued on next page


DIRECTIONS - Apply liberally and evenly 15 minutes before sun exposure - Reapply at least every 2 hours - Use a water resistant sunscreen if swimming or sweating - Children under 6 months: ask a doctor - **Sun Protection Measures** - Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - Limit time in the sun, especially from 10 a.m. - 2 p.m. - Wear long-sleeved shirts, pants, hats, and sunglasses

OTHER INFORMATION - Protect the product in this container from excessive heat and direct sun

INACTIVE INGREDIENTS Aluminum Hydroxide, Bisabiolol, Butylene/Ethylene/Styrene Copolymer, Butylacetyl Salicylate, C12-15 Alkyl Benzoate, Calcium Sulfate, Caprylic/Capric Triglyceride, Caprylyl Glycol, D&C Red No. 7, Ethylene/Propylene/Styrene Copolymer, FD&C Blue No. 1, FD&C Red No. 40, Fragrance, Gum Rosin, Hydrogenated Lecithin, Iron Oxides, Isohexadecane, Lecithin, Limnanthes Alba (Meadowfoam) Seed Oil, Methylpropanediol, Pentaerythrityl Tetra-Di-T-Butyl Hydroxyhydroquinamate, Phenylpropanediol, Polyglyceryl-4-Diisostearate/Polyhydroxystearate/Sebacate, Silica, Sodium Chloride, Sodium Sulfate, Squelane, Water

Daily Essential Lip Oil Scarlet Bloom

mtba Anacleto
#48230AEG124
/2024 | 6:24 PM CDT



正面大文字改成燙

Mineral-Based Broad Spectrum Sunscreen with Antioxidants and Squalane, Blue Light Protector

SCARLET BLOOM

daily essentials
LIP OIL with MINERAL SPF
BROAD SPECTRUM SPF 40 SUNSCREEN
NET WT 0.15 FL OZ

DAILY ESSENTIAL LIP OIL SCARLET BLOOM

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84891-1842
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
CALCIUM SULFATE (UNII: WAT0DDB505)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
SODIUM SULFATE (UNII: 0YPR65R21J)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SQUALANE (UNII: GW89575KF9)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
LIMNANTHES ALBA (MEADOWFOAM) SEED OIL (UNII: 412ZHA4T4Y)	
WATER (UNII: 059QF0KO0R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84891-1842-1	10 mL in 1 TUBE; Type 0: Not a Combination Product	11/21/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/21/2024	

Labeler - Solarium Brands LLC (119371676)

Revised: 11/2025

Solarium Brands LLC