DAILY ESSENTIAL LIP OIL BLUSHING NUDE- zinc oxide lotion Solarium Brands LLC

Daily Essential Lip Oil Blushing Nude

Daily Essential Lip Oil Blushing Nude

	75 PURPOSE PURPOSE SURPOSE
DRUG FACTS	ACTIVE INGREDIENTS Zinc Oxide 12.0%

USES - Helpspreventisunburn - Husedas directed with other sun protection measures (see Altrections), decreases the risk of skin cancer and early skin aging caused by the sun.
TATALATA A A A A A A A A A A A A A A A A

WAMMINS: For external use only. Donot use in damaged or bulken kin. When using this product keep out of eyes Area with water bremone. Stop use and ask a doctor if skin resh occurs. Keep out of treach of children. If product is swall owed, get medical help or contract a Poison Control Center right away Continued on next page >

DRECTIONS - ApplyInberallyand everly15 minutes before sun exposure - Reapply at least every2 hours - Use awater resistant sunscreen if swimming or sweating- Children under 6 months: aska doctor - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging to decrease this risk, regularly use a surscreen with a broad spectrum SFF of 15 or higher and other sun protection measures induring- Limit time in the sun, especially from 10 a.m. - 2 µm. • Wearl dong-steere sinits, parts, hads, and surgasses

Intinhi

e Condymer Binlyenty Safesty at 125 SAM Bernarat, Carp Net Carner Frighernie. Enny M 3 year, and Lordin Line Dides (11748), Inco Nados (117482), Inco Nados (117484), Landoradorane, Leathin, Mata, Premering Marg, et al. Any Hydrosylydhorchranette. Presylingerout, Physylorety 44 Andreck Europhological. Ensire Indose ne/Stviene/Cood bacate Silica. Soualand agrance, Hydrog mer fit

RUG FACTS	GREDIENTS
DRI	CTIVE INGREDIENT

PURPOSE ...Sunscreen Zinc Oxide 12.0%. ddd - Helps prevent suntum - Hused as directed with other sun protection measures (sective clowed, decreases the risk of skin caroer and early skin aging caused by the sun.

occo - improvementante en entroperation de la constance de l La constance de la constance de

DRECTIONS - ApplyIberallyand eventy 15 minutes before sun exposure - Reapplyattesstevery 2 hours - Use a water resistant sunscreen if swimming or sweating- Children under 6 months: aske a doctor - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularlyuse a sunscreen with a broad spectrum SF of 15 or higher and other sun protection measures including - Limit Time in the sun expected yrhom 10 a.m. - Zp.m. - Wearlong - sleeve shifts, pants, hads, and sung assess protection measures including - Limit Time in the sun, especially from 10 a.m. - Zp.m. - Wearlong - sleeve shifts, pants, hads, and sung assess

ecialment and clinic tsun Pertectifierend intinthis containe

18.n/a met the kene Styme Carolymer. Rufhoctyl Ski Optan, CC Fick Mol Bernaak, Caror Var Caror Figlyende. Caroly 49 och y mer Stragraves, Netnopenetal carbin, Inno bökse (17.240), Inno Mokse (17.240), Inno Mokse (17.243), Ianabacker ee Ook Methytongenetal, Micz, Pentenyfintyl teine & Eubyl, Mydrovitydocimianale, Presylmegard, Polygivery-4 Scheazek: Stra. Sopatares, Synthest Filosophoppits. Than Inno boke Limnanthes/ Bildene

CTS	
FA	s
DUG	REDIENT
DRI	CTIVEING

PURPOSESunscreen Zinc 0xide 12.0%


USCS - Hetespreventsuntum - Hueed as directed with other sun protection measures (see Jave directions), decreases the releval skin cancer and early skin aging caused by the sun.

occo importante productive point use en danaged or boten skin - When using this productive point of eyes. Fires with water to remove. - Stop WARAWINS: For external use and as a doctor of skin rash occurs. Keep out of reach of children if product is swellowed, get medical help or contact a Pristan Control Center right away use and ask a doctor of skin rash occurs. Keep out of reach of children if product is swellowed, get medical help or contact a Pristan Control Center right away use and ask a doctor of skin rash occurs. Keep out of reach of children if product is swellowed, get medical help or contact a Pristan Control Center right away use and ask a doctor of skin rash occurs. Keep out of reach of children if product is swellowed, get medical help or contact a Pristan Control Center right away use and ask a doctor of skin rash occurs.

DRECTIONS - Applylibradlyand acetyl 5 mirutes befores un exposen - Reapplyat least every 2 hours - Lice a water resistant sunscreen if swimming or swading - Chidren under 6 months aska doctur - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging to decrease this risk, regularly use a surscreen with a broad spectrum SPF of 5 or higher and other sun protection measures including - Limittime in the sun, especially from 10 a.m. - 2 p.m. • Wearl ong-deeve shirts, hats, and sung assess

OTHER INFORMATION - Protect the product in this container from excessive heat and directs un


MUCTRENDERDIERTS Stadied Barly ene Ditylere Dopolynec Ruhlocky Skiplear. CD: Ei Mykol Bernzati, Dieryler Charin, Eiglyende, Depryl Gyod, Dityleren Propieren Synere Coopyrence, Hennopereted Lochte, Inno bekes (1794), Inno bekes (1794), Jano bekes (1794), Jano Barlyer Mark, Hennopereted Linner Alex, Meast Mark, Marken Mark, Marken Mark, Marken Mark, Marken Marken Linner and Read Marken (1794), Jano Barlyer Ma Linner das Alkan Meastowitaan Sectoria, Mark, Henzen finny Viene & E barly. Alydroxin and b. Presylangen J. Polygoren ¹4 Discosteraten Polygiotroysterate Scheacene, Strack Gradene, Synthetic Flaurphogophi. Tha kun Discosteraten Polygiotrovice and benefician and an and an



DRECTIONS - Apply liberally and verity 15 minutes before sun exposure - Respoty atteast every 2 hours - Use a weter resistant sunscreen if swimming or sweating - O'hidren under 6 months: aska doctor - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging to decrease this risk, regularly use a sunscreen with a troad spectrum SPF of 150 rhigher and other sun protection measures including - Limit time in the sun, especially from 10 a.m. - 2 p.m. - Mearl ong-sleeves hirds, hask, and sung assess

ателя может пробласти продати представляет продати продати продати продати продати продати продати продати прод МИСТИРЕ МИКОДИИТУ Выдала (да на продатирати продати продати продати и продати и продати продати продати продати МИСТИРЕ МИКОДИИТУ Выдала (да на продати продати продати продати и продати и продати продати продати продати про


MACTINE MARGINEATOR is and in a profit hydron Styrene Cupolymer. Early locary Sci optime, CE May il Bernard, Carp MacCine Tagnyly 13 pol. In hydron Program Styrene Coproducer Carpanya Program Carbonian Innobests (C) 1790), Inno Makes (C) 17903, Inno Makes (C) 1 Linno Makes (C) 17903, Inno Makes (C) 1790




ecialment and dimentals Pertact the omduct in this container from ears


sabid) Bary ana tiny lene Shyane Capa Jimer, Bin Jiany Si Joylan, C.P. Kilwy lencarati. Capry Lic Capary 19 pol Londoner: Equators Is Mongenatal Carbin Jimo Dakes (27 PRI), Jimo Dakes J.P. Kill, Jimo Dakes J.P. Kill, Jimo Da Landoner: Angenera Jiwa Pana-Pany Jine a carbin Jaharo Japan. San Jimo Dakes Jimo Dakes Jimo Dakes Jimo Dakes A Landoneratis States Jimo Landoneratis Landoneratis Landoneratis Landoneratis Landoneratis Landoneratis Landonera Bitheney Limnant

Daily Essential Lip Oil Blushing Nude





Daily Essential Lip Oil Blushing Nude



DAILY ESSENTIAL LIP OIL BLUSHING NUDE

zinc oxide lotion

zinc oxide lotion					
Product Infor	mation				
Product Type		HUMAN OTC DRUG	ltem Co	de (Source)	NDC:84891-2107
Route of Admini	stration	TOPICAL			
Noute of Admini		TOTICAL			
Active Ingredi	ent/Active	Moiety			
	Ingredi	ent Name		Basis of Streng	gth Strength
ZINC OXIDE (UNII:)	SOI2LOH54Z) (2	ZINC OXIDE - UNII:SO	I2LOH54Z)	ZINC OXIDE	132 mg in 1 mL
Inactive Ingre	dients				
		Ingredient	Name		Strength
MICA (UNII: V8A1AW	<i>(</i> 0880)				
FERRIC OXIDE YEL					
SILICON DIOXIDE	-				
FERROSOFERRIC (
METHYLPROPANE					
LECITHIN, SOYBE		QDM62)			
SQUALANE (UNII: G					
BUTYLOCTYL SAL					
		-	DROCINNAMA	TE (UNII: 255PIF62MS)	
ISOHEXADECANE					
FERRIC OXIDE REE					
ALKYL (C12-15) B	ENZOATE (UNI	I: A9EJ3J61HQ)			
CAPRYLIC/CAPRIC	TRIGLYCERID	E (UNII: C9H2L21V7U)	I		
CAPRYLYL GLYCO	L (UNII: 00YIU54	38U)			
POLYGLYCERYL-4	DIISOSTEARA	TE/POLYHYDROXYS	TEARATE/SEB	ACATE (UNII: 687U3PEE	32Y)
LIMNANTHES ALB	A (MEADOWFO	DAM) SEED OIL (UNI	: 412Z HA4T4Y)		
ALPHABISABOLO	DL, (+)- (UNII: 1	05S6I733Z)			
Product Chara	acteristics				
Color		pink S	core		
Shape		S	ize		
Flavor		Ir	nprint Code		
Contains					
Packaging					
# Item Code	Pac	kage Descriptio	n	Marketing Start Date	Marketing End Date
NDC:84891-	10 mL in 1 TU	BE; Type 0: Not a Cor	mbination	12212024	

1 2107-1	Product	11/22/2024		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	11/22/2024		

Labeler - Solarium Brands LLC (119371676)

Revised: 12/2024

Solarium Brands LLC