

**ALMAY HEALTHY BIOME MAKEUP TAN- homosalate, octisalate, octocrylene, titanium dioxide, zinc oxide emulsion**

**Almay**

-----  
**Almay Skin Perfacting Healthy Biome Makeup - TAN**

**Active Ingredient Section**

Homosalate 5.0%

Octisalate 5.0%

Octocrylene 5.0%

Titanium Dioxide 5.8%

Zinc Oxide 3.94%

**Uses**

Helps prevent sunburn. if used as directed with other sun protection measures decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only

Do not use on damaged skin or broken skin

Sun Protection Measures- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10am- 2pm. Wear long-sleeved shirts, pants, hats and sunglasses.

**When using this product**

Keep out of the eyes, Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

**Keep out of reach of children**

If product is swalled get medical help or contact a Poison Control Center right away.

**Directions**

Apply liberally 15 minutes before sun exposure. Use water resistant sunscreen is swimming or sweating. Reapply at least ever 2 hours. Children under 6 months; Ask a

doctor.

Other Ingredients: Aqua/Water/Eau, Cyclopentasiloxane, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Trimethylsiloxysilicate, Glycerin, Isododecane, Alumina, Magnesium Sulfate, Silica, Alpha-Glucan Oligosaccharide, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cetyl Palmitate, Distearidimonium Hectorite, Hydrogen Dimethicone, Hydrogenated Lecithin, Lactobacillus, Maltodextrin, Ophiopogon Japonicus Root Extract, Palmitoyl Tetrapeptide-10, Polyglyceryl-3 Diisostearate, Polymnia Sonchifolia Root Juice, Polysorbate 80, Propylene Carbonate, Simethicone, Sorbitan Stearate, Tetrasodium EDTA, Tocopheryl Acetate, Triethoxycaprylylsilane, Phenoxyethanol.

MAY CONTAIN/PEUT CONTENIR/PUEDE CONTENER (+/-):

[Iron Oxides (CI 77491),Iron Oxides (CI 77492),Iron Oxides (CI 77499),Titanium Dioxide (CI 77891).]

Helps prevent sunburns. If used as directed with other sun protection measures (See Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Drug Facts (con't.)**

Tetrapeptide-10, Polyglyceryl-3 Diisostearate, Polymnia Sonchifolia Root Juice, Polysorbate 80, Propylene Carbonate, Simethicone, Sorbitan Stearate, Tetrasodium EDTA, Tocopheryl Acetate, Triethoxycaprylsilane, Phenoxethanol, **May Contain** [+/-: Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Titanium Dioxide (CI 77891)]. B01001

**Drug Facts (con't.)**

QUESTIONS? 1-800-473-8566

**ACTIVE INGREDIENTS:**  
HOMOSALATE 5.00%  
OCTISALATE 5.00%  
OCTOCRYLENE 5.00%  
TITANIUM DIOXIDE 5.80%  
ZINC OXIDE 3.94%

©2020 REVLON CONS. PROD. CORP., N.Y., NY 10004,  
MADE IN U.S.A. WITH U.S. AND NON-U.S. COMPONENTS.  
REVLON.COM 2243188001 7252720001



**Drug Facts (con't.)**

and other sun protection measures including: • Limit time in the sun, especially from 10 am – 2 pm • Wear long-sleeved shirts, pants, hats and sunglasses.

**Inactive Ingredients:** Aqua/Water/Eau, Cyclopentasiloxane, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone.

**Drug Facts (con't.)**

Trimethylsiloxyethylsilicate, Glycerin, Isododecane, Alumina, Magnesium Sulfate, Silica, Alpha-Glucan Oligosaccharide, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cetyl Palmitate, Distearidimonium Hectorite, Hydrogen Dimethicone, Hydrogenated Lecithin, Lactobacillus, Maltodextrin, Ophiopogon Japonicus Root Extract, Palmitoyl

**Drug Facts (con't.)**

broken skin. • **When using this product** keep out of the eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs. • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • Apply liberally 15 minutes before sun

**Drug Facts (con't.)**

exposure • Use a water resistant sunscreen if swimming or sweating • Reapply at least every 2 hours • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher

**Drug Facts**

Active ingredients	Purpose
Homosalate 5.00%	Sunscreen
Octisalate 5.00%	Sunscreen
Octocrylene 5.00%	Sunscreen
Titanium Dioxide 5.80%	Sunscreen
Zinc Oxide 3.94%	Sunscreen


**Drug Facts (con't.)**

**Uses** • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

• For external use only. • Do not use on damaged or

**FOR POSITION ONLY  
DOES NOT PRINT**



WWP World Wide Packaging	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:	Part Name: 30mm Tube	Supplier: WWP Suzhou
	LINEAR: X = ±0.2 ANGULAR: 40°30'	Drawn By: DECO 30x84	Part Name: DECO 30x84

## ALMAY HEALTHY BIOME MAKEUP TAN

homosalate, octisalate, octocrylene, titanium dioxide, zinc oxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0311-0741
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.94 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	5 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.8 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.66)</b> (UNII: 5041RX63GN)	
<b>MAGNESIUM SULFATE ANHYDROUS</b> (UNII: ML30MJ2U7I)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CETYL PALMITATE</b> (UNII: 5ZA2S6B08X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PALMITOYL TETRAPEPTIDE-10 (UNII: 6Q6H1PKC05)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE SODIUM (UNII: MP1J8420LU)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
MALTODEXTRIN (UNII: 7CVR7L4A2D)
OPHIOPOGON JAPONICUS ROOT (UNII: 90PS6JV9GZ)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM OXIDE (UNII: LMI26O6933)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
PEG-20 SORBITAN STEARATE (UNII: HD40WR33LC)
SMALLANTHUS SONCHIFOLIUS WHOLE (UNII: 4P5T8DTR73)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0311-0741-01	1 mL in 1 TUBE; Type 0: Not a Combination Product	08/01/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

**Labeler** - Almay (064988652)

### Establishment

Name	Address	ID/FEI	Business Operations
Revlon, INC.		809725570	manufacture(0311-0741)