

ALMAY CLEAR COMPLEXION MAKEUP FOUNDATION PORCELAIN- salicylic acid emulsion
ALMAY

ALMAY CLEAR COMPLEXION MAKEUP FOUNDATION - Porcelain

ACTIVE INGREDIENT

Salicylic Acid 1.0%

PURPOSE

Acne Treatment

USE

Helps clear and prevent new acne blemishes

WARNINGS

For external use only.

When using this product

- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- Avoid contact with eyes. If contact occurs, flush thoroughly with water

WARNINGS

WARNINGS

- Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

DIRECTIONS

Apply evenly from center of face outwards.

- clean skin thoroughly before applying this product.
- cover entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Sensitivity test for a new user:


Apply product sparingly to one or two small affected areas during the first 3 days. If no

discomfort occurs, follow the directions above.

OTHER INGREDIENTS

Other ingredients AQUA/WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, CYCLOHEXASILOXANE, NYLON-12, TRIMETHYLSILOXYSILICATE, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, BORON NITRIDE, ISODECYL NEOPENTANOATE, CERA CARNAUBA/COPERNICIA CERIFERA (CARNAUBA) WAX/CIRE DE CARNAUBA, ALOE BARBADENSIS LEAF JUICE, MARIS SAL/SEA SALT/SEL MARIN, ALPHA-GLUCAN OLIGOSACCHARIDE, CAPRYLYL GLYCOL, DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER, HYDROLYZED VEGETABLE PROTEIN, LACTOBACILLUS, LECITHIN, MALTODEXTRIN, PEG-10 DIMETHICONE, PERLITE, POLYMNIA SONCHIFOLIA ROOT JUICE, TETRASODIUM EDTA, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, TRISILOXANE, PHENOXYETHANOL
MAY CONTAIN/PEUT CONTENIR/PUEDE CONTENER (+/-):
[IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499), TITANIUM DIOXIDE (CI 77891), ZINC OXIDE (CI 77947).

ARTWORK



Drug Facts
Active ingredient Purpose
 Salicylic Acid 1.0%.....Acne Treatment
Use Apply evenly from center of face outwards

Drug Facts (con't.)
Warnings
 • For external use only.
When using this product, • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
 • Avoid contact with eyes. If contact occurs, flush thoroughly with water. **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.
Directions
 • clean skin thoroughly before applying this product • cover entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
Sensitivity test for a new user:
 Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions above.

page 2

Drug Facts (con't.)
Inactive ingredients
 AQUA/WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, CYCLOHEXASILOXANE, NYLON-12, TRIMETHYLSILOXYMETHYLACRYLATE, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, BORON NITRIDE, ISODECYL NEOPENTANOATE, CERA CARNAUBA/COPERNICIA CERIFERA (CARNAUBA) WAX/CIÈRE DE CARNAUBA, ALOE BARBADENSIS LEAF JUICE, MARIS SALISEA SALT/SEL MARIN, ALPHA-GLUCAN OLGOSACCHARIDE, CAPRYLYL GLYCOL, DIMETHICONE/ISOBUTYL PPG-20 CROSSPOLYMER, HYDROLYZED VEGETABLE PROTEIN, LACTOBACILLUS, LECITHIN, MALTODEXTRIN, PEG-10 DIMETHICONE, PERLITE, POLYMNIA SONCHIFOLIA ROOT JUICE, TETRASODIUM EDTA, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, TRISILOXANE, PHENOXYETHANOL, MAY CONTAIN (+/-) IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499), TITANIUM DIOXIDE (CI 77891), ZINC OXIDE (CI 77947), 801698
Questions? 1-800-992-5629
 M-T 10AM-12PM and 2PM-4PM EST
 ALMAY.COM
 ©2021 ALMAY INC., DIST. NEW YORK, NY 10004, MADE IN U.S.A. WITH U.S. AND NON-U.S. COMPONENTS. 2245804011

base

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0311-0756
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
HYDROLYZED CORN PROTEIN (ENZYMATIC; 1500 MW) (UNII: KWE2Y6VN8Q)	
POLYMNIA SONCHIFOLIA ROOT JUICE (UNII: M9S7HX36CT)	
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)	
LACTOBACILLUS (UNII: 5307V7XW8I)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER (UNII: O4I3UFO6ZF)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TETRASODIUM EDTA (UNII: MP1J8420LU)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
PERLITE (UNII: 0SG101ZGK9)	
.ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
SEA SALT (UNII: 87GE52P74G)	
NYLON-12 (UNII: 446U8J075B)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0311-0756-01	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/16/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	03/16/2021	

Labeler - ALMAY (064988652)

Registrant - REVLON (809725570)

Establishment

Name	Address	ID/FEI	Business Operations
REVLON		809725570	manufacture(0311-0756)

Revised: 12/2024

ALMAY