

**ALMAY CLEAR COMPLEXION MAKEUP FOUNDATION GOLDEN CARAMEL-  
salicylic acid emulsion  
ALMAY**

-----  
**ALMAY CLEAR COMPLEXION MAKEUP FOUNDATION - GOLDEN CARAMEL**

**ACTIVE INGREDIENT**

Salicylic Acid 1.0%

**PURPOSE**

Acne Treatment

**USE**

Helps clear and prevent new acne blemishes

**WARNINGS**

For external use only.

When using this product

- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- Avoid contact with eyes. If contact occurs, flush thoroughly with water

**WARNINGS**

**WARNINGS**

- Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

**DIRECTIONS**

Apply evenly from center of face outwards.

- clean skin thoroughly before applying this product.
- cover entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Sensitivity test for a new user:


Apply product sparingly to one or two small affected areas during the first 3 days. If no

discomfort occurs, follow the directions above.

## **OTHER INGREDIENTS**

Other ingredients AQUA/WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, CYCLOHEXASILOXANE, NYLON-12, TRIMETHYLSILOXYSILICATE, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, BORON NITRIDE, ISODECYL NEOPENTANOATE, CERA CARNAUBA/COPERNICIA CERIFERA (CARNAUBA) WAX/CIRE DE CARNAUBA, ALOE BARBADENSIS LEAF JUICE, MARIS SAL/SEA SALT/SEL MARIN, ALPHA-GLUCAN OLIGOSACCHARIDE, CAPRYLYL GLYCOL, DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER, HYDROLYZED VEGETABLE PROTEIN, LACTOBACILLUS, LECITHIN, MALTODEXTRIN, PEG-10 DIMETHICONE, PERLITE, POLYMNIA SONCHIFOLIA ROOT JUICE, TETRASODIUM EDTA, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, TRISILOXANE, PHENOXYETHANOL  
MAY CONTAIN/PEUT CONTENIR/PUEDE CONTENER (+/-):  
[IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499), TITANIUM DIOXIDE (CI 77891), ZINC OXIDE (CI 77947).

## **ARTWORK**



2.625"

**Drug Facts (con't.)**

**Warnings**

- For external use only.

**When using this product,** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

- Avoid contact with eyes. If contact occurs, flush thoroughly with water. **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean skin thoroughly before applying this product • cover entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Sensitivity test for a new user:**  
Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions above.

page 2

**Drug Facts (con't.)**

**Inactive ingredients**

AQUA/WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, CYCLOHEXASILOXANE, NYLON-12, TRIMETHYLSILOXYSILOXATE, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, BORON NITRIDE, ISODECYL NEOPENTANOATE, CERA CARNAUBA/COPERNICIA CERIFERA (CARNAUBA) WAX/CIÈRE DE CARNAUBA, ALOE BARBADENSIS LEAF JUICE, MARIS SALISEA SALT/SEL MARIN, ALPHA-GLUCAN OLGOSACCHARIDE, CAPRYLYL GLYCOL, DIMETHICONE/ISOBUTYL PPG-20 CROSSPOLYMER, HYDROLYZED VEGETABLE PROTEIN, LACTOBACILLUS, LECITHIN, MALTODEXTRIN, PEG-10 DIMETHICONE, PERLITE, POLYMNIA SONCHIFOLIA ROOT JUICE, TETRASODIUM EDTA, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, TRISILOXANE, PHENOXYETHANOL, MAY CONTAIN (+/-) IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499), TITANIUM DIOXIDE (CI 77891), ZINC OXIDE (CI 77947), 801698

**Questions?** 1-800-992-5629  
M-T 10AM-12PM and 2PM-4PM EST

ALMAY.COM

©2021 ALMAY INC., DIST. NEW YORK, NY 10004, MADE IN U.S.A. WITH U.S. AND NON-U.S. COMPONENTS. 2245804011

base

salicylic acid emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0311-0762
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	1 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>HYDROLYZED CORN PROTEIN (ENZYMATIC; 1500 MW)</b> (UNII: KWE2Y6VN8Q)	
<b>POLYMNIA SONCHIFOLIA ROOT JUICE</b> (UNII: M9S7HX36CT)	
<b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)	
<b>LACTOBACILLUS</b> (UNII: 5307V7XW8I)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER</b> (UNII: O4I3UFO6ZF)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TETRASODIUM EDTA</b> (UNII: MP1J8420LU)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>CYCLOHEXASILOXANE</b> (UNII: XHK3U310BA)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>PERLITE</b> (UNII: 0SG101ZGK9)	
<b>.ALPHA.-GLUCAN OLIGOSACCHARIDE</b> (UNII: S95658MI3W)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>SEA SALT</b> (UNII: 87GE52P74G)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	

**FERROSO FERRIC OXIDE** (UNII: XM0M87F357)

**LECITHIN, SOYBEAN** (UNII: 1DI56QDM62)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0311-0762-01	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/16/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	03/16/2021	

**Labeler** - ALMAY (064988652)

**Registrant** - REVLON (809725570)

### Establishment

Name	Address	ID/FEI	Business Operations
REVLON		809725570	manufacture(0311-0762)

Revised: 12/2024

ALMAY