

ALMAY CLEAR COMPLEXION MAKEUP FOUNDATION GOLDEN- salicylic acid emulsion
ALMAY

ALMAY CLEAR COMPLEXION MAKEUP FOUNDATION - GOLDEN

ACTIVE INGREDIENT

Salicylic Acid 1.0%

PURPOSE

Acne Treatment

USE

Helps clear and prevent new acne blemishes

WARNINGS

For external use only.

When using this product

- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- Avoid contact with eyes. If contact occurs, flush thoroughly with water

WARNINGS

WARNINGS

- Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

DIRECTIONS

Apply evenly from center of face outwards.

- clean skin thoroughly before applying this product.
- cover entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Sensitivity test for a new user:


Apply product sparingly to one or two small affected areas during the first 3 days. If no

discomfort occurs, follow the directions above.

OTHER INGREDIENTS

Other ingredients AQUA/WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, CYCLOHEXASILOXANE, NYLON-12, TRIMETHYLSILOXYSILICATE, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, BORON NITRIDE, ISODECYL NEOPENTANOATE, CERA CARNAUBA/COPERNICIA CERIFERA (CARNAUBA) WAX/CIRE DE CARNAUBA, ALOE BARBADENSIS LEAF JUICE, MARIS SAL/SEA SALT/SEL MARIN, ALPHA-GLUCAN OLIGOSACCHARIDE, CAPRYLYL GLYCOL, DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER, HYDROLYZED VEGETABLE PROTEIN, LACTOBACILLUS, LECITHIN, MALTODEXTRIN, PEG-10 DIMETHICONE, PERLITE, POLYMNIA SONCHIFOLIA ROOT JUICE, TETRASODIUM EDTA, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, TRISILOXANE, PHENOXYETHANOL
MAY CONTAIN/PEUT CONTENIR/PUEDE CONTENER (+/-):
[IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499), TITANIUM DIOXIDE (CI 77891), ZINC OXIDE (CI 77947).

ARTWORK



2.625"

Drug Facts (con't.)

Warnings

- For external use only.

When using this product, • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

- Avoid contact with eyes. If contact occurs, flush thoroughly with water. **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean skin thoroughly before applying this product • cover entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Sensitivity test for a new user:
Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions above.

page 2

Drug Facts (con't.)

Inactive ingredients

AQUA/WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, CYCLOHEXASILOXANE, NYLON-12, TRIMETHYLSILOXYMETHYLACRYLATE, PEG/PPG-18/18 DIMETHICONE, DIMETHICONE, CETYL PEG/PPG-10/1 DIMETHICONE, BORON NITRIDE, ISODECYL NEOPENTANOATE, CERA CARNAUBA/COPERNICIA CERIFERA (CARNAUBA) WAX/CIÈRE DE CARNAUBA, ALOE BARBADENSIS LEAF JUICE, MARIS SALISEA SALT/SEL MARIN, ALPHA-GLUCAN OLGOSACCHARIDE, CAPRYLYL GLYCOL, DIMETHICONE/ISOBUTYL PPG-20 CROSSPOLYMER, HYDROLYZED VEGETABLE PROTEIN, LACTOBACILLUS, LECITHIN, MALTODEXTRIN, PEG-10 DIMETHICONE, PERLITE, POLYMNIA SONCHIFOLIA ROOT JUICE, TETRASODIUM EDTA, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, TRISILOXANE, PHENOXYETHANOL, MAY CONTAIN (+/-) IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499), TITANIUM DIOXIDE (CI 77891), ZINC OXIDE (CI 77947), 801698

Questions? 1-800-992-5629
M-T 10AM-12PM and 2PM-4PM EST

ALMAY.COM

©2021 ALMAY INC., DIST. NEW YORK, NY 10004, MADE IN U.S.A. WITH U.S. AND NON-U.S. COMPONENTS. 2245804011

base

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0311-0763 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) | SALICYLIC ACID | 1 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| HYDROLYZED CORN PROTEIN (ENZYMATIC; 1500 MW) (UNII: KWE2Y6VN8Q) | |
| POLYMNIA SONCHIFOLIA ROOT JUICE (UNII: M9S7HX36CT) | |
| ISODECYL NEOPENTANOATE (UNII: W60VYE24XC) | |
| LACTOBACILLUS (UNII: 5307V7XW8I) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| WATER (UNII: 059QF0KO0R) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| CYCLOPENTASILOXANE (UNII: 0THT5PCI0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER (UNII: O4I3UFO6ZF) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794) | |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| TETRASODIUM EDTA (UNII: MP1J8420LU) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| CYCLOHEXASILOXANE (UNII: XHK3U310BA) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| PERLITE (UNII: 0SG101ZGK9) | |
| .ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| SEA SALT (UNII: 87GE52P74G) | |
| NYLON-12 (UNII: 446U8J075B) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| ZINC OXIDE (UNII: SOI2LOH54Z) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| TRISILOXANE (UNII: 9G1ZW13R0G) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0311-0763-01 | 30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 03/16/2021 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M006 | 03/16/2021 | |

Labeler - ALMAY (064988652)

Registrant - REVLON (809725570)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------|---------|-----------|------------------------|
| REVLON | | 809725570 | manufacture(0311-0763) |

Revised: 12/2024

ALMAY