

**SHOPRITE CHILDRENS ALLERGY- cetirizine hcl solution**  
**Wakefern Food Corporation**

-----  
**ShopRite Children's Allergy Drug Facts**

**Active ingredient (in each 5 mL)**

Cetirizine HCl 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened, or if printed neckband is broken or missing
- see bottom panel for lot number and expiration date

**Inactive ingredients**

anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

**Questions or comments?**

1-800-SHOPRITE

**Package/Label Principal Display Panel**

Compare to: Active Ingredient in Children's Zyrtec®

Children's

2 YRS & OLDER

ALLERGY

Cetirizine Hydrochloride

Oral Solution 1 mg/mL

Antihistamine

INDOOR & OUTDOOR ALLERGIES

Dye-Free – Sugar Free

24 Hour

Relief of: Sneezing; Runny Nose; Itchy, Watery Eyes; Itchy Throat or Nose

Dosing Cup Included

Grape flavor

4 FL OZ (118 mL)







Compare to: Active Ingredient in Children's Zyrtec®\*



**Children's**  
2 YRS & OLDER

## ALLERGY

Cetirizine Hydrochloride  
Oral Solution 1 mg/mL  
Antihistamine

INDOOR & OUTDOOR  
ALLERGIES

Dye-Free • Sugar-Free

**24 Hour**  
Relief of: Sneezing; Runny Nose;  
Itchy, Watery Eyes; Itchy Throat or Nose



Dosing Cup  
Included

Grape  
flavor

4 FL OZ (118 mL)



Compare to: Active Ingredient in Children's Zyrtec®\*



**Children's**  
2 YRS & OLDER

## ALLERGY

Cetirizine Hydrochloride  
Oral Solution 1 mg/mL  
Antihistamine

INDOOR & OUTDOOR  
ALLERGIES

Dye-Free • Sugar-Free

**24 Hour**  
Relief of: Sneezing; Runny Nose;  
Itchy, Watery Eyes; Itchy Throat or Nose



Dosing Cup  
Included

Grape  
flavor

4 FL OZ (118 mL)

Compare to: Active Ingredient in Children's Zyrtec®\*



**Children's**  
2 YRS & OLDER

## ALLERGY

Cetirizine Hydrochloride Oral Solution 1 mg/mL  
Antihistamine

INDOOR & OUTDOOR  
ALLERGIES

**Drug Facts**

Active Ingredient (In each 5 mL)	Purpose
Cetirizine HCl 5 mg.....	Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose    ■ sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have liver or kidney disease.** Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.**

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding; not recommended
- if pregnant; ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Drug Facts (continued)**

**Directions**

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other Information**

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened, or if printed neckband is broken or missing
- see bottom panel for lot number and expiration date

**Inactive Ingredients**  
anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

**Questions or comments?**  
1-800-SHOPRITE

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., distributor of Children's Zyrtec®.

Dosing cup should be washed and left to air dry after each use.

**QUALITY GUARANTEE**

Your complete satisfaction or your money back. We welcome your questions and comments. Call: 1-800-ShopRite or contact us: www.shoprite.com

Distributed By:  
Wakefern Food Corp.  
5000 Riverside Drive  
Keasbey, NJ 08832 ©2015



0 41190 22674 0 P

LOT NO.

EXP.

: 47526 88 C1

# SHOPRITE CHILDRENS ALLERGY

cetirizine hcl solution

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41190-475
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41190-475-26	1 in 1 CARTON	02/15/2016	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204226	02/15/2016	

**Labeler** - Wakefern Food Corporation (069722418)