

SENNA LAXATIVE- senna tablet, film coated
PD-Rx Pharmaceuticals, Inc.

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

for more than one week unless directed by a doctor

Ask a doctor before use if you

- have abdominal pain, nausea, or vomiting
- are taking mineral oil
- noticed a sudden change in bowel habits that last over 2 weeks

Stop use and ask a doctor if

- you have no bowel movement within 12 hours
- you have rectal bleeding

These could be signs of a serious condition

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended dose
-

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase if needed, or as directed by a doctor	4 tablets twice a day, in the morning and at bedtime
children under 12 years	ask a doctor	ask a doctor

Other information

- **Tamper Evident: Do not use if safety seal is broken or missing from bottle.**
- each tablet contains: calcium 20 mg, potassium 70 mg
- store at room temperature

Inactive ingredients:

croscarmellose sodium, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil

Questions?

Adverse drug event call: (866) 562-2756

16 HOW SUPPLIED

Senna Laxative Tablets are available as follows:

8.6 mg: Brown, round, scored tablet, debossed "SB". Available in bottles of

10 tablets (NDC 43063-838-10)

30 tablets (NDC 43063-838-30)

Drug Facts		Drug Facts (continued)		
Active Ingredient (in each tablet) Sennosides from Senna Concentrate 8.6 mg	Purpose Laxative	Directions: • take preferably at bedtime or as directed by a doctor		
USES • relieves occasional constipation (irregularity) • generally produces a bowel movement in 6 - 12 hours		Age	Starting Dosage	Maximum Dosage
Warnings Do not use - laxative products for longer than 1 week unless directed by a doctor		adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
Ask a doctor before use if you have • Stomach pain • nausea • vomiting • noticed a sudden change in bowel habits that continues over a period of 2 weeks		children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after the use of a laxative. These may indicate a serious condition.		children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
If pregnant or breast-feeding , ask a healthcare professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.		children under 2 years	ask a doctor	ask a doctor
		Other information • each tablet contains 31 mg of calcium, 2 mg of sodium, very low sodium • store at room temperature between 15° - 30°C (59° - 86°F)		
		Inactive Ingredients croscarmellose sodium, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, talc, triacetin		
		Questions or comments? (866) 562-2756 Mon-Fri 8am to 4pm EST		
			GTIN: 00343063838105 SNO: G21E08000001 EXP: 07/2023 LOT: G21E08	

NDC 43063-838-10



Sennosides
Natural Laxative
8.6 mg

Marketed and Packaged By:
PD-Rx Pharmaceuticals, Inc
Oklahoma City, OK 73127
1-405-942-3040 v.8.19.0



10 Tablets
TAMPER EVIDENT: DO NOT USE IF
SEAL IS BROKEN OR MISSING FROM BOTTLE.

SENNAXAXATIVE

senna tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43063-838(NDC:16103-363)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES A AND B (UNII: 1B5FPI42EN) (SENNOSIDES A AND B - UNII:1B5FPI42EN)	SENNOSIDES A AND B	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	

Product Characteristics

Color	brown	Score	no score
Shape	ROUND	Size	10mm

Flavor		Imprint Code	S8	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43063-838-10	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/27/2021	
2	NDC:43063-838-10	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/27/2021	
3	NDC:43063-838-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/27/2021	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	01/24/2007		

Labeler - PD-Rx Pharmaceuticals, Inc. (156893695)

Registrant - PD-Rx Pharmaceuticals, Inc. (156893695)

Establishment			
Name	Address	ID/FEI	Business Operations
PD-Rx Pharmaceuticals, Inc.		156893695	repack(43063-838)

Revised: 5/2025

PD-Rx Pharmaceuticals, Inc.