IBUPROFEN- ibuprofen capsule, liquid filled Softgel Healthcare Private Limited

Ibuprofen Capsules, 200 mg

Drug Facts

Active Ingredient (in each Softgel)

Ibuprofen 200 mg (NSAID)*
*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/Fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- headache toothache backache menstrual cramps
- \blacksquare the common cold \blacksquare muscular aches \blacksquare minor pain of arthritis
- temporarily reduces fever

Warnings

Allergy alert:Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives facial swelling asthma (wheezing) shock
- skin reddening rash blisters

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older have had stomach ulcers or bleeding problems take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Heart attack and stroke warning:NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

Ask a doctor before use if stomach bleeding warning applies to you

- you have problems or serious side effects from taking pain relievers or fever reducers
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

- under a doctor's care for any serious condition
- taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin
- taking any other drug

When using this product

■ take with food or milk if stomach upset occurs

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint vomit blood have bloody or black stools have stomach pain that does not get better
- you have symptoms of heart problems or stroke:
- chest pain trouble breathing weakness in one part or side of body slurred speech leg swelling
- pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days
- \blacksquare redness or swelling is present in the painful area \blacksquare any new symptoms appear

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use ibuprofen at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away.

Directions

- do not take more than directed
- **■** the smallest effective dose should be used
- adults and children 12 years and over: take 1 capsule every 4 to 6 hours while symptoms persist
- if pain or fever does not respond to 1 capsule, 2 capsules may be used
- do not exceed 6 capsules in 24 hours, unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at room temperature between 20 25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

Packaging

IBUPROFEN CAPSULES 200mg

Each Soft Gelatin Capsule Contains: 200mg of solubilized ibuprofen

(200mg)

"200"

IMPRINTED

Batch No. :

Gross Wt : NDC No :35916-0989-1

Net Wt : Mfg Date : Quantity : Exp Date :

WARNING

Keep out of reach of children

Store at room temperature between 20-25°C (68-77°F)

This is a bulk shipment intended for further processing only.

Manufactured by:

Softgel Healthcare Pvt. Ltd.,

Survey no. 20/1, Vandalur - Kelambakkam road,

Pudupakkam Village, Kancheepuram, Tamilnadu 603 103, India (IND).

Labeller code : 35916 Lic no. : xxxxx

CAUTION: "FOR REPACKAGING"

IBUPROFEN

ibuprofen capsule, liquid filled

						•				
ш	ro	MI	ıct	ш	n	· ^	rm	-	TI.	nn.

Inactive Ingredients

Product Type HUMAN OTC DRUG Item Code (Source) NDC:35916-0989

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IBUPROFEN (LINII: WK2XYI100M) (IBUPROFEN - LINII:WK2XYI100M)	IBUPROFEN	200 mg

mactive ingredients	
Ingredient Name	Strength
POLYETHYLENE Glycol 600 (UNII: NL4J9F21N9)	

POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)

GELATIN TYPE B BOVINE (160 BLOOM) (UNII: 1T8387508X)

POLYSORBATE 85 (UNII: A7F3N56197)

FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	
WATER (UNII: 0590F0KO0R)	

Product Characteristics					
Color	green ((Transparent green to blue green))	Score	no score		
Shape	OVAL (OVAL (Oblong Softgel))	Size	20mm		
Flavor		Imprint Code	200		
Contains					

P	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:35916- 0989-1	1 in 1 BOX	01/10/2025			
1		1000 in 1 BAG; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	505G(a)(3)	01/10/2025			

Labeler - Softgel Healthcare Private Limited (675584180)

Establishment						
Name	Address	ID/FEI	Business Operations			
SOFTGEL HEALTHCARE PRIVATE LIMITED		675584180	manufacture(35916-0989)			

Revised: 1/2025 Softgel Healthcare Private Limited