DG HEALTH ESOMEPRAZOLE MAGNESIUM- esomeprazole capsule, delayed release Dolgencorp, LLC

Dolgencorp, LLC Esomeprazole Magnesium Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22 mg esomeprazole magnesium dihydrate)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to esomeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

FD&C blue no. 1, FD&C red no. 3, ferric oxide, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, methacrylic acid and ethyl acrylate

copolymer dispersion, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-888-309-9030

Actual Capsule Size

Package/Label Principal Display Panel

DG[™] |health Compare to the active ingredient of Nexium[®] 24 HR Esomeprazole Magnesium 24 HOUR Delayed-Release Capsules, 20 mg Acid Reducer Capsules Treats Frequent Heartburn 28 Capsules Two 14-Day Courses of Treatment 20 mg -May take 1 to 4 days for full effect



DG HEALTH ESOMEP	RAZOLE MAGN	ESIUM						
esomeprazole capsule, delayed release								
Product Information								
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:559	DC:55910-593			
Route of Administration	ORAL							
Active Ingredient/Active	Moiety							
Ingro	edient Name		Basis of St	rength	Strength			
ESOMEPRAZOLE (UNII: N3PA6559FT) (ESOMEPRAZOLE - UNII:N3PA6559FT) ESOMEPRAZOLE			.E	20 mg				
Inactive Ingredients								
Ingredient Name								
	Ingredient Name			S	trength			
FD&C BLUE NO. 1 (UNII: H3R47K3	•			S	trength			
FD&C BLUE NO. 1 (UNII: H3R47K3 FD&C RED NO. 3 (UNII: PN2ZH5L0	TBD)			S	trength			
	DQY)			S	trength			
FD&C RED NO. 3 (UNII: PN2ZH5LC	G675)			S	trength			
FD&C RED NO. 3 (UNII: PN2ZH5LC FERRIC OXIDE RED (UNII: 1K09F3	5 50QY) G675) 86QN327L)			S	trength			
FD&C RED NO. 3 (UNII: PN2ZH5LC FERRIC OXIDE RED (UNII: 1K09F3 GELATIN, UNSPECIFIED (UNII: 2G	1TBD) DQY) G675) 86QN327L) I: 230OU9XXE4)			S	trength			
FD&C RED NO. 3 (UNII: PN2ZH5LC FERRIC OXIDE RED (UNII: 1K09F3) GELATIN, UNSPECIFIED (UNII: 2G GLYCERYL MONOSTEARATE (UNI	TBD) DQY) G675) 86QN327L) I: 230OU9XXE4) (UNII: 3NXW29V3WO)			S	trength			
FD&C RED NO. 3 (UNII: PN2ZH5LC FERRIC OXIDE RED (UNII: 1K09F3C GELATIN, UNSPECIFIED (UNII: 2G GLYCERYL MONOSTEARATE (UNI HYPROMELLOSE, UNSPECIFIED	TBD) DQY) G675) 86QN327L) I: 230OU9XXE4) (UNII: 3NXW29V3WO)			S	trength			

POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
SHELLAC (UNII: 46N107B710)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	BLUE (opaque)	Score	no score
Shape	CAPSULE (oblong)	Size	14mm
Flavor		Imprint Code	L898
Contains			

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
	NDC:55910-593- 01	1 in 1 CARTON	09/22/2017	Date			
1		14 in 1 BOTTLE; Type 0: Not a Combination Product					
	NDC:55910-593- 02	2 in 1 CARTON	09/22/2017				
2		14 in 1 BOTTLE; Type 0: Not a Combination Product					
3	NDC:55910-593- 03	3 in 1 CARTON	09/22/2017				
3		14 in 1 BOTTLE; Type 0: Not a Combination Product					
Marketing Information							
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
AN	DA	ANDA207193	09/22/2017				

Labeler - Dolgencorp, LLC (068331990)

Revised: 12/2021

Dolgencorp, LLC