

**BONDI SANDS SPF 60 SUNNY SPRITZ BODY MIST- homosalate, octocrylene, octisalate, avobenzone aerosol, spray
BONDI SANDS (USA) INC.**

Bondi Sands SPF 60 Sunny Spritz Body Mist

DRUG FACTS

Active Ingredients

Avobenzone 1.8%

Homosalate 9%

Octisalate 3%

Octocrylene 6%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. If eye contact occurs, rinse thoroughly with clean running water.

Stop use and ask a doctor

if rash or irritation occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Flammable. Warning.

Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not

store at temperature above 120 °F. Keep out of reach of children. Use only as directed. Intentional misuse by deliberately concentrating and inhaling can be harmful or fatal.

Directions

- Shake well before use.
- Apply liberally and evenly 15 minutes before sun exposure.
- Do not apply the product in windy conditions.
- Reapply:
 - after 80 minutes of swimming or sweating.
 - immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor.

Other Information

- **Use only as directed.**
- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to 888-339-7642; Monday – Friday, 9 am – 5 pm.

Inactive Ingredients

Dimethyl Ether, Water/Aqua/Eau, Beeswax, Cetyl Dimethicone, Dimethicone, Cocoglycerides, PEG-15 Cocamine, Glycerin, PEG-40 Stearate, C12-15 Alkyl Benzoate, Phenoxyethanol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Caprylyl Glycol, Disodium EDTA, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Caprylhydroxamic Acid, Tocopheryl Acetate, Aloe Barbadensis Extract, Sodium Benzoate, Potassium Sorbate, Pentylene Glycol, Erythritol, Hibiscus Sabdariffa Fruit Extract.

Questions?

888-339-7642 or visit bondisands.com

Product Labeling

DRUG FACTS

Active Ingredients **Purpose**
Avobenzone 1.8%, Homosalate 9%,
Octisalate 3%, Octocrylene 6%,
Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only. Do not use on damaged or broken skin.
- When using this product keep out of eyes. If eye contact occurs, rinse thoroughly with clean running water.
- Stop use and ask a doctor if rash or irritation occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
- Flammable. Warning: Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120 °F. Keep out of reach of children. Use only as directed. Intentional misuse by deliberately concentrating and inhaling can be harmful or fatal.

Directions

- Shake well before use. Apply liberally and evenly 15 minutes before sun exposure. Do not apply the product in windy conditions.
- Reapply: after 80 minutes of swimming or sweating, immediately after towel drying, at least every 2 hours.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor.

Other Information

- Use only as directed. Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to 888-339-7642; Monday – Friday, 9 am – 5 pm.

Inactive Ingredients

Dimethyl Ether, Water/Aqua/Eau, Beeswax, Cetyl Dimethicone, Dimethicone, Cocoglycolides, PEG-15 Cocamine, Glycerin, PEG-40 Stearate, C12-15 Alkyl Benzoate, Phenylethanediol, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Caprylyl Glycol, Disodium EDTA, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Caprylylhydroamic Acid, Tocopheryl Acetate, Aloe Barbadensis Extract, Sodium Benzoate, Potassium Sorbate, Pentylene Glycol, Erythritol, Hibiscus Sabdariffa Fruit Extract.


Questions?
888-339-7642 or visit bondisands.com

Skin-first skincare from the Aussie experts.

Sunny Spritz SPF 60 Body Mist helps you to achieve that silky-smooth skin. This ultra-light, fine mist is packed with skin-loving ingredients like hydrating Australian Hibiscus and nourishing Vitamin E. It's your body's new on-the-go bestie. Don't forget to pop in your bag along with a Sunny face product, so you can stay confidently protected all day.



Inspired by the sun, sea & sand of our most iconic beach, Bondi Sands brings you the best of the Aussie lifestyle.



SPF 60
SUNNY
SPRITZ


BODY MIST

VERY WATER RESISTANT (80 MINUTES)
SUNSCREEN BROAD SPECTRUM SPF 60


Net wt. 5.64 OZ (160g)

Created with your skin in mind.


OUR FORMULA IS PROUDLY:




DERMATOLOGIST APPROVED



VERY WATER RESISTANT





BONDI SANDS is a trademark of Kao Corp.
Distributed by Kao USA Inc., Cincinnati, OH 45224 ©2024
Made in Australia. Please recycle responsibly.

bondisands.com

BONDI SANDS SPF 60 SUNNY SPRITZ BODY MIST

homosalate, octocrylene, octisalate, avobenzone aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79950-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	30 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	60 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	18 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PENTYLENE GLYCOL (UNII: 50C1307PZG)	

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ALOE VERA WHOLE (UNII: KIZ4X2EHYX)
SODIUM BENZOATE (UNII: OJ245FE5EU)
BEESWAX (UNII: 2ZA36H0S2V)
CETYL DIMETHICONE 45 (UNII: IK315POC44)
DIMETHICONE (UNII: 92RU3N3Y10)
PEG-15 COCAMINE (UNII: 8L6LB12TSJ)
PEG-40 STEARATE (UNII: ECU18C66Q7)
WATER (UNII: 059QF0KO0R)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHYL ETHER (UNII: AM13FS69BX)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
TROLAMINE (UNII: 9O3K93S3TK)
ERYTHRITOL (UNII: RA96B954X6)
COCOGLYCERIDES (UNII: ISE9I7DNUG)
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79950-017-01	1 in 1 CARTON	01/06/2025	
1		160 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/06/2025	

Labeler - BOND SANDS (USA) INC. (117596864)

Revised: 1/2025

BOND SANDS (USA) INC.