

**CHARLOTTE TILBURY BROAD SPECTRUM SPF 50 SUNSCREEN INVISIBLE UV FLAWLESS PORELESS PRIMER- avobenzene, octinoxate, octisalate and octocrylene cream**  
**Charlotte Tilbury Beauty Ltd.**

-----

**CHARLOTTE TILBURY INVISIBLE UV FLAWLESS PORELESS PRIMER**

**Active ingredients.....Purpose**

Avobenzene 3.00%.....Sunscreen

Octinoxate 6.79%.....Sunscreen

Octisalate 4.50%.....Sunscreen

Octocrylene 2.00%.....Sunscreen

**Active ingredients.....Purpose**

Avobenzene 3.00%.....Sunscreen

Octinoxate 6.79%.....Sunscreen

Octisalate 4.50%.....Sunscreen

Octocrylene 2.00%.....Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help, or contact a Poison Control Center right away.

**Directions**

- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating:
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

### **Inactive ingredients**


Water, Butylene Glycol, Diethylhexyl Succinate, Glycerin, Dextrin Palmitate, Pentylene Glycol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, PEG-60 Glyceryl Isostearate, Marrubium Vulgare Extract, Titanium Dioxide (CI 77891), Polyglyceryl-2 Triisostearate, Talc, Hydroxypropyl Methylcellulose Stearoxy Ether, Polysorbate 60, Sorbitan Isostearate, Agar, Tocopherol, Xanthan Gum, Iron Oxides (CI 77492), Isopropyl Titanium Triisostearate, Aluminum Hydroxide, Sodium Hyaluronate, Iron Oxides (CI 77491), Khaya Senegalensis Bark Extract, Maltodextrin, Citric Acid, BHT, Ascorbyl Glucoside, Camellia Oleifera Seed Oil, Butyrospermum Parkii (Shea) Butter, Rosa Canina Fruit Oil, Sodium Hydroxide, Iron Oxides (CI 77499), Plumeria Alba Flower Extract, Potassium Sorbate, Sodium Benzoate, Aloe Barbadosis Leaf Extract, Solanum Tuberosum (Potato) Pulp Extract, Ascorbyl Dipalmitate.

### **Other information**

- protect the product in this container from excessive heat and direct sun

**BROAD SPECTRUM  
SPF 50  
SUNSCREEN  
INVISIBLE UV  
FLAWLESS  
PORELESS PRIMER**

**FLAWLESS, PORELESS LOOKING  
SKIN + DAILY DEFENSE**



**APPLY ON ITS OWN AFTER YOUR MAGIC  
SKINCARE OR UNDER FOUNDATION.**

**Active ingredients (w/w): Avobenzone  
3.00%, Octinoxate 6.79%, Octisalate  
4.50%, Octocrylene 2.00%.**

**MADE IN JAPAN FOR CHARLOTTE TILBURY  
BEAUTY LTD., 8 SURREY STREET, LONDON,  
WC2R 2ND, UK. CHARLOTTE TILBURY  
BEAUTY INC., 148 LAFAYETTE STREET,  
NEW YORK, NY 10013  
CHARLOTTETILBURY.COM**

Charlotte Tilbury

Charlotte Tilbury  
**BROAD SPECTRUM  
 SPF 50  
 SUNSCREEN**  
**INVISIBLE UV  
 FLAWLESS  
 PORELESS PRIMER**  
 FLAWLESS, PORELESS LOOKING  
 SKIN + DAILY DEFENSE



30 mL e 1.0 FL. OZ.

\*TESTED ON 30 PEOPLE OVER 8 WEEKS / \*TESTED ON 30 PEOPLE OVER 8 WEEKS / \*TESTED ON 203 PEOPLE OVER 8 WEEKS

AREA FOR EXPIRY NUMBER

**Drug Facts**

**Active ingredients.....Purpose**  
 Avobenzone 3.00%.....Sunscreen  
 Octinoxate 6.79%.....Sunscreen  
 Octisalate 4.50%.....Sunscreen  
 Octocrylene 2.00%.....Sunscreen

**Uses**  
 • helps prevent sunburn  
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**  
**Do not use** on damaged or broken skin

**When using this product** keep out of eyes, Rinse with water to remove,  
**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children**, If swallowed, get medical help, or contact a Poison Control Center right away.

**Directions**  
 • apply **liberally** and evenly 15 minutes before sun exposure  
 • children under 6 months of age: ask a doctor  
 • reapply at **least** every 2 hours  
 • use a water-resistant sunscreen if swimming or sweating:  
 • immediately after towel drying  
 • at least every 2 hours  
**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. – 2 p.m.  
 • wear long-sleeved shirts, pants, hats, and sunglasses

**Inactive ingredients**  
 Water, Butylene Glycol, Diethylhexyl Succinate, Glycerin, Dextrin Palmitate, Pentylene Glycol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, PEG-60 Glyceryl Isostearate, Marrubium Vulgare Extract, Titanium Dioxide (CI 77891), Polyglyceryl-2 Triisostearate, Talc, Hydroxypropyl Methylcellulose Stearoyl Ether, Polysorbate 60, Sorbitan Isostearate, Agar, Tocopherol, Xanthan Gum, Iron Oxides (CI 77492), Isopropyl Titanium Triisostearate, Aluminum Hydroxide, Sodium Hyaluronate, Iron Oxides (CI 77491), Khaya Senegalensis Bark Extract, Maltodextrin, Citric Acid, BHT, Ascorbyl Glucoside, Camellia Oleifera Seed Oil, Butyrospermum Parkii (Shea) Butter, Rosa Canina Fruit Oil, Sodium Hydroxide, Iron Oxides (CI 77499), Plumeria Alba Flower Extract, Potassium Sorbate, Sodium Benzoate, Aloe Barbadensis Leaf Extract, Solanum Tuberosum (Potato) Pulp Extract, Ascorbyl Dipalmitate.

**Other information**  
 • protect the product in this container from excessive heat and direct sun

**2-IN-1 WEIGHTLESS SPF 50 + PRIMER**  
**CLINICALLY PROVEN**  
 **IN 1 HOUR, SKIN IS OVER 2X MORE HYDRATED\***  
 **WRINKLES APPEAR REDUCED BY 2X\***  
 **PORES APPEAR REDUCED\***  
**NON-COMEDOGENIC**

**OVER 90% OF USERS AGREE!**  
 **SKIN LOOKS + FEELS SMOOTHER**  
 **IMPERFECTIONS APPEAR BLURRED**  
 **CREATES THE PERFECT BASE FOR MAKEUP**  
 **NO FLASHBACK**

**HYDRATING HYALURONIC ACID + POLLUTION DEFENSE + INVISIBLE SPF 50 PROTECTS, HYDRATES, SMOOTHS THE LOOK OF FINE LINES AND PORES, AND CREATES THE PERFECT BASE FOR FLAWLESS MAKEUP APPLICATION!**  
**APPLY AFTER YOUR MOISTURISER OR BEFORE FOUNDATION TO PROTECT, SUPERCHARGE AND PRIME!**  
 MADE IN JAPAN FOR CHARLOTTE TILBURY BEAUTY LTD., 8 SURREY STREET, LONDON, WC2R 2ND, UK  
 CHARLOTTE TILBURY BEAUTY INC., 148 LAFAYETTE STREET, NEW YORK, NY 10013  
 LEARN MORE AT CHARLOTTE.TILBURY.COM

**CHARLOTTE TILBURY BROAD SPECTRUM SPF 50 SUNSCREEN  
 INVISIBLE UV FLAWLESS PORELESS PRIMER**

avobenzone, octinoxate, octisalate and octocrylene cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70186-701
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.918 g in 30 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.038 g in 30 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	1.377 g in 30 mL

**OCTOCRYLENE** (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 0.612 g in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>BUTYROSPERMUM PARKII (SHEA) BUTTER</b> (UNII: K49155WL9Y)	
<b>PLUMERIA ALBA FLOWER</b> (UNII: LGC8P2PC4H)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>ASCORBYL DIPALMITATE</b> (UNII: 624RX3IESR)	
<b>PEG-60 GLYCERYL ISOSTEARATE</b> (UNII: WQP0973914)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>CI 77499</b> (UNII: XM0M87F357)	
<b>ROSA CANINA FRUIT OIL</b> (UNII: CR7307M3QZ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)	
<b>AGAR</b> (UNII: 89T130HQ2B)	
<b>CI 77492</b> (UNII: EX438O2MRT)	
<b>ASCORBYL GLUCOSIDE</b> (UNII: 2V52R0NHXW)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)	
<b>SODIUM HYALURONATE</b> (UNII: YSE9PPT4TH)	
<b>ALOE BARBADENSIS LEAF</b> (UNII: ZY81Z83H0X)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HOREHOUND</b> (UNII: K08036XEJV)	
<b>CI 77891</b> (UNII: 15FIX9V2JP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>KHAYA SENEGALENSIS BARK</b> (UNII: 1S7EDA839L)	
<b>CAMELLIA OLEIFERA SEED OIL</b> (UNII: T1PE06G0VE)	
<b>POLYGLYCERYL-2 TRIISOSTEARATE</b> (UNII: 68DUY2D39A)	
<b>CI 77491</b> (UNII: 1K09F3G675)	
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>BHT</b> (UNII: 1P9D0Z171K)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>POTATO PULP</b> (UNII: 844I2DX0IS)	
<b>DIETHYLHEXYL SUCCINATE</b> (UNII: 69W9UMG3P8)	
<b>HYDROXYPROPYL METHYLCELLULOSE</b> (UNII: 3NXW29V3WO)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-701-01	1 in 1 CARTON	02/01/2025	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2025	

**Labeler** - Charlotte Tilbury Beauty Ltd. (218353520)

Revised: 1/2025

Charlotte Tilbury Beauty Ltd.