

**KROGER DIGESTIVE RELIEF- bismuth subsalicylate tablet, film coated  
KROGER COMPANY**

-----  
**Kroger Stomach Relief Bismuth Subsalicylate 262 mg**

***Drug Facts***

***Active ingredient (in each caplet)***

Bismuth subsalicylate 262 mg

***Purpose***

Upset stomach reliever and anti-diarrheal

***Uses***

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including: ■ heartburn ■ indigestion ■ nausea ■ gas ■ belching ■ fullness

**Reye's syndrome:**Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products.

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool

**Ask a doctor or pharmacist before use if you are**

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

**When using this product**

a temporary but harmless darkening of the stool and/or tongue may occur.

**Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

***Directions***

- swallow with water, do not chew
- **adults and children 12 years and older:**2 caplets every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:**ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

***Other Information***

- **each caplet contains:**calcium 27 mg, sodium 3 mg
- salicylate 99 mg
- low sodium
- sugar free
- store at room temperature.

***Questions or comments?***

**1-800-632-6900**

**Inactive Ingredients**

calcium carbonate, crospovidone, D&C Red No. 27, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate.

**NDC# 30142-524-24**

COMPARE TO the active ingredient PEPTO-BISMOL®

\*See top panel

Kroger®

**Stomach Relief**

Bismuth Subsalicylate 262 mg

Upset stomach Reliever/ Antidiarrheal

## **5 SYMPTOMS RELIEF**

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

## **24 CAPLETS**

**TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS  
BROKEN OR MISSING.**

**IMPORTANT: KEEP THIS CARTON FOR FUTURE REFERENCE ON FULL LABELING**

**DISTRIBUTED BY:**

**THE KROGER CO.**

**CINCINNATI, OHIO 45202**

**QUALITY GUARANTEE**

**800-632-6900**

**[www.kroger.com](http://www.kroger.com)**

\*This product is not manufactured or distributed by Procter & Gamble Inc., the distributor of Pepto-Bismol®.

**Drug Facts (continued)**

**Directions** ■ swallow with water, do not chew ■ **adults and children 12 years and older:** 2 caplets every ½ to 1 hour as needed ■ do not exceed 8 doses (16 caplets) in 24 hours ■ use until diarrhea stops but not more than 2 days ■ **children under 12 years:** ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information** each caplet contains: calcium 27 mg, sodium 3 mg ■ salicylate 99 mg ■ low sodium ■ sugar free ■ store at room temperature

**Inactive ingredients** calcium carbonate, crospovidone, D&C Red No. 27 Lake, magnesium stearate, maltodextrin, microcrystalline cellulose, sodium lauryl sulfate.

**Questions or comments?** 1-800-632-6900

\*Pepto-Bismol® is a registered trademark of The Proctor & Gamble Company, Cincinnati, OH 45202. The Proctor & Gamble Company is not affiliated with The Kroger Co. or this product.

COMPARE TO the active ingredient of PEPTO-BISMOL® \*See top panel

NDC 30142-524-24



# Stomach Relief

Bismuth Subsalicylate 262 mg  
Upset Stomach Reliever/  
Antidiarrheal



actual size

**5 SYMPTOM RELIEF:**

Heartburn,  
Indigestion, Nausea,  
Upset Stomach, Diarrhea

**24 CAPLETS**

**TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.**

**IMPORTANT: KEEP THIS CARTON FOR FUTURE REFERENCE ON FULL LABELING.**

**Drug Facts**

**Active ingredient (in each caplet)**

Bismuth subsalicylate 262 mg.....Upset stomach reliever and anti-diarrheal

**Purposes**

**Uses** relieves ■ travelers' diarrhea ■ diarrhea  
■ upset stomach due to overindulgence in food and drink, including: ■ heartburn  
■ indigestion ■ nausea ■ gas ■ belching ■ fullness

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Drug Facts (continued)**

**Allergy alert: Contains salicylate. Do not take if you are**

■ allergic to salicylates (including aspirin) ■ taking other salicylate products

**Do not use if you have** ■ an ulcer ■ a bleeding problem ■ bloody or black stool

**Ask a doctor before use if you have** ■ fever ■ mucus in the stool

**Ask a doctor or pharmacist before use if you are** taking any drug for

■ anticoagulation (thinning of the blood) ■ diabetes ■ gout ■ arthritis

**When using this product** a temporary, but harmless, darkening of the stool and/or tongue may occur

**Stop use and ask a doctor if** ■ symptoms get worse or last more than 2 days ■ ringing in the ears occurs or loss of hearing occurs ■ diarrhea lasts more than 2 days

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

DISTRIBUTED BY  
THE KROGER CO.  
CINCINNATI, OHIO 45202  
QUALITY GUARANTEE  
800-632-6900  
www.kroger.com



LOT:  
EXP:

0 41260 01004 0  
12524R0FC



NON WARNISH AREA  
DO NOT PRINT THIS

## KROGER DIGESTIVE RELIEF

bismuth subsalicylate tablet, film coated

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:30142-524

**Route of Administration**

ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CROSPVIDONE (120 .MU.M)</b> (UNII: 68401960MK)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	

**Product Characteristics**

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL (Caplet)	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	RP125
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-524-24	1 in 1 CARTON	03/31/2020	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/31/2020	

**Labeler** - KROGER COMPANY (006999528)