

**MEMBERS MARK SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene spray**  
**Sam's West Inc**

-----  
**Member's Mark SPF 50 Sunscreen Spray**

**☐Active ingredients**

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 7.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ☐**Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

**Stop use and ask a doctor if**

- rash occurs.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **▣ Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area.
- Reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
  - Children under 6 months of age: Ask a doctor
  - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses

### **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

acrylates/octylacrylamide copolymer, C12-15 alkyl benzoate, dicaprylyl carbonate, fragrance, PPG-5-ceteth-20, SD alcohol 40-B, tocopherol

### **Label**



NDC 68196-603-91

# SPF 50

SUNSCREEN SPRAY  
BROAD SPECTRUM SPF 50

WATER RESISTANT  
(80 MINUTES)

CRUELTY FREE

DERMATOLOGIST  
TESTED

ANTIOXIDANT  
ENRICHED  
Copy Limit E)

Height: 138 mm  
Width: 175.5 mm

LIGHTWEIGHT &  
Backgrounds Bleed to  
Outside Dimensions

**NO** OXYBENZONE  
OCTINOXATE  
OR PARABENS\*

ACTIVE INGREDIENTS:  
AVOBENZONE, HOMOSALATE  
OCTISALATE, OCTOCRYLENE

VEGAN

GLUTEN FREE

NET WT 9.1 OZ (258 g)

Member's Mark™ Premium Moisturizing Sunscreen Spray helps protect skin from harmful UVA/UVB rays with an easy-to-use, broad spectrum, enriching antioxidant vitamin E spray. This ultra-sheer, non-comedogenic formula is vegan, cruelty free, paraben free\*, oxybenzone free and retinyl palmitate free to provide sun protection you can trust.

### Drug Facts

**Active ingredients**  
Avobenzone 3.0%, Homosalate 15.0%,  
Octisalate 5.0%, Octocrylene 7.0% **Purpose**  
Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**Flammable:**  
• do not use near heat, flame or while smoking  
• avoid long term storage above 104°F (40°C)

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4 to 6 inches away from the skin to apply • do not spray directly into face. Spray into hands then apply to face. • do not apply in windy conditions • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

**Other information** • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

**Inactive ingredients** acrylates/octylacrylamide copolymer, C12-15 alkyl benzoate, dicalcium carbonate, fragrance, PPG-5-ceteleth-20, SD alcohol 40-B, tocopherol

\*No parabens separately added to preserve this product.

Blended and Filled in the U.S.A. with Imported and Domestic Ingredients.

DISTRIBUTED BY SAM'S WEST, INC.  
BENTONVILLE, AR 72716

### Questions or Comments?

We would love to hear about your Member's Mark experience! Call us toll-free at 1-888-301-0332 or visit us at: [samsclub.com/membersmarkhelp](http://samsclub.com/membersmarkhelp)



DOT 2B  
M5655



## MEMBERS MARK SPF 50 SUNSCREEN

avobenzene, homosalate, octisalate, octocrylene spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68196-603
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	70 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	

<b>PPG-5-CETETH-20</b> (UNII: 4AAN25P8P4)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-603-27	3 in 1 CARTON	01/08/2025	
1	NDC:68196-603-91	258 g in 1 CAN; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/08/2025	

**Labeler** - Sam's West Inc (051957769)

Revised: 1/2025

Sam's West Inc