

AFTATE BACITRACIN ZINC- bacitracin zinc ointment

Sabel Med LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bacitracin Zinc Ointment 1 oz (28g) tube
Bacitracin Zinc Ointment 0.5 oz (14g) tube

Warnings section

Warnings
For external use only

Do not use ■ In the eyes ■ If you are allergic to any of the ingredients
■ over large areas of the body ■ longer than 1 week unless directed by a doctor

Ask a doctor before use in case of ■ deep puncture wounds ■ animal bites
■ serious burns

Stop use and ask a doctor if ■ condition persists or gets worse
■ rash or other allergic reaction develops

Distributed by Sabel Med LLC

Inactive ingredients hard paraffin, liquid paraffin, white soft paraffin

Purpose
First aid antibiotic

for cuts ■ scrapes ■ burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Drug Facts

Active ingredient (each gram contains)	Purpose
Bacitracin Zinc 500 units.....	First aid antibiotic

right away.

Directions

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Uses first aid to help prevent infection in: ■ minor cuts ■ scrapes ■ burns

2 mm BG Area can be extend but after formation of the tube will come on back panel

Aftate™
Your Choice in First Aid™

Net wt 1oz. (28 g)

**First Aid Antibiotic
Bacitracin Zinc
Ointment USP**

NDC 70356-125-01

Effective Treatment Of Cuts, Scrapes & Burns

Anti-Infection Use Bacitracin Ointment to treat and prevent infection on minor cuts and scrapes Does not contain Neomycin

Drug Facts	Drug Facts (continued)
Active ingredient (each gram contains) Bacitracin Zinc 500 units.....First aid antibiotic	Purpose First aid antibiotic
Uses first aid to help prevent infection in: ■ minor cuts ■ scrapes ■ burns	Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage
Warnings For external use only Do not use ■ in the eyes ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week unless directed by a doctor	Other information ■ store at 15°-30°C (59°-86°F) ■ avoid excessive heat and humidity
Ask a doctor before use in case of ■ deep puncture wounds ■ animal bites ■ serious burns	Inactive ingredients hard paraffin, liquid paraffin, white soft paraffin
Stop use and ask a doctor if ■ condition persists or gets worse ■ rash or other allergic reaction develops	Questions? Call toll free 888.5Aftate or 888.822.8283

Distributed by: Sabel Med LLC
Oldsmar, FL 34677
Aftate™ RetroBrands U.S.A. LLC 2016

Retain carton for important product information

Made in India
MH/DRUGS/KD-180

Dimensions: 15mm, 1mm, 6mm, 1mm, 8X3mm

AFTATE BACITRACIN ZINC

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70356-125
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
MINERAL OIL (UNII: T5L8T28FGP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70356-125-01	28 g in 1 TUBE; Type 0: Not a Combination Product	05/01/2016	
2	NDC:70356-125-05	14 g in 1 TUBE; Type 0: Not a Combination Product	05/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	05/01/2016	

Labeler - Sabel Med LLC (091476000)

Revised: 3/2016

Sabel Med LLC