

**FRAICHE KIDS BUBBLE GUM MOUTHWASH- sodium fluoride liquid**  
**True Marker Pharmaceuticals, Inc.**

-----  
**Drug Facts**

**Active Ingredient**

SODIUM FLUORIDE 0.05%  
(0.02% w/v fluoride ion)

**Purpose**

Dental Caries Preventive

**Uses** □

Aids in the prevention of dental cavities.

**Warnings**

**Keep out of reach of children.** If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Use once a day after brushing your teeth with a toothpaste
- Remove cap
- Hold bottle upright and squeeze. Fill to FILL LINE (10mL)
- Vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- Do not swallow the rinse
- Do not eat or drink for 30 minutes after rinsing
- Instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- Supervise children as necessary until capable of using without supervision
- **Children under 6 years of age:** consult a dentist or doctor

**Other information**

- Store at controlled room temperature, 68-77°F (20-25°C).
- Do not use if safety seal is broke or missing.

**Inactive Ingredients**

Cetylpyridinium chloride, dipotassium glycyrrhizinate, disodium phosphate, flavor, glycerin, poloxamer 407, polysorbate 20, propylene glycol, sodium benzoate, sodium

phosphate, sorbitol, stevia rebaudiana leaf/stem extract, water, xylitol.

**This product does not contain ethyl alcohol.**

**Product label**

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Sodium Fluoride 0.05% (0.02% w/v fluoride ion)	Dental Caries Preventive
<b>Indications and Use</b>	
Aids in the prevention of dental cavities.	
<b>Warnings</b>	
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>▪ Use once a day after brushing your teeth with a toothpaste</li> <li>▪ Remove cap</li> <li>▪ Hold bottle upright and squeeze. Fill to FILL LINE (10mL)</li> <li>▪ Vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out</li> <li>▪ Do not swallow the rinse</li> <li>▪ Do not eat or drink for 30 minutes after rinsing</li> <li>▪ Instruct children under 12 years of age in good rinsing habits (to minimize swallowing)</li> <li>▪ Supervise children as necessary until capable of using without supervision</li> <li>▪ Children under 6 years of age: consult a dentist or doctor</li> </ul>	
<b>Other Information</b>	
<ul style="list-style-type: none"> <li>▪ Store at controlled room temperature, 68-77°F (20-25°C).</li> <li>▪ Do not use if safety seal is broke or missing.</li> </ul>	
<b>Inactive Ingredients</b>	
Cetylpyridinium chloride, dipotassium glycyrrhizinate, disodium phosphate, flavor, glycerin, poloxamer 407, polysorbate 20, propylene glycol, sodium benzoate, sodium phosphate, sorbitol, stevia rebaudiana leaf/stem extract, water, xylitol.	
<b>This product does not contain ethyl alcohol.</b>	

NDC 83592-802-10

# FRAICHE KIDS

## BUBBLEGUM

MOUTHWASH

0.05% (0.02% w/v Fluoride Ion)

---

Helps Prevent Cavities & Tooth Decay

---

Strengthens & Protects Teeth

BUBBLE GUM

**IMPORTANT:**  
Read directions for proper use.

Dye Free | Gluten Free | Paraben Free  
Alcohol Free

10.14 fl. oz. (300mL)

Manufactured in USA for:  
True Marker Pharmaceuticals, Inc.,  
Phoenix, AZ.  
1-888-811-2634

<b>FRAICHE KIDS BUBBLE GUM MOUTHWASH</b>			
sodium fluoride liquid			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83592-802
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name		Basis of Strength	Strength	
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)		FLUORIDE ION	0.05 g in 100 mL	
<b>Inactive Ingredients</b>				
Ingredient Name			Strength	
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)				
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)				
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM PHOSPHATE (UNII: SE337SVY37)				
SORBITOL (UNII: 506T60A25R)				
STEVIA REBAUDIUNA LEAF (UNII: 6TC6NN0876)				
WATER (UNII: 059QF0KOOR)				
XYLITOL (UNII: VCQ006KQ1E)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83592-802-10	300 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2024	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M021	07/01/2024		

**Labeler** - True Marker Pharmaceuticals, Inc. (119046582)

Revised: 6/2024

True Marker Pharmaceuticals, Inc.