

**BELIF DEW GUARD - DAILY MINERAL SUNSCREEN BROAD SPECTRUM SPF 50-
zinc oxide cream
LG H&H CO., LTD.**

Active Ingredient

Zinc Oxide 17.46%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Inactive Ingredients

Water, Dimethicone, Caprylyl Methicone, Butyloctyl Salicylate, Lauryl Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Dipropylene Glycol, Benzotriazolyl Dodecyl P-Cresol, Glycerin, Niacinamide, Polyglyceryl-6 Polyricinoleate, Distearidimonium Hectorite, 1,2-Hexanediol, Isostearic Acid, Magnesium Sulfate, Methyl Methacrylate Crosspolymer, Panthenol, Trimethylsiloxysilicate, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone,

Diphenylsiloxyl Phenyl Trimethicone, Triethoxycaprylylsilane, Caprylic/Capric Triglyceride, Dimethicone/Polyglycerin-3 Crosspolymer, Fragrance++, Distearyltrimonium Chloride, Dimethicone/Phenyl Vinyl Dimethicone Crosspolymer, Myristica Fragrans (Nutmeg) Extract, Melissa Ocinalis Flower/Leaf/Stem Water*, Rosmarinus Ocinalis (Rosemary) Leaf Water*, Sodium Hyaluronate+, Sodium Citrate, Butylene Glycol, Tocopherol, Cholesterol, Eucalyptus Globulus Leaf Extract*, Hydrolyzed Hyaluronic Acid+, Hydrogenated Lecithin, Alcohol Denat., Mentha Rotundifolia Leaf Extract*, Rosa Canina Fruit Extract*, Hyaluronic Acid+, Hydrolyzed Sodium Hyaluronate+, Hydroxypropyltrimonium Hyaluronate+, Sodium Acetylated Hyaluronate+, Cetearyl Alcohol, Stearic Acid, Thymus Vulgaris (Thyme) Leaf Extract*, Pentylene Glycol, Ceramide NP, Caprylyl Glycol, Ecklonia Cava Extract**, Hizikia Fusiforme Extract**, Laminaria Japonica Extract**, Ethylhexylglycerin, Ceramide NS, Phytosphingosine, Sodium Hyaluronate Crosspolymer+, Acetyl Hexapeptide-8, Ceramide AP, Ceramide AS, Desamido Collagen, Ceramide EOP, Limonene, Citronellol, Geraniol, Linalool, Citral.

(* belif original formula / + multi7-Hyaluron / ** Jeju-Haeyun Complex / ++ : Fragrance of botanical origin)

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Contact our Sun Specialists at **1-866-993-4709** or www.belifusa.com

belif
believe in truth



Dew guard -
daily mineral sunscreen
Broad Spectrum SPF 50

Appearance of redness
caused by dryness
is visibly reduced?  Yes!

Visibly brightens
dull skin tone?  Yes!



Dermatologically tested

50 ml / 1.69 fl. oz.

Our belief to deliver immediate hydration and UVA/UVB protection to your skin. This daily mineral sunscreen moisturizer visibly reduces appearance of skin redness, diminishes the look of sun damage and dark spots, and provides SPF 50.

Active Ingredient	Purpose
Zinc Oxide 17.46%	Sunscreen

Directions: Apply generously and evenly on the face and neck at least 15 minutes before sun exposure. Children under 6 months: ask a doctor. See carton for complete information.

Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children.

DISTR. LG H&H USA, Inc.
New York, NY 10006
Questions? 1-866-993-4709
MADE IN KOREA

www.belifcosmetic.com



FSC 인증 용지 사용



Appearance of redness caused by dryness is visibly reduced?

Visibly brightens dull skin tone? **YES!**

Our belief to deliver immediate hydration and UVA/UVB protection to your skin. This daily mineral sunscreen moisturizer visibly reduces the appearance of skin redness, diminishes the look of sun damage and dark spots, and provides SPF 50.

DISTR. LG H&H USA, Inc.
New York, NY 10006
Questions?
1-866-993-4709
www.belifcosmetic.com
Made in Korea



Active Ingredient	Purpose
• Zinc Oxide 17.46%	Sunscreen

Uses

- Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

• For external use only. • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

- Apply generously and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.

- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

[illegible]

Questions or comments?
Contact our Sun Specialists at 1-866-993-4709 or www.belifusa.com

zinc oxide cream

NDC:53208-740

TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17.46 g in 100 g
Inactive Ingredients		
Ingredient Name	Strength	
CERAMIDE NS (UNII: V7M2259XJM)		
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)		
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)		
PENTYLENE GLYCOL (UNII: 50C1307PZG)		
NIACINAMIDE (UNII: 25X51I8RD4)		
HYALURONIC ACID (UNII: S270N0TRQY)		
CETEARYL ALCOHOL (UNII: 2DMT128M1S)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
THYMUS VULGARIS (THYME) LEAF (UNII: GRX3499643)		
DIMETHICONE/PHENYL VINYL DIMETHICONE CROSSPOLYMER (UNII: ST6ZC4KVH2)		
CITRAL (UNII: T7EU0O9VPP)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
1,2-HEXANEDIOL (UNII: TR046Y3K1G)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
NUTMEG (UNII: AEE24M3MQ9)		
ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL (UNII: 8LGU7VM393)		
CHOLESTEROL (UNII: 97C5T2UQ7J)		
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLVW6E6)		
ECKLONIA CAVA (UNII: UXX2N5V39P)		
LIMONENE, (+)- (UNII: GFD7C86Q1W)		
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		
CAPRYLYL GLYCOL (UNII: 00YIU5438U)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)		
MAGNESIUM SULFATE (UNII: DE08037SAB)		
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)		
DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER (UNII: 2P2G24V6T9)		
TOCOPHEROL (UNII: R0ZB2556P8)		
ROSA CANINA FRUIT (UNII: 3TNW8D08V3)		
CERAMIDE NP (UNII: 4370DF050B)		
CERAMIDE AP (UNII: F1X8L2B00J)		
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)		
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)		
SODIUM HYALURONATE (UNII: YSE9PPT4TH)		
PANTHENOL (UNII: WW9CM0O67Z)		

