-----

### oxygen

### OXYGEN, COMPRESSED USP UN1072 PRODUCED BY OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. PRODUCED BY AIR LIQUIFACTION DANGER: MAY CAUSE OR INTENCIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL DELLILLE Specialty Gases 772 MARION ROAD COLUMBUS, OH 43207 877-935-3377 CONTENTS: LTRS CU. FT.



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 CONTENTS: LTRS: CU FT:

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials.

Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

DELLILLE Specialty Gases 772 MARION ROAD COLUMBUS, OH 43207 877-935-3377

# REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP UN1073



CONTENTS:

LTRS:

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE: OXIDIZER, CONTAINS REFRIGER-ATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUS-TIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL



772 MARION ROAD COLUMBUS, OH 43207 877-935-3377

47136 (01/15)

### **OXYGEN**

oxygen gas

Product Information	Prod	net	Info	rmat	ion
---------------------	------	-----	------	------	-----

Product Type

PRESCRIPTION ANIMAL DRUG

Item Code (Source)

NDC:10304-464

**Route of Administration** 

RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	995 mL in 1 L		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10304-464-01	141867 L in 1 DEWAR		
2	NDC:10304-464-02	152910 L in 1 DEWAR		
3	NDC:10304-464-03	9542 L in 1 CYLINDER		
4	NDC:10304-464-04	7985 L in 1 CYLINDER		
5	NDC:10304-464-05	3540 L in 1 CYLINDER		
6	NDC:10304-464-06	1132 L in 1 CYLINDER		
7	NDC:10304-464-07	594 L in 1 CYLINDER		
8	NDC:10304-464-08	396 L in 1 CYLINDER		
9	NDC:10304-464-09	254 L in 1 CYLINDER		
10	NDC:10304-464-10	169 L in 1 CYLINDER		
11	NDC:10304-464-11	9310 L in 1 CYLINDER		
12	NDC:10304-464-12	4250 L in 1 CYLINDER		
13	NDC:10304-464-13	2320 L in 1 CYLINDER		
14	NDC:10304-464-14	1970 L in 1 CYLINDER		
15	NDC:10304-464-15	625 L in 1 CYLINDER		
16	NDC:10304-464-16	360 L in 1 CYLINDER		
17	NDC:10304-464-17	210 L in 1 CYLINDER		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NADA	NADA141396	06/12/2000		

## Labeler - Delille Oxygen Company (004306940)

Establishment				
Name	Address	ID/FEI	Business Operations	
Delille Oxygen Company		004306940	manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Delille Oxygen Company		112594338	manufacture	

Revised: 6/2016 Delille Oxygen Company