

**LANCOME PARIS RENERGIE LIFT MULTIACTION SUNSCREEN BROAD SPECTRUM
SPF 15 FIRMING ANTIWRINKLE- avobenzone, octisalate and
octocrylene cream
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzone 3%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, adenosine, aluminum starch octenylsuccinate, caprylyl glycol, disodium EDTA, disodium stearoyl glutamate, ethylhexylglycerin, glyceryl stearate, glyceryl stearate SE, guanosine, methyl glucose sesquistearate, myristic acid, palmitic acid, PEG-100 stearate, pentylene glycol, secale cereale (rye) seed extract, sodium hydroxide, sodium polyacrylate, stearic acid, tocopherol, yeast extract, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, acetyl cedrene, benzaldehyde, benzyl alcohol, beta-caryophyllene, carvone, citronellol, citrus aurantium peel oil, coumarin, eugenia caryophyllus oil, eugenol, limonene, linalool, linalyl acetate, pinene, tetramethyl acetyloctahydronaphthalenes, vanillin, red 4, yellow 5, chlorphenesin, phenoxyethanol, fragrance

Questions or comments?

1-800-LANCOME (1-800-526-2663)

<p>Drug Facts (continued)</p> <p>Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:</p> <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor.
<p>Other information</p> <ul style="list-style-type: none"> • protect the product in this container from excessive heat and direct sun
<p>Inactive ingredients</p> <p>water, dimethicone, glycerin, hydrogenated polyisobutene, beeswax, poly C10-30 alkyl acrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, adenosine, aluminum starch octenylsuccinate, caprylyl glycol, disodium EDTA, disodium stearoyl glutamate, ethylhexylglycerin, glyceryl stearate, glyceryl stearate SE, guanosine, methyl glucose sesquistearate, myristic acid, palmitic acid, PEG-100 stearate, pentylene glycol, secale cereale (rye) seed extract, sodium hydroxide, sodium polyacrylate, stearic acid, tocopherol, yeast extract, dimethicone/vinyl dimethicone crosspolymer, dimethiconol, acetyl cedrene, benzaldehyde, benzyl alcohol, beta-caryophyllene, carvone, citronellol, citrus aurantium peel oil, coumarin, eugenia caryophyllus oil, eugenol, limonene, linalool, linalyl acetate, pinene, tetramethyl acetyloctahydronaphthalenes, vanillin, red 4, yellow 5, chlorphenesin, phenoxyethanol, fragrance</p>
<p>Questions or comments?</p> <p>1-800-LANCOME (1-800-526-2663)</p>

V70087290/1

762904 6

LANCÔME
PARIS

RÉNERGIE

LIFT MULTI-ACTION

SUNSCREEN BROAD SPECTRUM SPF 15
FIRMING - ANTI-WRINKLE CREAM


50 ml 1.69 FL. OZ.

PROVEN BY SCIENCE
POWERED BY TECH



SCAN FOR YOUR
PERSONALIZED
SKIN DIAGNOSIS

MADE IN FRANCE
LANCÔME.COM

<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Azobenzene 3%</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 7%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun <p>Warnings</p> <p>For external use only</p> <ul style="list-style-type: none"> Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. <p>Directions</p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating 	Active Ingredients	Purpose	Azobenzene 3%	Sunscreen	Octisalate 5%	Sunscreen	Octocrylene 7%	Sunscreen	<p>IMPORTANT: DO NOT USE ON OR AROUND EYES</p>  <p>6 055970 526333</p> <p>3</p>
Active Ingredients	Purpose								
Azobenzene 3%	Sunscreen								
Octisalate 5%	Sunscreen								
Octocrylene 7%	Sunscreen								

IMPORTANT:
DO NOT USE ON
OR AROUND EYES



3

<p>Drug Facts (continued)</p> <p>Other information • protect the product in this container from excessive heat and direct sun</p> <p>Inactive ingredients water, dimethicone, glycerin, hydrogenated polyisobutane, beeswax, poly C10-30 alkyl acrylate, silica, acrylates/C10-30 alkyl acrylate crosspolymer, adenosine, aluminum starch octenylsuccinate, caprylyl glycol, disodium EDTA, disodium stearyl glutamate, ethylhexylglycerin, glyceryl stearate SE, guanosine, methyl glucose sesquistearate, myristic acid, palmitic acid, PEG-100 stearate, perfluorenyl glycol, saccharide ceresite (rye) seed extract, sodium hydroxide, sodium polyacrylate, stearic acid, tocopherol, yeast extract, dimethiconol, dimethicone crosspolymer, dimethiconol, acetyl cedrene, benzaldehyde, benzyl alcohol, beta-caryophyllene, citronellol, citrus aurantium peel oil, coumarin, eugenol, geranyl acetate, limonene, linalool, linalyl acetate, phenoxyethanol, phenylethyl alcohol, phthalate dibutyl, vanillin, red 4, yellow 5, chlorophenol, phenoxethanol, fragrance</p> <p>Questions or comments? 1-800-LANCÔME (1-800-455-2663) V7008728D1 76204 6</p>	<p>LANCÔME PARIS</p> <p>RÉNERGIE</p> <p>LIFT MULTI-ACTION</p> <p>SUNSCREEN BROAD SPECTRUM SPF 15 FIRMING - ANTI-WRINKLE CREAM</p> <p>75 ml 2.5 FL. OZ.</p>	<p>PROVEN BY SCIENCE POWERED BY TECH</p>  <p>SCAN FOR YOUR PERSONALIZED SKIN DIAGNOSIS</p> <p>MADE IN FRANCE LANCÔME.COM</p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Avobenzone 3%</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 7%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p>Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</p> <p>Warnings For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions For sunscreen use: • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor</p> <p style="font-size: small;">IMPORTANT: DO NOT USE ON OR AROUND EYES</p>  <p>SV</p>	Active ingredients	Purpose	Avobenzone 3%	Sunscreen	Octisalate 5%	Sunscreen	Octocrylene 7%	Sunscreen
Active ingredients	Purpose										
Avobenzone 3%	Sunscreen										
Octisalate 5%	Sunscreen										
Octocrylene 7%	Sunscreen										

LANCÔME PARIS RENÉNERGIE LIFT MULTI-ACTION SUNSCREEN BROAD SPECTRUM SPF 15 FIRMING ANTIWRINKLE

avobenzone, octisalate and octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82046-641
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
LINALYL ACETATE (UNII: 5K47SSQ51G)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BEESWAX (UNII: 2ZA36H0S2V)	
SILICA (UNII: ETJ7Z6XBU4)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
ADENOSINE (UNII: K72T3FS567)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
EDETATE SODIUM (UNII: MP1J8420LU)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
GUANOSINE (UNII: 12133JR80S)	
METHYL GLUCOSE SESQUISTEARATE (UNII: V1YW10H14D)	
MYRISTIC ACID (UNII: 0IBV7S25AW)	

PALMITIC ACID (UNII: 2V16EO95H1)
PEG-100 STEARATE (UNII: YD01N1999R)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
RYE (UNII: 0R4AQI398X)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)
STEARIC ACID (UNII: 4ELV7Z65AP)
TOCOPHEROL (UNII: R0ZB2556P8)
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)
DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)
ACETYL CEDRENE (UNII: X6I62755AK)
BENZALDEHYDE (UNII: TA269SD04T)
BENZYL ALCOHOL (UNII: LKG8494WBH)
BETA-CARYOPHYLLENE (UNII: BHW853AU9H)
CARVONE (UNII: 75GK9XIA8I)
CITRONELLOL (UNII: P01OUT964K)
CITRUS AURANTIUM PEEL OIL (UNII: 9TLV70SV6I)
COUMARIN (UNII: A4VZ22K1WT)
CLOVE LEAF OIL (UNII: VCA5491KVF)
EUGENOL (UNII: 3T8H1794QW)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL (UNII: D81QY6I88E)
PINENE (UNII: 996299PUKB)
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
VANILLIN (UNII: CHI530446X)
RED 4 (UNII: X3W0AM1JLX)
YELLOW 5 (UNII: I753WB2F1M)
CHLORPHENESIN (UNII: I670DAL4SZ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82046-641-01	1 in 1 CARTON	05/27/2026	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:82046-641-02	1 in 1 CARTON	05/27/2026	
2		75 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/27/2026	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(82046-641) , pack(82046-641)

Revised: 5/2026

L'Oreal USA Products Inc