## **REVALIFE PAIN RELIEF CREAM-** menthol, methyl salicylate cream International Nutraceutical Company of America, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

\_\_\_\_\_

#### **Revalife - Pain Relief Cream**

## DRUG FACTS

Menthol - 5% (External Analgesic) Methyl Salicylate (NSAID) – 7.5% (External Analgesic)

#### Uses:

For temporary relief of minor aches and pains of muscles and joints associated with backache, muscle ache, strains, sprains, bruises, cramps, arthritis, and inflammation

## Warnings:

## External Use Only!

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

#### Do not use:

- on wounds or damaged skin
- with a heating pad
- on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have redness over the affected area.

# If pregnant or breast-feeding, or if you have sensitive skin, ask your doctor before use

Avoid contact with eyes. If contact occurs, flush thoroughly with water.

#### When using this product:

- avoid contact with eyes or mucous membranes
- do not bandage tightly

**Stop use and ask a doctor if:** condition worsens or symptoms persist for more than 7 days, symptoms clear up and occur again within a few days, excessive skin irritation occurs

#### **Directions:**

Use only as directed. Apply generously and massage to affected area as needed. Do not use more than 3 to 4 times per day.

Children under 12 years of age: ask a doctor before use.

## Inactive Ingredients:

Alpha-Tocopherol Acetate (Vitamin E), Aminomethylpropanol, Arnica Montana Flower, Carbomer, Cetostearyl Alcohol, Coconut Oil, Dimethyl Sulfone, Dimethyl Sulfoxide, Ethylhexylglycerin, Glucosamine HCL, Glyceryl Monostearate, Hemp Oil, Magnesium Hydroxide, N-Acetyl Glucosamine, Phenoxyethanol, Polysorbate 80, Water

## **Other Information:**

Store at room temperature 68°F to 77°F (20° to 25°C) Do not expose to excessive heat

## Allergy Alert:

Do not use if you are allergic to salicylates (including aspirin) without consulting a physician.

## For Questions

International Neutraceutical Company of America, LLC 1551 Dunwoody Village Parkway P.O. Box 888882 Dunwoody, GA 30356 USA

+1 (404) 402-9354

www.revalife.com



(Menthol 5%, Methyl Salicylate 7.5%)

## FAST ACTING NON-GREASY FORMULA

with GLUCOSAMINE, MSM ARNICA AND HEMP OIL



#### FOR:

**ARTHRITIS, MUCLE SPRAINS & JOINT ACHES INJURIES CAUSED BY SPORTS & EXERCISE** 

#### TO USE ON:

ARMS, BACK, ELBOWS, FINGERS, HIPS, KNEES KNUCKLES, NECK, SHOULDERS, TOES, WRISTS

#### NET. WT. 4 oz · 114g

# Revalife

#### DRUG FACTS

Active Ingredients:	Purpose
Menthol 5%	External Analgesic
Methyl Salicylate (NSAID) 7.5%	External Analgesic

Uses: For temporary relief of minor aches and pains of muscles and joints associated with backache, muscle ache, strains, sprains, bruises, cramps, arthritis, and inflammation.

#### Warnings: For external use only

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Do not use: on wounds or damaged skin, with a heating pad, on a child under 12 years of age with arthritis-like conditions.

Ask a doctor before use if you have redness over the affected area. If pregnant or breast-feeding, or if you have sensitive skin, ask your doctor before use.

Avoid contact with eyes. If contact occurs, flush thoroughly with water.

When using this product: avoid contact with eves or mucous membranes, do not bandage tightly.

Stop use and ask a doctor if: condition worsens or symptoms persist for more than 7 days, symptoms clear up and occur again within a few days, excessive skin irritation occurs

#### Directions:

Use only as directed. Apply generously and massage on the affected area as needed. Do not use more than 3 to 4 times per day. Children under 12 years of age: ask a doctor before use.

#### Inactive Ingredients:

Alpha-Tocopherol Acetate (Vitamin E), Aminomethylpropanol, Amica Montana Flowe Hemp Oil, Carbomer, Cetostearyl Alcohol, Dimethyl Sulfone, Dimethyl Sulfoxide, Ethylhexylglycerin, Glucosamine, Glucosamine HCL, Phenoxyethanol, Polysorbate 80, Water

#### Other Information:

Store at room temperature 68°F to 77°F (20° to 25°C) Do not expose to excessive heat. Keep the tube closed when not in use.

Allergy Alert:

Do not use if you are allergic to salicylates (including aspirin) without consulting a physician.

International Nutraceutical Company of America, LLC 1551 Dunwoody Village Parkway


P.O. Box 888882 Dunwoody, GA 30356 USA

+1 (404) 402-9354

www.revalife.com




#### CLINICAL STRENGTH



# FAST ACTING NON-GREASY FORMULA

with GLUCOSAMINE, MSM ARNICA AND HEMP OIL



Амг.целарде сош вок вреде 97 вок вреде 27 вок вреде Аликооф Мицбе Босили 21 Опинооф Мицбе Босили	AZU NI 30AM	I AOT FON - 3J9MA
emational Nutraceutical Co	ompany of America, LL	
o not expose to excess o not expose to excess	arte heat. Keep the	ou usum pasojo a
<b>:noitemonni 1945</b> Uteraquiat moor te aro	are 68°F to 77°F (2	(Dest of
sective Ingredients: phartocopherol Acetation over, Hemp Oil, Carbo Moxide, Ethylnexyloyc	e (Vitamin E), Amir A Met, Cetostesiyi M	ruh, lonsqorqiyrbər rofiu2 iyrbəmid, lor
steak 21 Japan natel		
irections: se only as directed. Api o not use more than 3 pildren under 12 years pildren under 12 years	to 4 times per day.	oatte arti no agease
se only as directed. Api seded, o not use more than 3	tous desir up and by generously and occurs.	a airtiw niege w
ore than 7 days, sympl cessive skin irritation o <b>irrections:</b> se only as directed. Api seded.	to 4 times per day por denerously and porcurs. browns dear up and porcurs.	smotqmys 10 2092 N e nintiw niege 10
void contact with ev void contact with ev nen using this prod ore than 7 days, sympi pressive skin initation o becelvers se only as directed. Api seded, o not use more than 3 seded,	to 4 times per day to 4 times per day to 4 times per day to 4 times per day	w yinguonont rieun smotomys o saes anotomys o saes
ik a doctor before use, pregnant or breast- void contact with ey non using this prodi- tion using this prodi- ore than 7 days, symp- cessive sidn initation of thections; secony as directed. Api seded,	se if you have re- reeding, or if you wet: avoid contact occu- tioms clear up and occurs. to 4 times per day to 4 times per day to 4 times per day	w kitiguorott rieuf smotomys or sees anotomys or sees anotomys or sees anotomys of see anotomys anotom
pregnant or breast- void contact with ev nen using this prodi- tion using this prodi- tion using this prodi- tion via a do ore than 7 days, sympi- cessive skin irritation o beet only as directed. Api seded, seded, o not use more than 3	to 4 times per day to 4 times per day	ss over the affecte ave sensitive ski heyes or mucous sens or symptoms ur agen or symptoms ur agen or spec

## NET. WT. 0.10 oz • 2.88g

TO USE ON: ARMS, BACK, ELBOWS, FINGERS, HIPS, KNEES KNUCKLES, NECK, SHOULDERS, TOES, WRISTS

ARTHRITIS, MUCLE SPRAINS & JOINT ACHES INJURIES CAUSED BY SPORTS & EXERCISE



Varaines For external use only!		
Usest For temporary relief of minor aches and pains of muscles and joints asso- clated with backache, muscle ache, strains, sprains, bruises, cramps, arthritis, and inflammation.		
esoqnaq Setitol 5% Sicylate (NSAID) 7.5% Sicylate (NSAID) 7.5%		
DRUG FACTS		
V9OTAMMAJJNI-ITMA		

<b>REVALIFE PAIN REL</b> menthol, methyl salicylate cr						
<b>Product Information</b>						
Product Type	oduct Type HUMAN OTC DRUG Item Code (Source) N			NDC	IDC:42452-379	
oute of Administration TOPICAL						
Active Ingredient/Active	e Moiety					
Ingr		Basis of Strength		Strength		
MENTHOL (UNII: L7T10EIP3A) (ME	ENTHOL - UNII:L7T10EIP3A)		MENTHOL		0.05 kg in 1 kg	
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - METHYL SALICYLATI JNII:0414PZ4LPZ)			ATE	0.075 kg in 1 kg		
Inactive Ingredients	Ingredient Name				Strongth	
WATER (UNII: 059QF0KO0R)					Strength	
CARBOMER HOMOPOLYMER T	<b>(PE C</b> (UNII: 4093BCW27E)					
DIMETHYL SULFONE (UNII: 9H4	· · ·					
DIMETHYL SULFOXIDE (UNII: YC						
N-ACETYLGLUCOSAMINE (UNII:						
GLUCOSAMINE HYDROCHLORI	<b>DE</b> (UNII: 750W5330FY)					
GLYCERYL STEARATE SE (UNII:						
Polysorbate 80 (UNII: 60ZP39Z						
<b>CETOSTEARYL ALCOHOL</b> (UNII:	2DMT128M1S)					
ARNICA MONTANA (UNII: 080TY	208ZW)					
CANNABIS SATIVA SEED OIL (U						
COCONUT OIL (UNII: Q9L0073W	•					
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)						

PHENOXYETHANOL (UNII: HIE492ZZ3T)

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)							
M	AGNESIUM HYD	ROXIDE (UNII: NBZ3QY004S)					
AN	INOMETHYLPF	ROPANOL (UNII: LU49E6626Q)					
Pa	ackaging						
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:42452- 379-01	0.114 kg in 1 TUBE; Type 0: Not a Combination Product	03/31/2020				
2	NDC:42452- 379-00	0.00288 kg in 1 PACKET; Type 0: Not a Combination Product	03/31/2020				
Μ	larketing	Information					
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph not final		ot part348	03/31/2020				

Labeler - International Nutraceutical Company of America, LLC (941002250)

**Registrant** - International Nutraceutical Company of America, LLC (941002250)

Establishment				
Name	Address	ID/FEI	Business Operations	
Cosco International, Inc		016433141	manufacture(42452-379) , label(42452-379) , pack(42452-379)	

Revised: 2/2022

International Nutraceutical Company of America, LLC