

**CETIRIZINE HYDROCHLORIDE (HIVES RELIEF) - cetirizine hydrochloride tablet**  
**Aurohealth LLC**

-----  
***Drug Facts***

**Active ingredient (in each tablet)**

**For 5 mg:**

Cetirizine hydrochloride USP 5 mg

**For 10 mg:**

Cetirizine hydrochloride USP 10 mg

**Purpose**

Antihistamine

**Uses**

reduces hives and relieves itching due to hives (urticaria). This product will not prevent hives or an allergic skin reaction from occurring.

**Warnings**

**Severe Allergy Warning:** Get emergency help **immediately** if you have hives along with any of the following symptoms:

- trouble swallowing
- dizziness or loss of consciousness
- swelling of tongue
- swelling in or around mouth
- trouble speaking
- drooling
- wheezing or problems breathing

These symptoms may be signs of anaphylactic shock. This condition can be life threatening if not treated by a health professional **immediately**. Symptoms of anaphylactic shock may occur when hives first appear or up to a few hours later.

**Not a Substitute for Epinephrine.** If your doctor has prescribed an epinephrine injector for "anaphylaxis" or severe allergy symptoms that could occur with your hives, never use this product as a substitute for the epinephrine injector. If you have been prescribed an epinephrine injector, you should carry it with you at all times.

**Do not use**

- to **prevent** hives from any known cause such as:
  - foods
  - insect stings
  - medicines
  - latex or rubber gloves

because this product will not stop hives from occurring. Avoiding the cause of your hives is the only way to prevent them. Hives can sometimes be serious. If you do not know the cause of your hives, see your doctor for a medical exam. Your doctor may be able to help you find a cause.

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

### **Ask a doctor before use if you have**

- liver or kidney disease. Your doctor should determine if you need a different dose.
- hives that are an unusual color, look bruised or blistered
- hives that do not itch

### **Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

### **When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve after 3 days of treatment.
- the hives have lasted more than 6 weeks.

### **If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. [1-800-222-1222]

### **Directions**

#### **For 5 mg:**

adults and children 6 years and over	1 to 2 tablets once daily depending upon severity of
--------------------------------------	--

	symptoms; do not take more than 2 tablets in 24 hours
adults 65 years and over	1 tablet once a day; do not take more than 1 tablet in 24 hours.
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**For 10 mg:**

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)
- **TAMPER EVIDENT: DO NOT USE IF SEAL OVER BOTTLE OPENING IS BROKEN OR MISSING.**

**Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions?**

call **1-855-274-4122**

**Important: Read all product information before using. Keep this carton for important information.**

Distributed by:

**AUROHEALTH LLC**

279 Princeton-Hightstown Road  
East Windsor, NJ 08520

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 5 mg (30's Tablet Container Carton Label)**

**AUROHEALTH**

**NDC 58602-446-09**

**\*Compare to the active ingredient of Zyrtec®**

**HIVES RELIEF**

**Cetirizine Hydrochloride Tablets USP  
5 mg**

**Antihistamine  
Original Prescription Strength**

**HIVES RELIEF  
24 Hour relief**

**Reduces  
Hives**

**30  
Tablets  
5 mg each**

**Reduces Itching  
Due to Hives**



**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 5 mg (10 x 10 Blister Carton Label)**

**AUROHEALTH**

**NDC 58602-446-21**

**\*Compare to the active ingredient of Zyrtec®**

**HIVES RELIEF**

**Cetirizine Hydrochloride Tablets USP  
5 mg**

**Antihistamine  
Original Prescription Strength**

**HIVES RELIEF  
24 Hour relief**

**Reduces  
Hives**

**100  
(10x10's)  
Unit dose Tablets**

**Reduces Itching**

5 mg each

Due to Hives



NDC 58602-446-21

\*Compare to the active ingredient of Zyrtec®

**HIVES RELIEF**

**Cetirizine Hydrochloride Tablets USP**

**5 mg**

Antihistamine  
Original Prescription Strength

Cetirizine Hydrochloride Tablets USP  
Antihistamine  
Original Prescription Strength  
**5 mg**

NDC 58602-446-21

Unvarnished Zone  
(dotted line not for printing)  
88 x 15 mm

P1 05 8215

**HIVES RELIEF**

24 Hour relief



Reduces Hives

100

(10x10's)  
Unit dose Tablets  
5 mg each



Reduces Itching  
Due to Hives

Important: Read all product information before using.  
Keep this carton for important information.

Distributed by:  
**AUROHEALTH LLC**  
279 Princeton-Hightstown Road  
East Windsor, NJ 08520



**Drug Facts**

**Active Ingredient (In each tablet)** ..... **Purpose**  
Cetirizine hydrochloride USP 5 mg ..... Antihistamine

**Uses** reduces hives and relieves itching due to hives (urticaria). This product will not prevent hives or an allergic skin reaction from occurring.

**Warnings**

**Severe Allergy Warning:** Get emergency help immediately if you have hives along with any of the following symptoms: ■ trouble swallowing ■ dizziness or loss of consciousness ■ swelling of tongue ■ swelling in or around mouth ■ trouble speaking ■ drooling ■ wheezing or problems breathing. These symptoms may be signs of anaphylactic shock. This condition can be life threatening if not treated by a health professional immediately. Symptoms of anaphylactic shock may occur when hives first appear or up to a few hours later.

**Not a Substitute for Epinephrine.** If your doctor has prescribed an epinephrine injector for "anaphylaxis" or severe allergy symptoms that could occur with your hives, never use this product as a substitute for the epinephrine injector. If you have been prescribed an epinephrine injector, you should carry it with you at all times.

**Do not use** ■ to prevent hives from any known cause such as: ■ foods ■ insect stings ■ medicines ■ latex or rubber gloves because this product will not stop hives from occurring. Avoiding the cause of your hives is the only way to prevent them. Hives can sometimes be serious. If you do not know the cause of your hives, see your doctor for a medical exam. Your doctor may be able to help you find a cause. ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use** if you have ■ liver or kidney disease. Your doctor should determine if you need a different dose. ■ hives that are an unusual color, look bruised or blistered ■ hives that do not itch

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use** if you are taking tranquilizers or sedatives.

**When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** ■ an allergic reaction to this product occurs. Seek medical help right away. ■ symptoms do not improve after 3 days of treatment ■ the hives have lasted more than 6 weeks

**If pregnant or breast-feeding:** ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. [1-800-222-1222]

**Directions**

adults and children 6 years and over 1 to 2 tablets once daily depending upon severity of symptoms; do not take more than 2 tablets in 24 hours.

adults 65 years and over 1 tablet once a day; do not take more than 1 tablet in 24 hours.

children under 6 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

**Other Information**

■ store between 20° to 25°C (68° to 77°F)

■ **TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN**

**Drug Facts (continued)**

**Inactive Ingredients**

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

This unit-dose package is child resistant.

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., owner of the registered trademark Zyrtec®.

Questions? call 1-855-274-4122

the registered trademark Zyrtec

# PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 10 mg (30's Tablet Container Carton Label)

## AUROHEALTH

### NDC 58602-447-09

**\*Compare to the active ingredient of Zyrtec®**

### HIVES RELIEF

### Cetirizine Hydrochloride Tablets USP 10 mg

### Antihistamine Original Prescription Strength

### HIVES RELIEF

### 24 Hour relief

### Reduces Hives

### 30 Tablets

### 10 mg each Actual Size

### Reduces Itching Due to Hives



# PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 10 mg (10 x 10 Blister Carton Label)

## AUROHEALTH

### NDC 58602-447-21

**\*Compare to the active  
ingredient of Zyrtec®**

***HIVES RELIEF***

**Cetirizine Hydrochloride Tablets USP 10 mg**

**Antihistamine  
Original Prescription Strength**

***HIVES RELIEF***

**24 Hour relief      Reduces  
                                 Hives**

**100 Tablets  
(10x10 Unit-dose)  
10 mg each**

**Actual Size**

**Reduces Itching  
Due to Hives**



NDC 58602-447-21

\*Compare to the active ingredient of Zyrtec®

### HIVES RELIEF

## Cetirizine Hydrochloride Tablets USP 10 mg

Antihistamine  
Original Prescription Strength

### HIVES RELIEF

24 Hour relief



100 Tablets



Important: Read all product information before using.  
Keep this carton for important information.

Distributed by:  
**AUROHEALTH LLC**  
279 Princeton-Hightstown Road  
East Windsor, NJ 08520



Cetirizine Hydrochloride Tablets USP 10 mg  
Antihistamine  
Original Prescription Strength

NDC 58602-447-21

#### Drug Facts

**Active Ingredient (In each tablet)** Cetirizine hydrochloride USP 10 mg  
**Purpose** Antihistamine

**Uses** reduces hives and relieves itching due to hives (urticaria). This product will not prevent hives or an allergic skin reaction from occurring.

#### Warnings

**Severe Allergy Warning:** Get emergency help immediately if you have hives along with any of the following symptoms: trouble swallowing ■ dizziness or loss of consciousness ■ swelling of tongue ■ swelling in or around mouth ■ trouble speaking ■ drooling ■ wheezing or problems breathing. These symptoms may be signs of anaphylactic shock.

This condition can be life threatening if not treated by a health professional immediately. Symptoms of anaphylactic shock may occur when hives first appear or up to a few hours later.

**Not a Substitute for Epinephrine.** If your doctor has prescribed an epinephrine injector for "anaphylaxis" or severe allergy symptoms that could occur with your hives, never use this product as a substitute for the epinephrine injector. If you have been prescribed an epinephrine injector, you should carry it with you at all times.

**Do not use** ■ to prevent hives from any known cause such as: ■ foods ■ insect stings ■ medicines ■ latex or rubber gloves because this product will not stop hives from occurring. Avoiding the cause of your hives is the only way to prevent them. Hives can sometimes be serious. If you do not know the cause of your hives, see your doctor for a medical exam. Your doctor may be able to help you find a cause. ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** ■ liver or kidney disease. Your doctor should determine if you need a different dose. ■ hives that are an unusual color, look bruised or blistered ■ hives that do not itch

#### Drug Facts (continued)

**Ask a doctor or pharmacist before use if you are taking** tranquilizers or sedatives.

**When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** ■ an allergic reaction to this product occurs. Seek medical help right away. ■ symptoms do not improve after 3 days of treatment ■ the hives have lasted more than 6 weeks

**If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. [1-800-222-1222]

#### Directions

adults and children 6 years and over one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over ask a doctor

children under 6 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

#### Other information

■ store between 20° to 25°C (68° to 77°F)

■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

#### Drug Facts (continued)

**Inactive Ingredients** colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions?** call 1-855-274-4122

This unit-dose package is child resistant.

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., owner of the registered trademark Zyrtec®.

Unvarnished Zone  
(dotted line not for printing)  
88 x 15 mm

P1 05 82 73

# CETIRIZINE HYDROCHLORIDE (HIVES RELIEF)

cetirizine hydrochloride tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58602-446
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSE 2910 (5 MPA.S)</b> (UNII: R75537T0T4)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	WHITE (White to Off-white)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	X;35
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58602-446-09	1 in 1 CARTON	08/05/2015	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:58602-446-17	1 in 1 CARTON	08/05/2015	
2		45 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:58602-446-47	75 in 1 PACKAGE, COMBINATION; Type 0: Not a Combination Product	08/05/2015	
4	NDC:58602-446-41	1000 in 1 BOTTLE; Type 0: Not a Combination Product	08/05/2015	
5	NDC:58602-446-21	10 in 1 CARTON	08/05/2015	
5		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090760	08/05/2015	

## CETIRIZINE HYDROCHLORIDE (HIVES RELIEF)

cetirizine hydrochloride tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58602-447
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	WHITE (White to Off-white)	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	X;36
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58602-447-09	1 in 1 CARTON	08/05/2015	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:58602-447-17	1 in 1 CARTON	08/05/2015	
2		45 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:58602-447-47	75 in 1 PACKAGE, COMBINATION; Type 0: Not a Combination Product	08/05/2015	
4	NDC:58602-447-41	1000 in 1 BOTTLE; Type 0: Not a Combination Product	08/05/2015	
	NDC:58602-			

5	NDC:58602-447-21	10 in 1 CARTON	08/05/2015	
5		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090760	08/05/2015	

## CETIRIZINE HYDROCHLORIDE (HIVES RELIEF)

cetirizine hydrochloride tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58602-813
Route of Administration	ORAL		

  

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

  

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

  

Product Characteristics			
Color	WHITE (White to Off-white)	Score	2 pieces
Shape	RECTANGLE (off-rectangular)	Size	9mm
Flavor		Imprint Code	X;2;0
Contains			

  

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58602-813-09	1 in 1 CARTON	08/05/2015	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:58602-813-17	1 in 1 CARTON	08/05/2015	
2		45 in 1 BOTTLE; Type 0: Not a Combination Product		

3	NDC:58602-813-99	75 in 1 PACKAGE, COMBINATION; Type 0: Not a Combination Product	08/05/2015	
4	NDC:58602-813-23	1 in 1 CARTON	08/05/2015	
4		120 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:58602-813-39	1 in 1 CARTON	08/05/2015	
5		365 in 1 BOTTLE; Type 0: Not a Combination Product		
6	NDC:58602-813-41	1000 in 1 BOTTLE; Type 0: Not a Combination Product	08/05/2015	
7	NDC:58602-813-04	10 in 1 CARTON; Type 0: Not a Combination Product	08/05/2015	
8	NDC:58602-813-83	10 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/05/2015	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090760	08/05/2015	

**Labeler** - Aurohealth LLC (078728447)

## Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(58602-446, 58602-447, 58602-813) , MANUFACTURE(58602-446, 58602-447, 58602-813)

## Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		918917642	ANALYSIS(58602-446, 58602-447, 58602-813) , MANUFACTURE(58602-446, 58602-447, 58602-813)

Revised: 2/2025

Aurohealth LLC