

**ACT KIDS ANTICAVITY FLUORIDE PINEAPPLE PUNCH- sodium fluoride mouthwash
Chattem, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACT Kids Anticavity Fluoride Rinse Pineapple Punch

ACT® Kids Anticavity

Fluoride Rinse Pineapple Punch

Drug Facts

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. Fill to FILL LINE
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- do not use if safety seal is broken or missing

Inactive ingredients

benzyl alcohol, blue 1, calcium disodium EDTA, cetylpyridinium chloride, disodium phosphate, flavor, poloxamer 407, polysorbate 20, potassium sorbate, propylene glycol, sodium benzoate, sodium phosphate, sorbitol, sucralose, water

PRINCIPAL DISPLAY PANEL

ACT

KIDS

ANTICAVITY

FLUORIDE RINSE

PINEAPPLE

PUNCH

16.9 fl oz (500 mL)

#1 DENTIST RECOMMENDED
KID'S RINSE BRAND*

ACT

Kids

ANTICAVITY
FLUORIDE RINSE



PINEAPPLE PUNCH

helps Prevent Cavities
Swish Away Particles
brushing may miss

alcohol free

Sodium Fluoride 0.05%
IMPORTANT: Read
directions for proper use.



16.9 fl oz (500 mL)

0100411-01

ACT[®] Kids ANTICAVITY FLUORIDE RINSE

alcohol free

Drug Facts

Active ingredient	Purpose
Sodium fluoride 0.05% (0.02% w/v fluoride ion)	Anticavity

Use ■ aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. Fill to FILL LINE
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- do not use if safety seal is broken or missing

Inactive ingredients benzyl alcohol, blue 1, calcium disodium EDTA, cetylpyridinium chloride, disodium phosphate, flavor, poloxamer 407, polysorbate 20, potassium sorbate, propylene glycol, sodium benzoate, sodium phosphate, sorbitol, sucralose, water

Bottle configuration is a trademark of Chatterm, Inc. 333-120

SANOFI 

Dist. by Chatterm, Inc., a Sanofi Company
P.O. Box 2219, Chattanooga, TN 37409 USA
† among mouth rinses ©2018 Chatterm, Inc.



Learn more at www.ACTFLUORIDE.com



0100412-01



ACT KIDS ANTICAVITY FLUORIDE PINEAPPLE PUNCH

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0953
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)	
CETYL PYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	BLUE	Score	
Shape		Size	
Flavor	PINEAPPLE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0953-3	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/02/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part355	01/02/2019	

