

QUENCH AND PROTECT HYDRATING SPF 30- zinc oxide and titanium dioxide cream
Allure Labs Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

ACTIVE INGREDIENTS:

Zinc Oxide - 6.0%

Titanium Dioxide 4.7%

Purpose: Sunscreen

How to use: Apply to your cleansed and toned face and neck every morning as a daily moisturizer. Re-apply every 2 hours when exposed to sun or as needed.

Apply to your cleansed and toned face and neck every morning as a daily moisturizer. Re-apply every 2 hours when exposed to sun or as needed.

Aqua, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Dimethicone, Cyclohexasiloxane, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Aluminum Hydroxide, Stearic Acid, Glycerin, Cetearyl Oliviate, Hexyl Laurate, Sodium Chloride, Pichia/ Resveratrol, Ferment Extract, Sorbitane Oliviate, Dimethicone/Polyglycerin-3 Crosspolymer, Polyglyceryl-4 Isostearate, Panthenol, Cetyl PEG/PPG-10/1 Dimethicone, Triethoxysilylethyl, Polydimethylsiloxyethyl Hexyl Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Dimethicone/Venyl Dimethicone, Crosspolymer, Sodium Hyaluronate, Phenoxyethanol, Caprylyl Glycol, , Ethylhexylglycerin, Hexylene Glycol, Fragrance, Tocopheryl Acetate.

SORELLAAPOTHECARY.COM

Sorella Apothecary, Reno, NV 89509.

SORELLA

APOTHECARY

DRUG FACTS	
Active Ingredients:	Purpose:
Troloxerone 4.7 %	Sunscreen
Zinc Oxide 4.0 %	Sunscreen
Uses:	
<ul style="list-style-type: none"> • Helps prevent sunburn. • If used as directed with other sun protection measures, this product decreases the risk of skin cancer and early skin aging caused by the sun. 	
Warnings:	
<ul style="list-style-type: none"> • For external use only. • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. 	
Directions:	
<ul style="list-style-type: none"> • Apply liberally 15 minutes before sun exposure. • Children under 6 months of age: Ask a doctor. • Reapply at least every 2 hours. <p>Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regardless of whether you use a sunscreen with a Broad Spectrum SPF index of 15 or higher and other sun protection measures including:</p> <ul style="list-style-type: none"> • Limit time in the sun, especially from 10 a.m.-2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses. 	
Other Information:	
Protect this product in this container from excessive heat and direct sun.	
Inactive Ingredients:	
Water, Glycerin, C12-15 Alkyl Benzoate, Dimethicone, Cycloheximide, Polysiloxane-2, Polydimethylsilyoxane, Stearic Acid, Aluminum Hydroxide, Glycine, Citrus Oil, Terebinthene, Linalyl Acetate, Salicylic Acid, PABA, Benzophenone, Ferrous Extract, Solisera Oil, Dimethicone/Polydimethylsiloxane-3 Copolymer, Polydimethylsiloxane, Pentaerythritol, Cetyl PEG/PPG-10/1 Dimethicone, Tris(trimethylsilyloxy)dimethylsilyloxydimethyl Dimethylsiloxane, Dimethicone/Polydimethylsiloxane-10 Copolymer, Salicylic Acid, Phenoxyethanol, Capryl Glycol, Ethylhexylglycerin, Stearic Acid, Fragrance, Triethylhexylamine	






SORELLAAPOTHECARY.COM
Sorella Apothecary, Reno, NV 89509



HOW TO USE

Apply to your cleansed and toned face and neck every morning as a daily moisturizer. Re-apply every 2 hours when exposed to sun or as needed.

Quench & Protect

HYDRATING SPF

Protect and repair skin with SPF 30

DESCRIPTION

Sunscreen with all the bells and whistles, including protection from harmful rays, plus moisturizing ingredients and skin soothers in case you forgot to apply it yesterday...



2 OZ / 57 G





QUENCH AND PROTECT HYDRATING SPF 30

zinc oxide and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62742-4158
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	60 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	47 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12 % IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
C12-15 ALKYL ETHYLHEXANOATE (UNII: GQJ580CH83)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4) (UNII: 8INO2K35FA)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PICHA JADINII (UNII: 8JRL032K80)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
PANTHENOL (UNII: WV9CM0O67Z)	
PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER (UNII: 965K72OQXO)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TOCOPHERYL NICOTINATE, D-.ALPHA. (UNII: W1J5UCY5C)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62742-4158-2	1 in 1 CARTON	12/12/2017	
1	NDC:62742-4158-1	57 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/12/2017	

Labeler - Allure Labs Inc (926831603)

Revised: 12/2017

Allure Labs Inc