

MEDIFORDEAR CICA CALMING SUNSCREEN- homosalate, octocrylene, ethylhexyl salicylate, avobenzone cream
Youngwon Costech Co.,Ltd.

Active ingredient(s)

Homosalate 10.0%
Octocrylene 10.0%
Ethylhexyl Salicylate 5.0%
Avobenzone 3.0%

Purpose

Sunscreen

Use(s)

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warning

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if irritation or rash occurs.
- Keep out of reach of children if product is swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children if product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun, especially from 10a.m.-2p.m.
Wear long-sleeved shirts, pants, hats and sunglasses.

Other Information

- Protect the product in this container from excessive heat and direct sun

Questions

Inactive ingredients

Water, Butylene Glycol, Butyloctyl Salicylate, Polyglyceryl-6 Stearate, Ethylhexyl Methoxycrylene, Niacinamide, Poly C10-30 Alkyl Acrylate, Sorbitan Sesquioleate, Silica, Behenyl Alcohol, 1,2-Hexanediol, Hydroxyacetophenone, Sodium Polyacryloyldimethyl Taurate, Polyglyceryl-6 Behenate, Polyacrylate Crosspolymer-6, Sphingomonas Ferment Extract, Tocopheryl Acetate, Panthenol, Disodium EDTA, Adenosine, Centella Asiatica Extract, Monarda Didyma Leaf Extract, Mentha Piperita Leaf Extract, Lavandula Angustifolia Flower Extract, Freesia Refracta Extract, Rosmarinus Officinalis Leaf Extract, Chamomilla Recutita Flower Extract, Asiaticoside, Caprylyl Glycol, Madecassoside, Madecassic Acid, Asiatic Acid

Drug Facts

Active ingredient(s)	Purpose
Homosalate 10.0%	Sunscreen
Octocrylene 10.0%	Sunscreen
Ethylhexyl Salicylate 5.0%	Sunscreen
Avobenzone 3.0%	Sunscreen

Use(s)

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warning

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if irritation or rash occurs.
- Keep out of reach of children if product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10a.m.-2p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other information

- Protect the product in this container from excessive heat and direct sun

Questions

www.lookatmecos.com

Inactive ingredients

Water, Butylene Glycol, Butyloctyl Salicylate, Polyglyceryl-6 Stearate, Ethylhexyl Methoxycrylene, Niacinamide, Poly C10-30 Alkyl Acrylate, Sorbitan Sesquioleate, Silica, Behenyl Alcohol, 1,2-Hexanediol, Hydroxyacetophenone, Sodium Polyacryloyldimethyl Taurate, Polyglyceryl-6 Behenate, Polyacrylate Crosspolymer-6, Sphingomonas Ferment Extract, Tocopheryl Acetate, Panthenol, Disodium EDTA, Adenosine, Centella Asiatica Extract, Monarda Didyma Leaf Extract, Mentha Piperita Leaf Extract, Lavandula Angustifolia Flower Extract, Freesia Refracta Extract, Rosmarinus Officinalis Leaf Extract, Chamomilla Recutita Flower Extract, Asiaticoside, Caprylyl Glycol, Madecassoside, Madecassic Acid, Asiatic Acid

[US RP] Distributor: Young Won Costech Co., Ltd.
#1118 Jungang Tower, Wiryegwangjang-ro 300, Sujeong-gu, Seongnam-si, Gyeonggi-do, Korea

메디포디아 시카 카밍 선크림 SPF 45

병물추출물과 나이아신아마이드가 함유된 부드럽고 촉촉한 선크림으로, 피부에 자연스럽게 스며들어 생기 있는 피부를 유지해 줍니다.

용량 50ml

제조번호 및 사용기한 별도표기

화장품책임판매업자 (주)영원코스텍
경기도 성남시 수정구 위례광장로 300
중앙타워 11층 1118호

Medifordear

Cica Calming Sunscreen SPF 45

A moisture-based broad-spectrum SPF 45 sunscreen with cica and niacinamide that provides a fresh, dewy glow while seamlessly blending into the skin without leaving a white cast.

How to Use

- 1) Apply as the final step in your morning skincare routine, before applying makeup.
- 2) Apply evenly and generously to your face and neck at least 15 minutes before sun exposure.
- 3) Reapply every two hours for continued protection.



1등 선크림

CICA CALMING SUNSCREEN

FRAGRANCE FREE

+HYDRATING & SOOTHING
+NO VISIBLE WHITE CAST







끈적임 NO, 산뜻함 YES!

MEDI fordear

Net 1.69 fl. oz. / 50 ml
MADE IN KOREA

MEDIFORDEAR CICA CALMING SUNSCREEN

homosalate, octocrylene, ethylhexyl salicylate, avobenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72169-550
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
POLYGLYCERYL-6 STEARATE (UNII: ETY9Q81E2T)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
NIACINAMIDE (UNII: 25X51I8RD4)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72169-550-02	1 in 1 CARTON	01/02/2025	
1	NDC:72169-550-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/02/2025	

Labeler - Youngwon Costech Co.,Ltd. (688556739)

Registrant - Youngwon Costech Co.,Ltd. (688556739)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

KONAD CO LTD		688329887	manufacture(72169-550)
--------------	--	-----------	------------------------

Revised: 1/2025

Youngwon Costech Co.,Ltd.