

ALL DAY ALLERGY-D- cetirizine hydrochloride and pseudoephedrine hydrochloride tablet

Strategic Sourcing Services

all day allergy-D

Drug Facts

Active ingredients (in each extended-release tablet)	Purpose
Cetirizine HCl, USP 5 mg	Antihistamine
Pseudoephedrine HCl, USP 120 mg	Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of nose or throat
 - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at **1-800-222-1222**.

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened or if the blister unit is broken
- see side panel for batch number and expiration date

Inactive ingredients

hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide

Imprinting Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze

Questions?

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

**Distributed by McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141**

PRINCIPAL DISPLAY PANEL - 24 Tablet Blister Card Carton

5232143

NO COATING

Warnings

- Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- Ask a doctor before use if you have:
 - heart disease
 - thyroid disease
 - glaucoma
 - high blood pressure
 - trouble urinating due to an enlarged prostate gland
 - liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product do not use more than directed drowsiness may occur. Avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness.

- Be careful when driving a motor vehicle or operating machinery.

Drug Facts (continued)

Directions

- do not break or chew tablet; swallow tablet whole
- adults and children: take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
- adults 65 years and over: ask a doctor
- children under 12 years of age: ask a doctor
- consumers with liver or kidney disease: ask a doctor

Other Information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened or if the blister unit is broken
- see side panel for batch number and expiration date

NO COATING

5232143

Drug Facts

Active ingredients (in each extended-release tablet)

Cetirizine HCl USP 5 mg, Pseudoephedrine HCl USP 120 mg, Antihistamine, Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, sneezing, itchy, watery eyes, itching of nose or throat
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores free breathing through the nose

Purpose

Nasal Decongestant

Expiration Date:

Batch No.

Non Varnish Area

COMPARE TO ZYRTEC-D® 12HR ACTIVE INGREDIENTS†
NDC 70677-0146-1



12 hour all day allergy-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended-release Tablets, USP 5 mg/120 mg
Antihistamine/Nasal Decongestant

Indoor & Outdoor Allergies

- 12 Hour Relief of:
- Sneezing • Itchy, Watery Eyes • Sinus Pressure;
 - Runny Nose • Itchy Throat or Nose;
 - Nasal Congestion

Original Prescription Strength
ALLERGY & CONGESTION



ACTUAL SIZE **24 TABLETS** (4 blister cards of 6 tablets each)

DO NOT USE IF INDIVIDUAL BLISTER UNIT IS OPEN OR TORN.

Drug Facts (continued)

Inactive ingredients hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide


Printing Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, sheal glaze

Questions? Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

†All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Zyrtec-D® 12HR.

Rev. 06/22
Distributed by McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141
Money Back Guarantee
© 2003 McKesson Corporation
Please visit us at www.sunmarkdnd.com

Product of India



0 1 0 9 3 9 9 5 4 4 9 7

ALL DAY ALLERGY-D

cetirizine hydrochloride and pseudoephedrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-0146
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
AMMONIA (UNII: 5138Q19F1X)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
HYDROXYETHYL CELLULOSE (4000 MPA.S AT 1%) (UNII: ZYD53NBL45)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND (circular)	Size	9mm
Flavor		Imprint Code	915
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-0146-1	4 in 1 CARTON	11/01/2018	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination		

Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090922	11/01/2018	

Labeler - Strategic Sourcing Services (116956644)

Establishment			
Name	Address	ID/FEI	Business Operations
Sun Pharmaceutical Industries Limited		650445203	MANUFACTURE(70677-0146)

Revised: 6/2022

Strategic Sourcing Services