

**5% MINOXIDIL TOPICAL SOLUTION- minoxidil solution**  
**Nanhong (Zhuhai) Biotechnology Co., Ltd.**

-----  
**5% MINOXIDIL TOPICAL SOLUTION**

5% MINOXIDIL TOPICAL SOLUTION

MINOXIDIL 5%

Hair regrowth treatment for men

to regrow hair on the top of the scalp (vertex only see pictures on side of carton)

For external use only. For use by men only.

Flammable: Keep away from fire or flame

you are a woman

your amount of hair loss is different than that shown on the side of this carton, or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline.

your hair loss is sudden and/or patchy

you do not know the reason for your hair loss

you are under 18 years of age. Do not use on babies and children.

your scalp is red, inflamed, infected, irritated, or painful

you use other medicines on the scalp

do not apply on other parts of the body

avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

some people have experienced changes in hair color and/or texture

it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

the amount of hair regrowth is different for each person. This product will not work for all men.

chest pain, rapid heartbeat, faintness, or dizziness occurs

sudden, unexplained weight gain occurs

your hands or feet swell

scalp irritation or redness occurs

unwanted facial hair growth occurs you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area

using more or more often will not improve results

continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

see hair loss pictures on side of this carton




before use, read all information on carton

keep the carton. It contains important information.

5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution

store at controlled room temperature 20° to 25°C (68° to 77°F)

ALCOHOL  
GLYCERIN  
PROPYLENE GLYCOL  
PURIFIED WATER



5% MINOXIDIL TOPICAL SOLUTION

minoxidil solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85174-001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:85174-001-02	2 in 1 PACKAGE	01/16/2025	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:85174-001-03	3 in 1 PACKAGE	01/16/2025	
2		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:85174-001-04	4 in 1 PACKAGE	01/16/2025	
3		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	505G(a)(3)	01/16/2025	

**Labeler -** Nanhong (Zhuhai) Biotechnology Co., Ltd. (569163067)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Nanhong (Zhuhai) Biotechnology Co., Ltd.		569163067	manufacture(85174-001)

