MIAMI BEACH SPF 50 KIDS C/S SUNSCREEN- avobenzone, homosalate, octisalate, and octocrylene s pray

Prime Packaging Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Miami Beach SPF 50 Kids C/S Sunscreen

Active Ingredients

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 2.75%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

- keep away from face to avoid breathing it
- Contents under pressure do not puncture or incinerate. Do not store at temperatures above 120°F

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming and sweating
- immediately after towel drying
- at least every 2 hours
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face
- do not apply in windy conditions
- use in a well-ventilated area

- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Water (Aqua), Styrene/Acrylates Copolymer, Homosalate, Ethylhexyl Salicylate, Butyl Methoxydibenzoylmethane, Sorbitol, Octocrylene, Dimethicone, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Phenoxyethanol, Potassium Cetyl Phosphate, Fragrance (Parfum), Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Ethylhexylglycerin, Disodium EDTA, Tocopheryl Acetate, Butylphenyl Methylpropional, Aminomethyl Propanol, Aloe Barbadensis Leaf Juice, Hexyl Cinnamal, Linalool, Geraniol, Alpha-Isomethyl Ionone, Caprylic/Capric Triglyceride, Benzyl Salicylate, Propylene Glycol, Hydroxycitronellal, Limonene, Crambe Maritima Extract, Pseudopterogorgia Elisabethae Plant Extract


Other Information

- protect this product from excessive heat and direct sun
- may stain fabrics

Question or comments?

Call 305.471.7989

Miami Beach SPF 50 C/S Sunscreen



MIAMI BEACH SPF 50 KIDS C/S SUNSCREEN

avobenzone, homosalate, octisalate, and octocrylene spray

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:13630-0104 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | | | | |
|--|-------------------|------------------|--|--|--|
| Ingredient Name | Basis of Strength | Strength | | | |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30.66 mg in 1 mL | | | |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 102.2 mg in 1 mL | | | |
| OCTISALATE (UNII: 4X49 Y0 59 6 W) (OCTISALATE - UNII:4X49 Y0 59 6 W) | OCTISALATE | 51.1 mg in 1 mL | | | |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 28.11 mg in 1 mL | | | |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A) | |
| BUTYL ACRYLATE/C16-C20 ALKYL METHACRYLATE/METHACRYLIC ACID/METHYL METHACRYLATE COPOLYMER (UNII: 7K68DGG29P) | |
| POTASSIUM CETYL PHO SPHATE (UNII: 03KCY6P7UT) | |
| DIMETHICO NE (UNII: 92RU3N3Y1O) | |
| CRAMBE MARITIMA LEAF (UNII: NO0DI2V62B) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 71DD5V995L) | |
| ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X) | |
| SORBITOL (UNII: 506T60A25R) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| EDETATE DISO DIUM (UNII: 7FLD91C86K) | |
| AMINOMETHYLPROPANOL (UNII: LU49E6626Q) | |
| PSEUDO PTERO GORGIA ELISABETHAE (UNII: UDY3H1OUX5) | |
| .ALPHATO COPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| WATER (UNII: 059QF0KO0R) | |
| PHENO XYETHANO L (UNII: HIE492ZZ3T) | |
| | |

| Product Characteristics | | | | |
|-------------------------|-------|--------------|--|--|
| Color | white | Score | | |
| Shape | | Size | | |
| Flavor | | Imprint Code | | |
| Contains | | | | |

| ı | Packaging | | | |
|---|--------------------|--|-----------------------------|---------------------------|
| ı | # Item Code | Package Description | Marketing Start Date | Marketing End Date |
| ı | 1 NDC:13630-0104-4 | 177 mL in 1 CAN; Type 0: Not a Combination Product | 02/29/2016 | |

| Marketing Information | | | | |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part352 | 02/29/2016 | | |
| | | | | |

Labeler - Prime Packaging Inc. (805987059)

Registrant - Prime Packaging Inc. (805987059)

| Establishment | | | |
|-----------------------|---------|---------------|---|
| Name | Address | ID/FEI | Business Operations |
| Prime Enterprises Inc | | 10 19 46 0 28 | manufacture(13630-0104), analysis(13630-0104) |

| Establishment | | | |
|---------------|---------|--------|---------------------|
| Name | Address | ID/FEI | Business Operations |

| | | • |
|----------------------|-----------|-------------------------------------|
| Prime Packaging Inc. | 805987059 | pack(13630-0104), label(13630-0104) |

Revised: 1/2020 Prime Packaging Inc.