

**ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE-
aluminum hydroxide, magnesium hydroxide, and simethicone suspension
Everpharm LLC**

**Aluminum Hydroxide, Magnesium Hydroxide and Simethicone 1,200-1,200-120
mg/30 mL**

**Aluminum Hydroxide, Magnesium Hydroxide and Simethicone 2,400-2,400-240
mg/30 mL**

Drug Facts

1,200-1,200-120 mg/30 mL

***Active ingredient per 30mL (1 Unit
Dose)***

Aluminum hydroxide 1,200mg (equivalent to dried gel USP)

Magnesium hydroxide 1,200mg

Simethicone 120mg

2,400-2,400-240 mg/30 mL

Active ingredient per 30mL (1 Unit Dose)

Aluminum hydroxide 2,400mg (equivalent to dried gel USP)

Magnesium hydroxide 2,400mg

Simethicone 240mg

Purpose

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a healthcare professional before use

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions • shake well before use

1,200-1,200-120 mg/30 mL

- Do not use more than 4 unit dose (120 mL) in a 24 hour period or use the maximum dose for more than 2 weeks

age	dose
Adults and children over 12 years of age	Take 30 mL, one unit dose, between meals and at bedtime, or as directed by a doctor. Do not exceed 4 x 30 mL unit dose (120 mL) in a 24 hour period
Children under 12 years of age	Ask a doctor

2,400-2,400-240 mg/30 mL

- Do not use more than 2 unit dose (60 mL) in a 24 hour period or use the maximum dose for more than 2 weeks

age	dose
Adults and children over 12 years of age	Take 30 mL, one unit dose, one to two times daily or as directed by a doctor. Do not exceed 2 x 30 mL unit dose (60 mL) in a 24 hour period
Children under 12 years of age	Ask a doctor

Other information

1,200-1,200-120 mg/30 mL

- **each 30 mL (unit dose) contains** magnesium 510 mg and sodium 18 mg
- store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature]
- protect from freezing
- do not use if lid is torn or broke

2,400-2,400-240 mg/30 mL

- **each 30 mL (unit dose) contains** magnesium 990 mg and sodium 6 mg
- store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature]
- protect from freezing
- do not use if lid is torn or broken

Inactive ingredients benzyl alcohol, butylparaben, carboxy-methylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments? Call (866) 838-3774

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

EverPharm

NDC 84415-017-01

Aluminum Hydroxide
Magnesium Hydroxide
and Simethicone

Antacid & Antigas

1,200-1,200-120 mg/30 mL

- Sugar Free

For Institutional Use Only

100 x 30 mL Unit-Dose Cups



NDC 84415-017-01

**ALUMINUM HYDROXIDE,
MAGNESIUM HYDROXIDE
AND SIMETHICONE**

ANTACID & ANTIGAS

1,200-1,200-120 mg/30 mL

- Sugar Free

FOR INSTITUTIONAL USE ONLY

100 x 30 mL Unit-Dose Cups

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

EverPharm

NDC 84415-010-01

Aluminum Hydroxide
Magnesium Hydroxide
and Simethicone

Antacid & Antigas

2,400-2,400-240 mg/30 mL

- Sugar Free

For Institutional Use Only

100 x 30 mL Unit-Dose Cups



NDC 84415-010-01

**ALUMINUM HYDROXIDE,
MAGNESIUM HYDROXIDE
AND SIMETHICONE**

ANTACID & ANTIGAS

2,400-2,400-240 mg/30 mL

• Sugar Free

FOR INSTITUTIONAL USE ONLY

100 x 30 mL Unit-Dose Cups

**ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND
SIMETHICONE**

aluminum hydroxide, magnesium hydroxide, and simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84415-017
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IU0)	ALUMINUM HYDROXIDE	1200 mg in 30 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 30 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	120 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor	PEPPERMINT	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84415-017-01	100 in 1 BOX, UNIT-DOSE	01/16/2025	
1		30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M001	01/16/2025		

ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE

aluminum hydroxide, magnesium hydroxide, and simethicone suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84415-010
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IU0)	ALUMINUM HYDROXIDE	2400 mg in 30 mL	
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	2400 mg in 30 mL	
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	240 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)			
BUTYLPARABEN (UNII: 3QPI1U3FV8)			
BENZYL ALCOHOL (UNII: LKG8494WBH)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
PROPYLPARABEN (UNII: Z8X2SC1OH)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SORBITOL SOLUTION (UNII: 8KW3E207O2)			
Product Characteristics			
Color		Score	
Shape		Size	

Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84415-010-01	100 in 1 BOX, UNIT-DOSE	01/16/2025	
1		30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001.15		01/16/2025	

Labeler - Everpharm LLC (119288836)

Revised: 1/2025

Everpharm LLC