SANI-CLAW- sani-claw liquid Homeland Industrial Supply

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%......Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer







SANI-CLAW

GEL ANTISEPTIC HANDWASH



LEAVES HANDS SOFT

Kills 99.9% of Most Common Germs Evaporates Quickly

WARNING: FLAMMABLE KEEP OUT OF REACH OF CHILDREN

See Additional Cautions on Back Panel

NET CONTENTS: 4 FL. OZ.

Drug Facts

Active ingredient

Ethyl Alcohol 60%

Purpose

.Antiseptic

Uses

Personal

Flammability -

Ratings:

- · Handwash to help decrease bacteria on the skin.
- · Recommended for repeated use.

Warnings • Flammable. Keep away from fire or flame.

For external use only.

Do not use • In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor.

Keep out of reach of children.

Directions

Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

Other information • Store below 95°F. • Close spout to avoid evaporation.

Inactive ingredients

Water, Triethanolamine, Fragrance, Acrylic Polymer.

600007220

NDC 69138-693-01

Made in USA

Distributed By:

HOMELAND

3045 McCann Farm Drive, Unit 102 • Garnet Valley, PA 19060 To Reorder Call 844-350-1550

SANI-CLAW

sani-claw liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69138-693

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)

ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)

67 mL in 100 mL

Inactive Ingredients

Ingredient Name Strength

CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 903K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:69138- 693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/23/2020			
2	NDC:69138- 693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/11/2014			
3	NDC:69138- 693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/20/2020			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	505G(a)(3)	07/11/2014			

Labeler - Homeland Industrial Supply (078356836)

Establishment						
Name	Address	ID/FEI	Business Operations			
QuestSpecialty Corporation		103840377	manufacture(69138-693)			

Revised: 1/2025 Homeland Industrial Supply